

Bekanntmachung der Liste risikobewerteter Spender- und Empfängerorganismen für gentechnische Arbeiten

vom 28. Juni 2023

Das Bundesministerium für Ernährung und Landwirtschaft macht nachstehend nach Anhörung der Zentralen Kommission für die Biologische Sicherheit (ZKBS) eine Liste von Organismen nach § 6 der Gentechnik-Sicherheitsverordnung (GenTSV) in der Fassung der Bekanntmachung vom 12. August 2019 (BGBl. I S. 1235) bekannt, die den Risikogruppen 1 bis 4 nach den allgemeinen Kriterien gemäß § 5 Absatz 1 Satz 1 und Anlage 1 Nummer 1 GenTSV zugeordnet sind.

Die Liste umfasst Archaea, Bakterien, Parasiten, Pilze und sonstige eukaryote Einzeller, Agenzien transmissibler spongiformer Erkrankungen und Viren bzw. Viroide, deren Risikobewertung nach dem Stand der Wissenschaft erfolgte. Die Einstufungen der Organismen können auch der von der ZKBS-Geschäftsstelle kontinuierlich aktualisierten Organismendatenbank¹ entnommen werden.

Primäre Zellen und Zelllinien werden in die Risikogruppe 1 eingeordnet, wenn sie keine Organismen einer höheren Risikogruppe abgeben. Geben sie Organismen höherer Risikogruppen ab, oder ist dies nicht auszuschließen, werden sie in die Risikogruppe dieser Organismen eingeordnet. Die Einstufungen von etablierten Zelllinien können der von der ZKBS-Geschäftsstelle geführten Zelllinienliste² entnommen werden.

Die jeweilige Risikogruppe definiert kein „punktgenau“ bestimmtes Gefährdungspotenzial. Vielmehr umfasst jede Risikogruppe einen bestimmten Bereich, da in der Natur ein kontinuierliches Spektrum an Organismen von apathogen bis hochpathogen vorliegt.

Für den Umgang mit bisher unbekanntem Erregern im Bereich der medizinischen Diagnostik gelten eigene Bestimmungen (z. B. Infektionsschutzgesetz, Biostoffverordnung).

Für das Verbringen von und das Arbeiten mit phytopathogenen Organismen muss ggf. gemäß § 14a der Pflanzenbeschauverordnung ein Antrag auf eine Ausnahmegenehmigung bei der für die Pflanzengesundheit zuständigen Behörde gestellt werden, wenn es sich bei den phytopathogenen Organismen um Quarantäne- bzw. Unionsquarantäneschädlinge gemäß der Pflanzengesundheitsverordnung (EU) 2016/2031 handelt.

Diese Liste umfasst die von der ZKBS bis einschließlich 9. Mai 2023 in eine Risikogruppe eingeordneten Organismen.

Berlin, den 28. Juni 2023

Bundesministerium
für Ernährung und Landwirtschaft

Im Auftrag
Dr. Matthias Brigulla

¹ <https://zag.bvl.bund.de/organismen/index.jsf>

² <https://zag.bvl.bund.de/zelllinien/index.jsf>

**Spender- und
Empfängerorganismen
für gentechnische Arbeiten**

Legende

Archaea, Bakterien, eukaryotische Mikroorganismen: Der zuerst genannte Name entspricht der taxonomisch korrekten Bezeichnung des Organismus. *Syn* kennzeichnet eine oder mehrere weitere Bezeichnungen für eine Art. *Früher* benennt eine frühere Bezeichnung, die heute nicht mehr gültig ist.

Viren: Unter „Organismenname“ ist, soweit verfügbar, der Name der Virusspezies genannt (kursiv, wenn nach ICTV anerkannt, *master species list #37*). Darunter werden häufig verwendete Subtypen, Isolate etc. oder frühere Bezeichnungen aufgeführt, die der jeweiligen Spezies zugeordnet werden. Ist ein Virus noch keiner Spezies zugeordnet, wird der Name des Virus unter „Organismenname“ aufgeführt (nicht kursiv).

- ! Veränderte Risikobewertung im Vergleich zur Organismenliste von 2020.
- * Entspricht (**) in Anhang III der Arbeitnehmerschutzrichtlinie 2000/54/EG vom 18. September 2000 (geändert durch Richtlinie (EU) 2019/1833 vom 24. Oktober 2019):
 „Bei bestimmten biologischen Arbeitsstoffen, die in die Gruppe 3 eingestuft und in der Liste mit zwei Sternchen (**) versehen wurden, ist das Infektionsrisiko für Arbeitnehmer begrenzt, da eine Infektion über den Luftweg normalerweise nicht erfolgen kann. Um festzustellen, ob unter den besonderen Umständen auf bestimmte Maßnahmen verzichtet werden kann, unterziehen die Mitgliedstaaten die auf die biologischen Arbeitsstoffe angewendeten Sicherheitsmaßnahmen einer Beurteilung, bei der sie die Art der betreffenden Tätigkeiten und die Menge des jeweiligen biologischen Arbeitsstoffes berücksichtigen.“ (Siehe auch TRBA 100 Abschnitt 5.4.1 zu Tätigkeiten mit biologischen Arbeitsstoffen der Risikogruppe 3**, GMBI Nr. 51/52 vom 17. Oktober 2014)
- AR Einstufung nach der Arbeitnehmerschutzrichtlinie 2000/54/EG vom 18. September 2000 (geändert durch Richtlinie (EU) 2019/1833 vom 24. Oktober 2019):
 „Entsprechend dem Anwendungsbereich der Richtlinie sollen nur Arbeitsstoffe, die bekanntermaßen Infektionskrankheiten beim Menschen hervorrufen, in die Einstufung aufgenommen werden.“ (Einführende Bemerkung Nummer 1 aus Anhang III der Arbeitnehmerschutzrichtlinie 2000/54/EG)
 Mit „AR“ werden nur solche Organismen gekennzeichnet, die bisher nicht durch die ZKBS bewertet worden sind.
- ~~AR~~ Die Einstufung weicht von der Arbeitnehmerschutzrichtlinie 2000/54/EG (geändert durch Richtlinie (EU) 2019/1833 vom 24. Oktober 2019) ab.
- d Die Einstufung kann herabgesetzt werden, wenn die Arbeiten mit dem Parasiten ohne Überträger/Zwischenwirt oder ohne infektiöse Stadien des Parasiten durchgeführt werden.
- e Diese in Risikogruppe 2 genannten Gattungen (mit spp. bezeichnet) enthalten auch als nicht human- oder tierpathogen geltende Arten und Stämme, die der Risikogruppe 1 zuzuordnen sind. Die Zuordnung zur Risikogruppe 1 muss durch die ZKBS erfolgen, bevor die Organismen bei gentechnischen Arbeiten verwendet werden.
- p Phytopathogene Erreger
 Auf die Stellungnahme der ZKBS zu Kriterien der Bewertung und der Einstufung von Pflanzenviren, phytopathogenen Pilzen und phytopathogenen Bakterien als Spender- und Empfängerorganismen für gentechnische Arbeiten (Az.: 6790-10-53 vom April 2007) wird hingewiesen.
- Va Vakzinestamm eines von der zuständigen Stelle zugelassenen Impfstoffes. Voraussetzung für die Einstufung in Risikogruppe 1 ist, dass die jeweils von der Zulassungsstelle zugelassenen Produktionsbedingungen eingehalten werden (Zahl der Passagen, Zellkultur- oder Wirtssysteme o. ä.).

Archaea

Organismenname	siehe Legende	Risikogruppe
<i>Archaeoglobus fulgidus</i>		1
<i>Desulfurococcus</i> spp.		1
<i>Haloarcula marismortui</i>		1
<i>Halobacterium salinarum</i>		1
<i>Haloferax mediterranei</i>		1
<i>Halorubrum vacuolatum</i> früher: <i>Natronobacterium vacuolatum</i>		1
<i>Methanobacterium</i> spp.		1
<i>Methanobrevibacter oralis</i>	!	2
<i>Methanobrevibacter</i> spp. außer <i>Methanobrevibacter oralis</i>	!	1
<i>Methanocaldococcus jannaschii</i> früher: <i>Methanococcus jannaschii</i>		1
<i>Methanococcus</i> spp.		1
<i>Methanococcus voltae</i>		1
<i>Methanocorpusculum</i> spp.		1
<i>Methanoculleus</i> spp.		1
<i>Methanogenium</i> spp.		1
<i>Methanohalophilus</i> spp.		1
<i>Methanopyrus kandleri</i>		1
<i>Methanosarcina barkeri</i>		1
<i>Methanosarcina mazei</i>		1
<i>Methanothermobacter thermoautotrophicus</i> früher: <i>Methanobacterium thermoautotrophicum</i>		1
<i>Methanothermus fervidus</i>		1
<i>Natronomonas pharaonis</i> früher: <i>Halobacterium pharaonis</i> , <i>Natronobacterium pharaonis</i>		1
<i>Pyrobaculum islandicum</i>		1
<i>Pyrococcus abyssi</i>		1
<i>Pyrococcus furiosus</i>		1
<i>Pyrococcus woesei</i>		1
<i>Pyrodictium</i> spp.		1
<i>Staphylothermus marinus</i>		1
<i>Sulfolobus acidocaldarius</i>		1
<i>Sulfolobus shibatae</i>		1
<i>Sulfolobus solfataricus</i>		1
<i>Thermococcus gorgonarius</i>		1
<i>Thermoproteus tenax</i>		1

Bakterien

Organismenname	siehe Legende	Risikogruppe
Acetivibrio cellulolyticus Syn: <i>Hungateiclostridium cellulolyticum</i>		1
Acetobacter estunensis früher: <i>Acetobacter pasteurianus</i> ssp. <i>estunensis</i>		1
Acetobacter lovaniensis früher: <i>Acetobacter pasteurianus</i> ssp. <i>lovaniensis</i>		1
Acetobacter pasteurianus ssp. ascendens Syn: <i>Acetobacter pasteurianus</i>		1
Acetobacter pasteurianus ssp. paradoxus Syn: <i>Acetobacter pasteurianus</i>		1
Acetobacter pasteurianus ssp. pasteurianus Syn: <i>Acetobacter pasteurianus</i>		1
Acetobacterium dehalogenans Stamm DSM 11527		1
Acetonema longum		1
Achromobacter denitrificans Syn: <i>Alcaligenes denitrificans</i> , <i>Achromobacter xylosoxidans</i> ssp. <i>denitrificans</i>		2
Achromobacter sp.		2
Achromobacter xylosoxidans Syn: <i>Achromobacter xylosoxidans</i> ssp. <i>xylosoxidans</i> ; früher: <i>Alcaligenes xylosoxidans</i>		2
Acidaminococcus fermentans		2
Acidaminococcus sp. BV3L6		2
Acidipropionibacterium acidipropionici früher: <i>Propionibacterium acidipropionici</i>		1
Acidithiobacillus ferrooxidans früher: <i>Thiobacillus ferrooxidans</i>		1
Acidomonas methanolica früher: <i>Acetobacter methanolicus</i>		1
Acidovorax sp. BoFeN1		1
Acidovorax sp. Leaf84		1
Acinetobacter baumannii		2
Acinetobacter baylyi		1
Acinetobacter calcoaceticus		2
Acinetobacter indicus		2
Acinetobacter johnsonii		2
Acinetobacter junii		2
Acinetobacter lwoffii		2
Acinetobacter nosocomialis		2
Acinetobacter oleivorans		2
Acinetobacter pittii		2
Acinetobacter radioresistens		1
Acinetobacter ursingii		2
Actinobacillus indolicus		1
Actinobacillus minor		1
Actinobacillus pleuropneumoniae früher: <i>Haemophilus pleuropneumoniae</i>		2
Actinobacillus porcinus		1
Actinobacillus spp.	e	2
Actinomadura madurae	AR	2
Actinomadura pelletieri	AR	2
Actinomyces bovis		2
Actinomyces gerencseriae früher: <i>Actinomyces israelii</i> Serovar 2	AR	2
Actinomyces israelii	AR	2

Organismenname	siehe Legende	Risikogruppe
<i>Actinomyces</i> spp.	AR, e	2
<i>Actinomyces viscosus</i>		2
<i>Actinoplanes missouriensis</i>		1
<i>ActinoSynnema pretiosum</i> ssp. <i>auranticum</i>		1
<i>ActinoSynnema pretiosum</i> ssp. <i>pretiosum</i>		1
<i>Advenella kashmirensis</i> früher: <i>Tetrathlobacter kashmirensis</i>		2
<i>Advenella mimigardefordensis</i> früher: <i>Tetrathlobacter mimigardefordensis</i>		1
<i>Aeribacillus pallidus</i> früher: <i>Bacillus pallidus</i> , <i>Geobacillus pallidus</i>		1
<i>Aerococcus viridans</i>		2
<i>Aeromicrobium</i> sp. Leaf245		1
<i>Aeromonas caviae</i> Syn: <i>Aeromonas punctata</i>		2
<i>Aeromonas diversa</i>		2
<i>Aeromonas hydrophila</i> ssp. <i>anaerogenes</i>		2
<i>Aeromonas hydrophila</i> ssp. <i>hydrophila</i>		2
<i>Aeromonas salmonicida</i> A440		1
<i>Aeromonas salmonicida</i> ssp. <i>masoucida</i>		2
<i>Aeromonas salmonicida</i> ssp. <i>salmonicida</i>		2
<i>Aeromonas salmonicida</i> ssp. <i>smithia</i>		2
<i>Aeromonas veronii</i>		2
<i>Afipia birgiae</i>		1
<i>Afipia broomeae</i>		2
<i>Afipia clevelandensis</i>		2
<i>Afipia felis</i>		2
<i>Afipia massiliensis</i>		1
<i>Agathobacter rectalis</i> früher: <i>Roseburia rectale</i> , <i>Eubacterium rectale</i>		1
<i>Aggregatibacter actinomycetemcomitans</i> früher: <i>Haemophilus actinomycetemcomitans</i> , <i>Actinobacillus actinomycetemcomitans</i>	AR	2
<i>Agreia</i> sp. Leaf335		1
<i>Agrobacterium tumefaciens</i> Syn: <i>Rhizobium radiobacter</i>	p	1
<i>Alcaligenaceae</i> FB188		2
<i>Alcaligenes denitrificans</i> Syn: <i>Achromobacter xylosoxidans</i> ssp. <i>denitrificans</i>		2
<i>Alcaligenes</i> sp. Stamm O-1		1
<i>Alcanivorax</i> sp. TY5		1
<i>Alicyclobacillus acidocaldarius</i> früher: <i>Bacillus acidocaldarius</i>		1
<i>Aliivibrio fischeri</i> früher: <i>Photobacterium fischeri</i> , <i>Vibrio fischeri</i>		1
<i>Allochromatium vinosum</i> früher: <i>Chromatium vinosum</i>		1
<i>Allofrancisella frigidaquae</i> <i>Francisella</i> sp. W12-1076		2
<i>Amycolatopsis mediterranei</i> früher: <i>Nocardia mediterranei</i>		1
<i>Anabaena variabilis</i>		1
<i>Anaerobutyricum hallii</i> früher: <i>Eubacterium hallii</i>		1
<i>Anaplasma</i> spp.		2

Organismenname	siehe Legende	Risikogruppe
<i>Aquaspirillum</i> spp.		1
<i>Aquifex aeolicus</i>		1
<i>Aquicola tertiariicarbonis</i>		1
<i>Arcanobacterium haemolyticum</i> früher: <i>Corynebacterium haemolyticum</i>	AR	2
<i>Arcobacter butzleri</i>	AR	2
<i>Aromatoleum aromaticum</i> Stamm EbN1 früher: <i>Azoarcus</i> spp. Stamm EbN1		1
<i>Arthrobacter cummingsii</i>		2
<i>Arthrobacter globiformis</i>		1
<i>Arthrobacter</i> sp. DSM 9771		1
<i>Arthrobacter</i> sp. IDBU0141		1
<i>Arthrobacter</i> sp. Leaf145		1
<i>Arthrobacter woluwensis</i>		2
<i>Arthrospira platensis</i> früher: <i>Spirulina platensis</i>		1
<i>Avibacterium avium</i> früher: <i>Pasteurella avium</i> , <i>Haemophilus avium</i>		1
<i>Avibacterium endocarditidis</i>		2
<i>Avibacterium gallinarum</i> früher: <i>Pasteurella gallinarum</i>		2
<i>Avibacterium paragallinarum</i> früher: <i>Haemophilus paragallinarum</i>		2
<i>Avibacterium volantium</i> früher: <i>Pasteurella volantium</i> , <i>Haemophilus avium</i>		1
<i>Azoarcus communis</i>		1
<i>Azoarcus evansii</i>		1
<i>Azoarcus indigens</i>		1
<i>Azoarcus</i> sp. BH72		1
<i>Azohydromonas lata</i> früher: <i>Alcaligenes latus</i>		1
<i>Azonexus fungiphilus</i>		1
<i>Azospira oryzae</i>		1
<i>Azospirillum brasilense</i>		1
<i>Azospirillum lipoferum</i>		1
<i>Azotobacter</i> spp.		1
<i>Azovibrio restrictus</i>		1
<i>Bacillus alcalophilus</i>		1
<i>Bacillus amyloliquefaciens</i>		1
<i>Bacillus anthracis</i>	AR	3
<i>Bacillus anthracis</i> , Stämme Sterne, Pasteur, STI-1, CDC1014, BH490, BH500, BH510, ATCC 4292		2
<i>Bacillus cereus</i>		2
<i>Bacillus cereus</i> bv. <i>anthracis</i>		3
<i>Bacillus cereus</i> bv. <i>anthracis</i> CAR-H		2
<i>Bacillus circulans</i>		1
<i>Bacillus coagulans</i>		1
<i>Bacillus deramificans</i> BCCM P-13056		1
<i>Bacillus firmus</i>		1
<i>Bacillus lentus</i>		1
<i>Bacillus licheniformis</i>		1
<i>Bacillus megaterium</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Bacillus pumilus</i>		1
<i>Bacillus</i> sp. KSM-P15		1
<i>Bacillus sporothermodurans</i>		1
<i>Bacillus subtilis</i> ssp. <i>spizizenii</i>		1
<i>Bacillus subtilis</i> ssp. <i>subtilis</i>		1
<i>Bacillus thuringiensis</i>		1
<i>Bacteroides fragilis</i>		2
<i>Bacteroides</i> spp.	AR	2
<i>Bacteroides thetaiotaomicron</i>		2
<i>Bacteroides uniformis</i>		2
<i>Bartonella alsatica</i>		2
<i>Bartonella bacilliformis</i>	AR	2
<i>Bartonella birtlesii</i>		2
<i>Bartonella clarridgeiae</i>		2
<i>Bartonella doshiae</i>		2
<i>Bartonella elisabethae</i> früher: <i>Rochalimaea elisabethae</i>		2
<i>Bartonella grahamii</i>		2
<i>Bartonella henselae</i> früher: <i>Rochalimaea henselae</i>		2
<i>Bartonella quintana</i> früher: <i>Rochalimaea quintana</i>	AR	2
<i>Bartonella schoenbuchensis</i> früher: <i>Bartonella schoenbuchii</i>		2
<i>Bartonella</i> spp. früher: <i>Rochalimaea</i> spp.	AR	2
<i>Bartonella taylorii</i>		2
<i>Bartonella tribocorum</i>		2
<i>Bartonella vinsonii</i> ssp. <i>vinsonii</i> früher: <i>Rochalimaea vinsonii</i>		2
<i>Bdellovibrio bacteriovorus</i>		1
<i>Beggiatoa</i> sp.		1
<i>Beneckea alginolytica</i> Syn: <i>Vibrio alginolyticus</i>		2
<i>Beneckea parahaemolytica</i> Syn: <i>Vibrio parahaemolyticus</i>	AR	2
<i>Bibersteinia trehalosi</i> früher: <i>Pasteurella haemolytica</i> Biotyp T, <i>Pasteurella trehalosi</i>		2
<i>Bifidobacterium dentium</i> früher: <i>Actinomyces eriksonii</i>		2
<i>Bifidobacterium</i> spp. außer <i>B. dentium</i>		1
<i>Bilophila wadsworthia</i>		2
<i>Bordetella avium</i>		2
<i>Bordetella bronchiseptica</i>	AR	2
<i>Bordetella parapertussis</i>	AR	2
<i>Bordetella pertussis</i>	AR	2
<i>Bordetella</i> spp.	AR	2
<i>Borrelia afzelii</i>		2
<i>Borrelia burgdorferi</i>	AR	2
<i>Borrelia duttonii</i>	AR	2
<i>Borrelia garinii</i>		2
<i>Borrelia recurrentis</i>	AR	2
<i>Borrelia</i> spp.	AR, e	2

Organismenname	siehe Legende	Risikogruppe
<i>Brachyspira</i> spp.	AR	2
<i>Bradyrhizobium elkanii</i>		1
<i>Bradyrhizobium japonicum</i> früher: <i>Rhizobium japonicum</i>		1
<i>Bradyrhizobium</i> sp. Leaf396		1
<i>Brevibacillus brevis</i> früher: <i>Bacillus brevis</i>		1
<i>Brevundimonas diminuta</i> früher: <i>Pseudomonas diminuta</i>		1
<i>Brucella abortus</i> Syn: <i>Brucella melitensis</i>	AR	3
<i>Brucella abortus</i> S19 Syn: <i>Brucella melitensis</i>	AR	2
<i>Brucella anthropi</i>		2
<i>Brucella canis</i> Syn: <i>Brucella melitensis</i>	AR	3
<i>Brucella ceti</i>		2
<i>Brucella inopinata</i>	AR	3
<i>Brucella intermedia</i>		2
<i>Brucella melitensis</i> Syn: <i>Brucella abortus</i> , <i>Brucella canis</i> , <i>Brucella neotomae</i> , <i>Brucella ovis</i> , <i>Brucella suis</i>	AR	3
<i>Brucella microti</i>		2
<i>Brucella neotomae</i> Syn: <i>Brucella melitensis</i>		3
<i>Brucella ovis</i> Syn: <i>Brucella melitensis</i>		3
<i>Brucella papionis</i>		2
<i>Brucella pinnipedialis</i>		2
<i>Brucella</i> sp. BO2		2
<i>Brucella</i> spp., isoliert aus Amphibien und Nagetieren		2
<i>Brucella suis</i> Syn: <i>Brucella melitensis</i>	AR	3
<i>Brucella vulpis</i>		2
<i>Burkholderia ambifaria</i>		2
<i>Burkholderia cenocepacia</i>		2
<i>Burkholderia cepacia</i> früher: <i>Pseudomonas cepacia</i>	p	2
<i>Burkholderia gladioli</i> früher: <i>Pseudomonas gladioli</i>	p	2
<i>Burkholderia mallei</i> früher: <i>Pseudomonas mallei</i>	AR	3
<i>Burkholderia oklahomensis</i>		2
<i>Burkholderia plantarii</i> Syn: <i>Burkholderia vandii</i> ; früher: <i>Pseudomonas plantarii</i>	p	1
<i>Burkholderia pseudomallei</i> früher: <i>Pseudomonas pseudomallei</i>	AR	3
<i>Burkholderia pyrrocinia</i> früher: <i>Pseudomonas pyrrocinia</i>		1
<i>Burkholderia thailandensis</i>		2
<i>Caedibacter caryophilus</i>		1
<i>Campylobacter coli</i>		2
<i>Campylobacter fetus</i> ssp. <i>fetus</i>	AR	2
<i>Campylobacter fetus</i> ssp. <i>venerealis</i>	AR	2
<i>Campylobacter jejuni</i> ssp. <i>doylei</i>	AR	2
<i>Campylobacter jejuni</i> ssp. <i>jejuni</i>	AR	2

Organismenname	siehe Legende	Risikogruppe
<i>Campylobacter</i> spp.	AR, e	2
<i>Capnocytophaga gingivalis</i>		2
<i>Capnocytophaga ochracea</i>		2
<i>Capnocytophaga sputigena</i>		2
<i>Carboxydotherrnus hydrogenoformans</i>		1
<i>Cardiobacterium hominis</i>	AR	2
<i>Cardiobacterium valvarum</i>		2
<i>Caryophanon</i> spp.		1
<i>Caulobacter vibrioides</i> Syn: <i>Caulobacter crescentus</i>		1
<i>Cellulomonas uda</i>		1
<i>Chitinophaga pinensis</i>		1
<i>Chlamydia abortus</i> früher: <i>Chlamydophila abortus</i>	AR	2
<i>Chlamydia caviae</i>		2
<i>Chlamydia felis</i>		2
<i>Chlamydia muridarum</i>		2
<i>Chlamydia pneumoniae</i> früher: <i>Chlamydophila pneumoniae</i>	AR	2
<i>Chlamydia psittaci</i> , aviäre Stämme früher: <i>Chlamydophila psittaci</i>	AR	3
<i>Chlamydia psittaci</i> , nicht aviäre Stämme früher: <i>Chlamydophila psittaci</i>	AR	2
<i>Chlamydia trachomatis</i>	AR	2
<i>Chlorobium ferrooxidans</i>		1
<i>Chlorobium limicola</i>		1
<i>Chromobacterium vaccinii</i>		1
<i>Chromobacterium violaceum</i>		2
<i>Chryseobacterium nematophagum</i>		1
<i>Citrobacter freundii</i>		2
<i>Citrobacter</i> spp.		2
<i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> früher: <i>Corynebacterium sepedonicum</i>	p	2
<i>Clavibacter</i> spp. außer <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i>		1
<i>Clostridioides difficile</i> früher: <i>Clostridium difficile</i>		2
<i>Clostridium aceticum</i>		1
<i>Clostridium acetobutylicum</i>		1
<i>Clostridium acidurici</i>		1
<i>Clostridium baratii</i>		2
<i>Clostridium beijerinckii</i>		1
<i>Clostridium bifermentans</i>		2
<i>Clostridium botulinum</i>	AR	2
<i>Clostridium butyricum</i>		2
<i>Clostridium butyricum</i> MIYAIRI 588 Syn: <i>Clostridium butyricum</i> CBM 588		1
<i>Clostridium carboxidivorans</i>		1
<i>Clostridium cavendishii</i>		1
<i>Clostridium cellobioparum</i>		1
<i>Clostridium cellulovorans</i>		1
<i>Clostridium chauvoei</i>		2
<i>Clostridium flavum</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Clostridium haemolyticum</i>		2
<i>Clostridium josui</i>		1
<i>Clostridium kluyveri</i>		1
<i>Clostridium lituseburense</i>		1
<i>Clostridium ljungdahlii</i> Syn: <i>Clostridium autoethanogenum</i>		1
<i>Clostridium novyi</i>		2
<i>Clostridium orbiscindens</i>		1
<i>Clostridium papyrosolvens</i>		1
<i>Clostridium pasteurianum</i>		1
<i>Clostridium perfringens</i>	AR	2
<i>Clostridium puniceum</i>	p	1
<i>Clostridium saccharoperbutylacetonicum</i>		1
<i>Clostridium scatologenes</i>		1
<i>Clostridium scindens</i>		1
<i>Clostridium septicum</i>		2
<i>Clostridium sordellii</i>		2
<i>Clostridium</i> sp. (" <i>Clostridium aminobutyricum</i> ")		1
<i>Clostridium sporogenes</i>		2
<i>Clostridium</i> spp.	AR, e	2
<i>Clostridium subterminale</i>		2
<i>Clostridium termitidis</i>		1
<i>Clostridium tertium</i>		2
<i>Clostridium tetani</i>	AR	2
<i>Clostridium thermocellum</i>		1
<i>Colidextribacter massiliensis</i>		1
<i>Collinsella aerofaciens</i> früher: <i>Eubacterium aerofaciens</i>		2
<i>Comamonas testosteroni</i> früher: <i>Pseudomonas testosteroni</i>		2
<i>Coprococcus comes</i>		1
<i>Coriobacterium glomerans</i>		1
<i>Corynebacterium diphtheriae</i>	AR	2
<i>Corynebacterium glutamicum</i> Syn: <i>Corynebacterium lilium</i>		1
<i>Corynebacterium jeikeium</i>		2
<i>Corynebacterium lilium</i> Syn: <i>Corynebacterium glutamicum</i>		1
<i>Corynebacterium minutissimum</i>	AR	2
<i>Corynebacterium pseudotuberculosis</i>	AR	2
<i>Corynebacterium renale</i>		2
<i>Corynebacterium</i> spp.	AR, e	2
<i>Corynebacterium striatum</i>		2
<i>Corynebacterium ulcerans</i>	AR	2
<i>Corynebacterium urealyticum</i>		2
<i>Corynebacterium xerosis</i>		1
<i>Coxiella burnetii</i>	AR	3
<i>Coxiella burnetii</i> Nine Mile Phase II		2
<i>Cupriavidus metallidurans</i> CH34 früher: <i>Ralstonia metallidurans</i> , <i>Wautersia metallidurans</i> , <i>Alcaligenes</i> spp.		1
<i>Cupriavidus metallidurans</i> H1130 früher: <i>Ralstonia metallidurans</i> , <i>Wautersia metallidurans</i> , <i>Alcaligenes</i> spp.		1

Organismenname	siehe Legende	Risikogruppe
Cupriavidus necator früher: <i>Wautersia eutropha</i> , <i>Ralstonia eutropha</i> , <i>Alcaligenes eutrophus</i>		1
Curvibacter spp.		1
Cutibacterium acnes früher: <i>Propionibacterium acnes</i>		2
Cyanothece spp.		1
Cycloclasticus sp. TK8		1
Deinococcus spp.		1
Delftia acidovorans früher: <i>Comamonas acidovorans</i> , <i>Pseudomonas acidovorans</i>		2
Desulfitobacterium hafniense		1
Desulfobacter spp.		1
Desulfobacterium spp.		1
Desulfobacula toluolica		1
Desulfonema spp.		1
Desulfonispora thiosulfatigenes		1
Desulfovibrio spp.		1
Dichelobacter nodosus früher: <i>Bacteroides nodosus</i>		2
Dickeya dadantii Ech703	p	1
Dinoroseobacter shibae		1
Dorea formicigenerans		1
Edwardsiella tarda	AR	2
Ehrlichia spp.	AR	2
Eikenella corrodens	AR	2
Elizabethkingia meningoseptica früher: <i>Chryseobacterium meningosepticum</i> , <i>Flavobacterium meningosepticum</i>	AR	2
Elizabethkingia miricola früher: <i>Chryseobacterium miricola</i>		2
Empedobacter haloabium		2
Enhydrobacter aerosaccus		1
Ensifer meliloti früher: <i>Sinorhizobium meliloti</i> , <i>Rhizobium meliloti</i>		1
Enterobacter aerogenes Syn: <i>Klebsiella mobilis</i>	AR	2
Enterobacter cloacae ssp. cloacae	AR	2
Enterobacter sp. SA187		1
Enterobacter spp.	AR, e	2
Enterocloster bolteae früher: <i>Clostridium bolteae</i>		2
Enterococcus avium		2
Enterococcus faecalis früher: <i>Streptococcus faecalis</i>		2
Enterococcus faecalis Stamm S1/01/00 bis S1/10/00		1
Enterococcus faecium früher: <i>Streptococcus faecium</i>		2
Enterococcus gallinarum früher: <i>Streptococcus gallinarum</i>		2
Enterococcus hirae		2
Enterococcus mundtii		2
Enterococcus spp.	AR, e	2
Erwinia amylovora	p	1
Erwinia herbicola Syn: <i>Pantoea agglomerans</i> ; früher: <i>Enterobacter agglomerans</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Erwinia rhapontici</i>	p	1
<i>Erwinia uredovora</i> Syn: <i>Pantoea ananatis</i> ; früher: <i>Erwinia ananas</i>	p	1
<i>Erysipelothrix rhusiopathiae</i>	AR	2
<i>Escherichia albertii</i> , nicht shigatoxigene Stämme		2
<i>Escherichia albertii</i> , shigatoxigene Stämme	*	3
<i>Escherichia coli</i> (enterohämorrhagische Stämme), EHEC (z. B. O157:H7 oder O103)	AR, *	3
<i>Escherichia coli</i> (z. B. enteropathogene oder extraintestinal-pathogene Stämme)	AR	2
<i>Escherichia coli</i> 1303, AA86, D6-113.11, ECA-727, ECA-O157, ECC-1470, ECC-Z, MPEC4839, MPEC4969, O32:H37 P4, O157:H43 T22, P4-NR, RiKo 2351/09 und W26		2
<i>Escherichia coli</i> 131/07, 2772a, 3234/A, D6-117.07, D6-117.29, O157:H43 T22, RiKo 2299/09, RiKo 2305/09, RiKo 2308/09, RiKo 2331/09, RiKo 2340/09 und UVM2		1
<i>Escherichia coli</i> 83972		1
<i>Escherichia coli</i> ATCC 25922		2
<i>Escherichia coli</i> ATCC 33456		2
<i>Escherichia coli</i> Crooks		1
<i>Escherichia coli</i> DSM17076		2
<i>Escherichia coli</i> EC93		2
<i>Escherichia coli</i> ECOR-1, -3, -4, -6, -7, -9, -10, -12, -13, -15, -16, -17, -18, -19, -20, -21, -22, -23, -26, -28, -29, -32, -33, -34, -42, -45, -67, -69		1
<i>Escherichia coli</i> ECOR-2, -5, -8, -11, -14, -24, -25, -27, -30, -31, -35, -36, -37, -38, -39, -40, -41, -43, -44, -46, -47, -48, -49, -50, -51, -52, -53, -54, -55, -56, -57, -58, -59, -60, -61, -62, -63, -64, -65, -66, -68, -70, -71, -72		2
<i>Escherichia coli</i> ED1a		1
<i>Escherichia coli</i> G1/2, G3/10, G4/9, G5, G6/7 und G8 (Symbioflor 2, DSM 17252)		1
<i>Escherichia coli</i> IA1		1
<i>Escherichia coli</i> K12		1
<i>Escherichia coli</i> Mach-1T1		1
<i>Escherichia coli</i> Mutaflor (Nissle 1917, DSM 6601)		1
<i>Escherichia coli</i> -Stämme, die die Kriterien für die Risikogruppe 1 erfüllen (z. B. <i>Escherichia coli</i> ATCC 9637, <i>Escherichia coli</i> CCM 2843, <i>Escherichia coli</i> NCIB 8743; <i>Escherichia coli</i> B, C und K12 und Derivate)		1
<i>Escherichia fergusonii</i>		2
<i>Eubacterium barkeri</i> früher: <i>Clostridium barkeri</i>		1
<i>Eubacterium limosum</i>		2
<i>Eubacterium nodatum</i>		2
<i>Eubacterium ramulus</i>		1
<i>Eubacterium siraeum</i>		1
<i>Fervidobacterium pennivorans</i>		1
<i>Flavobacterium johnsoniae</i> früher: <i>Cytophaga johnsonae</i> , <i>Cytophaga johnsonii</i>		2
<i>Fluoribacter bozemanae</i> früher: <i>Legionella bozemanae</i>	AR	2
<i>Francisella hispaniensis</i>	AR	2
<i>Francisella noatunensis</i> ssp. <i>noatunensis</i> früher: <i>Francisella philomiragia</i> ssp. <i>noatunensis</i> , <i>Francisella piscicida</i>		2
<i>Francisella philomiragia</i> früher: <i>Yersinia philomiragia</i>		2
<i>Francisella tularensis</i> ssp. <i>holarctica</i>	AR	2
<i>Francisella tularensis</i> ssp. <i>mediasiatica</i>	AR	2
<i>Francisella tularensis</i> ssp. <i>novicida</i> früher: <i>Francisella novicida</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Francisella tularensis</i> ssp. <i>tularensis</i>	AR	3
<i>Fusobacterium necrophorum</i>	AR	2
<i>Fusobacterium nucleatum</i>		2
<i>Gallibacterium anatis</i> früher: <i>Pasteurella anatis</i>		2
<i>Gallibacterium melopsittaci</i>		2
<i>Gallibacterium salpingitidis</i>		2
<i>Gallibacterium trehalosifermentans</i>		2
<i>Gallionella capsiferiformans</i>		1
<i>Gardnerella vaginalis</i> früher: <i>Haemophilus vaginalis</i>	AR	2
<i>Gemmata obscuriglobus</i>		1
<i>Geobacillus stearothermophilus</i> früher: <i>Bacillus stearothermophilus</i>		1
<i>Glaesserella australis</i>		2
<i>Glaesserella parasuis</i> früher: <i>Haemophilus parasuis</i>		2
<i>Gluconobacter</i> spp.		1
<i>Gordonia amarae</i> früher: <i>Nocardia amarae</i>		1
<i>Gordonia polyisoprenivorans</i>		1
<i>Haemophilus ducreyi</i>	AR	2
<i>Haemophilus influenzae</i>	AR	2
<i>Haemophilus</i> spp.	AR, e	2
<i>Halomonas aquamarina</i> früher: <i>Deleya aquamarina</i> , <i>Alcaligenes aquamarinus</i>		1
<i>Halomonas elongata</i>		1
<i>Halorhodospira halophila</i>		1
<i>Hathewayia histolytica</i> früher: <i>Clostridium histolyticum</i>		2
<i>Hathewayia limosa</i> früher: <i>Clostridium limosum</i>		2
<i>Helicobacter felis</i>		2
<i>Helicobacter hepaticus</i>		2
<i>Helicobacter mustelae</i> früher: <i>Campylobacter mustelae</i>		2
<i>Helicobacter pullorum</i>		2
<i>Helicobacter pylori</i> früher: <i>Campylobacter pylori</i> ssp. <i>pylori</i> , <i>Campylobacter pylori</i>	AR	2
<i>Helicobacter</i> spp.	AR	2
<i>Helicobacter typhlonius</i> Syn: <i>Helicobacter typhlonicus</i>		2
<i>Herbaspirillum seropedicae</i>		1
<i>Herpetosiphon aurantiacus</i>		1
<i>Holospira obtusa</i>		1
<i>Holospira undulata</i>		1
<i>Hyphomonas neptunium</i> früher: <i>Hyphomicrobium neptunium</i>		1
<i>Janthinobacterium agaricidamnosum</i>		1
<i>Kingella kingae</i> früher: <i>Moraxella kingii</i>		2
<i>Klebsiella grimontii</i> früher: <i>Klebsiella oxytoca</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Klebsiella michiganensis</i> früher: <i>Klebsiella oxytoca</i>		2
<i>Klebsiella mobilis</i> Syn: <i>Enterobacter aerogenes</i>	AR	2
<i>Klebsiella oxytoca</i>	AR	2
<i>Klebsiella pneumoniae</i> ssp. <i>ozaenae</i> früher: <i>Klebsiella ozaenae</i>	AR	2
<i>Klebsiella pneumoniae</i> ssp. <i>pneumoniae</i> Syn: <i>Klebsiella pneumoniae</i>	AR	2
<i>Klebsiella pneumoniae</i> ssp. <i>rhinoscleromatis</i> früher: <i>Klebsiella rhinoscleromatis</i>	AR	2
<i>Klebsiella</i> spp.	AR, e	2
<i>Kluyvera cryocrescens</i> Syn: <i>K. citrophila</i> , <i>Escherichia citrophila</i>		2
<i>Komagataebacter rhaeticus</i> früher: <i>Gluconacetobacter rhaeticus</i>		1
<i>Komagataebacter sucrofermentans</i> früher: <i>Acetobacter xylinus</i> ssp. <i>sucrofermentans</i> , <i>Gluconacetobacter xylinus</i> ssp. <i>sucrofermentans</i>		1
<i>Komagataebacter xylinus</i> früher: <i>Acetobacter xylinus</i> ssp. <i>xylinus</i> , <i>Acetobacter aceti</i> ssp. <i>xylinus</i> , <i>Gluconacetobacter xylinus</i> ssp. <i>xylinus</i>		1
<i>Lachnospiraceae</i>-sp. ND2006		2
<i>Lacrimispora saccharolytica</i> früher: <i>Clostridium saccharolyticum</i>		1
<i>Lactobacillus acidophilus</i>		1
<i>Lactobacillus bavaricus</i> Syn: <i>Lactobacillus sakei</i>		1
<i>Lactobacillus brevis</i>		1
<i>Lactobacillus buchneri</i>		1
<i>Lactobacillus casei</i>		1
<i>Lactobacillus cellobiosus</i> Syn: <i>Lactobacillus fermentum</i>		1
<i>Lactobacillus collinoides</i>		1
<i>Lactobacillus curvatus</i>		1
<i>Lactobacillus delbrueckii</i> ssp. <i>bulgaricus</i> früher: <i>Lactobacillus bulgaricus</i>		1
<i>Lactobacillus delbrueckii</i> ssp. <i>delbrueckii</i>		1
<i>Lactobacillus delbrueckii</i> ssp. <i>lactis</i> früher: <i>Lactobacillus lactis</i>		1
<i>Lactobacillus farciminis</i>		1
<i>Lactobacillus fermentum</i>		1
<i>Lactobacillus fructivorans</i>		1
<i>Lactobacillus helveticus</i>		1
<i>Lactobacillus johnsonii</i>		1
<i>Lactobacillus paracasei</i>		1
<i>Lactobacillus plantarum</i>		1
<i>Lactobacillus reuteri</i>		1
<i>Lactobacillus rhamnosus</i>		2
<i>Lactobacillus rhamnosus</i> DR20, LbGG Syn: <i>Lactobacillus casei</i> ssp. <i>rhamnosus</i> DR20, LbGG		1
<i>Lactobacillus sakei</i> Syn: <i>Lactobacillus bavaricus</i>		1
<i>Lactobacillus salivarius</i>		1
<i>Lactobacillus sanfranciscensis</i> früher: <i>Lactobacillus sanfrancisco</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Lactobacillus xylosus</i> Syn: <i>Lactococcus lactis</i> ssp. <i>lactis</i> ; früher: <i>Streptococcus lactis</i>		1
<i>Lactococcus lactis</i> ssp. <i>cremoris</i> früher: <i>Lactobacillus cremoris</i> , <i>Streptococcus cremoris</i>		1
<i>Lactococcus lactis</i> ssp. <i>hordniae</i>		1
<i>Lactococcus lactis</i> ssp. <i>lactis</i> Syn: <i>Lactobacillus xylosus</i> ; früher: <i>Streptococcus lactis</i>		1
<i>Lawsonia intracellularis</i>		2
<i>Legionella pneumophila</i> ssp. <i>fraseri</i>	AR	2
<i>Legionella pneumophila</i> ssp. <i>pascaliei</i>	AR	2
<i>Legionella pneumophila</i> ssp. <i>pneumophila</i>	AR	2
<i>Legionella</i> spp.	AR, e	2
<i>Leptospira interrogans</i>	AR	2
<i>Leptospira kirschneri</i>		2
<i>Leuconostoc carnosum</i>		1
<i>Leuconostoc mesenteroides</i> ssp. <i>cremoris</i> früher: <i>Leuconostoc cremoris</i>		1
<i>Leuconostoc mesenteroides</i> ssp. <i>dextranicum</i> früher: <i>Leuconostoc dextranicum</i>		1
<i>Leuconostoc mesenteroides</i> ssp. <i>mesenteroides</i>	!	2
<i>Leuconostoc</i> spp.		1
<i>Listeria grayi</i>		1
<i>Listeria innocua</i>		1
<i>Listeria ivanovii</i> ssp. <i>ivanovii</i>	AR	2
<i>Listeria ivanovii</i> ssp. <i>londoniensis</i>	AR	2
<i>Listeria marthii</i>		1
<i>Listeria monocytogenes</i>	AR	2
<i>Listeria rocourtiae</i>		1
<i>Listeria seeligeri</i>		1
<i>Listeria welshimeri</i>		1
<i>Luteibacter anthropi</i>		2
<i>Luteibacter</i> spp. außer <i>Luteibacter anthropi</i>		1
<i>Lysobacter</i> spp.		1
<i>Macrococcus bovicus</i>		1
<i>Macrococcus brunensis</i>		1
<i>Macrococcus canis</i>		2
<i>Macrococcus carouelicus</i>		1
<i>Macrococcus caseolyticus</i>		1
<i>Macrococcus equipercicus</i>		1
<i>Macrococcus hajekii</i>		1
<i>Macrococcus lamae</i>		1
<i>Mannheimia haemolytica</i> früher: <i>Pasteurella haemolytica</i>		2
<i>Marinomonas primoryensis</i>		1
<i>Megasphaera cerevisiae</i>		1
<i>Meiothermus ruber</i> früher: <i>Thermus ruber</i>		1
<i>Melissococcus plutonius</i>		2
<i>Mesorhizobium loti</i> früher: <i>Rhizobium loti</i>		1
<i>Metallibacterium scheffleri</i>		1
<i>Methylobacterium</i> spp.		1

Organismenname	siehe Legende	Risikogruppe
<i>Methylomonas</i> spp.		1
<i>Micavibrio aeruginosavorus</i>		1
<i>Microbacterium</i> sp. Leaf320		1
<i>Microbacterium</i> sp. Leaf347		1
<i>Microbulbifer</i> sp. HZ11		1
<i>Micrococcus</i> spp.		1
<i>Microcystis aeruginosa</i> PCC 7806		1
<i>Micromonospora</i> spp.		1
<i>Micropolyspora faeni</i> Syn: <i>Saccharopolyspora rectivirgula</i> ; früher: <i>Faenia rectivirgula</i>		1
<i>Moorella thermoacetica</i> früher: <i>Clostridium thermaceticum</i>		1
<i>Moraxella (Branhamella) catarrhalis</i> früher: <i>Moraxella catarrhalis</i>		2
<i>Moraxella bovis</i>		2
<i>Morganella morganii</i> ssp. <i>morganii</i> früher: <i>Proteus morganii</i>	AR	2
<i>Morganella morganii</i> ssp. <i>sibonii</i>	AR	2
<i>Mycetohabitans endofungorum</i> früher: <i>Burkholderia endofungorum</i> , <i>Paraburkholderia endofungorum</i>		2
<i>Mycetohabitans rhizoxinica</i> früher: <i>Burkholderia rhizoxinica</i> , <i>Paraburkholderia rhizoxinica</i>		2
<i>Mycetohabitans</i> spp.		2
<i>Mycobacterium avium</i> ssp. <i>avium</i> früher: <i>Mycobacterium avium</i>	AR	2
<i>Mycobacterium avium</i> ssp. <i>hominissuis</i>		2
<i>Mycobacterium avium</i> ssp. <i>paratuberculosis</i> früher: <i>Mycobacterium paratuberculosis</i>	AR	2
<i>Mycobacterium avium</i> ssp. <i>silvaticum</i>	AR	2
<i>Mycobacterium chimaera</i>	AR	2
<i>Mycobacterium indicus pranii</i>		2
<i>Mycobacterium intracellulare</i>	AR	2
<i>Mycobacterium kansasii</i>	AR	2
<i>Mycobacterium leprae</i>	AR	3
<i>Mycobacterium malmoense</i>	AR	2
<i>Mycobacterium marinum</i>	AR	2
<i>Mycobacterium scrofulaceum</i>	AR	2
<i>Mycobacterium simiae</i>	AR	2
<i>Mycobacterium szulgai</i>	AR	2
<i>Mycobacterium tuberculosis</i>	AR	3
<i>Mycobacterium tuberculosis</i> H37ra		2
<i>Mycobacterium tuberculosis</i> H37Rv Δ panCD Δ leuCD Δ argB		2
<i>Mycobacterium tuberculosis</i> H37Rv Δ panCD Δ leuCD Δ argB, Isoniazid- und Rifampicin-resistente Varianten		2
<i>Mycobacterium tuberculosis</i> H37Rv Δ panCD Δ leuCD Δ metA		2
<i>Mycobacterium tuberculosis</i> H37Rv Δ panCD Δ leuCD Δ metA, Isoniazid- und Rifampicin-resistente Varianten		2
<i>Mycobacterium tuberculosis</i> var. <i>africanum</i> früher: <i>Mycobacterium africanum</i>	AR	3
<i>Mycobacterium tuberculosis</i> var. <i>bovis</i> (außer BCG-Stämme) früher: <i>Mycobacterium bovis</i> (außer BCG-Stämme)	AR	3
<i>Mycobacterium tuberculosis</i> var. <i>bovis</i> BCG früher: <i>Bacillus Calmette Guérin</i> , <i>Mycobacterium bovis</i> BCG		2

Organismenname	siehe Legende	Risikogruppe
<i>Mycobacterium tuberculosis</i> var. <i>canettii</i> früher: <i>Mycobacterium canettii</i>	AR	3
<i>Mycobacterium tuberculosis</i> var. <i>caprae</i> früher: <i>Mycobacterium caprae</i>	AR	3
<i>Mycobacterium tuberculosis</i> var. <i>microti</i> früher: <i>Mycobacterium microti</i>	AR, *	3
<i>Mycobacterium tuberculosis</i> var. <i>munzi</i>		3
<i>Mycobacterium tuberculosis</i> var. <i>oryzidis</i>		3
<i>Mycobacterium tuberculosis</i> var. <i>pinnipedii</i> früher: <i>Mycobacterium pinnipedii</i>	AR	3
<i>Mycobacterium tuberculosis</i> var. <i>suricattae</i>		3
<i>Mycobacterium ulcerans</i>	AR, *	3
<i>Mycobacterium ulcerans</i> mup045		2
<i>Mycobacterium xenopi</i>	AR	2
<i>Mycobacteroides abscessus</i> früher: <i>Mycobacterium abscessus</i>		2
<i>Mycobacteroides chelonae</i> früher: <i>Mycobacterium chelonae</i>	AR	2
<i>Mycolicibacterium fortuitum</i> ssp. <i>acetamidolyticum</i> früher: <i>Mycobacterium fortuitum</i> ssp. <i>acetamidolyticum</i>	AR	2
<i>Mycolicibacterium fortuitum</i> ssp. <i>fortuitum</i> früher: <i>Mycobacterium fortuitum</i> ssp. <i>fortuitum</i>	AR	2
<i>Mycolicibacterium neoaurum</i> früher: <i>Mycobacterium neoaurum</i>		2
<i>Mycolicibacterium phlei</i> früher: <i>Mycobacterium phlei</i>		1
<i>Mycolicibacterium smegmatis</i> früher: <i>Mycobacterium smegmatis</i>		2
<i>Mycolicibacterium vaccae</i> früher: <i>Mycobacterium vaccae</i>		2
<i>Mycoplasma agalactiae</i>		2
<i>Mycoplasma arginini</i>		2
<i>Mycoplasma bovigenitalium</i>		2
<i>Mycoplasma bovis</i>		2
<i>Mycoplasma californicum</i>		2
<i>Mycoplasma capricolum</i> ssp. <i>capricolum</i>		2
<i>Mycoplasma capricolum</i> ssp. <i>capripneumoniae</i>		2
<i>Mycoplasma caviae</i>		2
<i>Mycoplasma gallisepticum</i>		2
<i>Mycoplasma genitalium</i>		2
<i>Mycoplasma hominis</i>	AR	2
<i>Mycoplasma hyopneumoniae</i>		2
<i>Mycoplasma hyorhinis</i>		2
<i>Mycoplasma hyoSynoviae</i>		2
<i>Mycoplasma meleagridis</i>		2
<i>Mycoplasma mycoides</i> JCVI-Syn1.0, -Syn2.0		2
<i>Mycoplasma mycoides</i> ssp. <i>capri</i> früher: <i>Mycoplasma mycoides</i> ssp. <i>mycoides</i> LC, MmymyLC		2
<i>Mycoplasma mycoides</i> ssp. <i>capri</i> GM12::YCpMmyc1.1-Δ68	AR	1
<i>Mycoplasma mycoides</i> ssp. <i>capri</i> JCVI-Syn3.0	AR	1
<i>Mycoplasma mycoides</i> ssp. <i>mycoides</i> früher: <i>Mycoplasma mycoides</i> ssp. <i>mycoides</i> SC, MmymySC		2
<i>Mycoplasma penetrans</i>		2
<i>Mycoplasma pneumoniae</i>	AR	2

Organismenname	siehe Legende	Risikogruppe
<i>Mycoplasma pneumoniae</i> B169		2
<i>Mycoplasma</i> spp.	AR	2
<i>Mycoplasma suis</i> früher: <i>Eperythrozoon suis</i>		2
<i>Myroides odoratus</i> früher: <i>Flavobacterium odoratum</i>		2
Myxobakterien (fruchtkörperbildend)		1
<i>Neisseria gonorrhoeae</i>	AR	2
<i>Neisseria meningitidis</i>	AR	2
<i>Neisseria sicca</i>		2
<i>Neisseria</i> spp. außer den speziell genannten Arten		1
<i>Neorickettsia sennetsu</i> früher: <i>Ehrlichia sennetsu</i> , <i>Rickettsia sennetsu</i>	AR	2
<i>Nocardia asteroides</i>	AR	2
<i>Nocardia brasiliensis</i>	AR	2
<i>Nocardia cyriacigeorgica</i>		2
<i>Nocardia farcinica</i>	AR	2
<i>Nocardia nova</i>	AR	2
<i>Nocardia otitidiscaviarum</i>	AR	2
<i>Nocardia</i> spp.	AR	2
<i>Nocardia terpenica</i>		2
<i>Nocardioides simplex</i> früher: <i>Arthrobacter simplex</i> , <i>Pimelobacter simplex</i>		1
<i>Nostoc punctiforme</i>		1
<i>Nostoc</i> sp. ATCC 53789		1
<i>Nostoc</i> sp. PCC 7120		1
<i>Oenococcus oeni</i> früher: <i>Leuconostoc oenos</i>		1
<i>Orientia tsutsugamushi</i> früher: <i>Rickettsia tsutsugamushi</i>	AR	3
<i>Paenibacillus larvae</i> ssp. <i>larvae</i> Syn: <i>Bacillus larvae</i>		2
<i>Paenibacillus macerans</i> früher: <i>Bacillus macerans</i>		1
<i>Pantoea agglomerans</i> Syn: <i>Erwinia herbicola</i> ; früher: <i>Enterobacter agglomerans</i>		2
<i>Pantoea ananatis</i> Syn: <i>Erwinia uredovora</i> ; früher: <i>Erwinia ananas</i>	p	1
<i>Pantoea eucalypti</i> früher: <i>Pantoea agglomerans</i> , <i>Erwinia herbicola</i>		1
<i>Pantoea stewartii</i> ssp. <i>indologenes</i>		1
<i>Pantoea stewartii</i> ssp. <i>stewartii</i> früher: <i>Erwinia stewartii</i>	p	1
<i>Pantoea vagans</i> früher: <i>Pantoea agglomerans</i> , <i>Erwinia herbicola</i>	p	1
<i>Parabacteroides goldsteinii</i> früher: <i>Bacteroides goldsteinii</i>		2
<i>Parabacteroides merdae</i> früher: <i>Bacteroides merdae</i>		2
<i>Paraburkholderia megapolitana</i> früher: <i>Burkholderia megapolitana</i>		1
<i>Parachlamydia acanthamoebae</i>		2
<i>Paracoccus denitrificans</i> früher: <i>Thiosphaera pantotropha</i>		1
<i>Paracoccus pantotrophus</i> früher: <i>Thiosphaera pantotropha</i>		1

Organismenname	siehe Legende	Risikogruppe
Parvimonas micra früher: <i>Micromonas micros</i> , <i>Peptostreptococcus micros</i>		2
Pasteurella multocida ssp. gallicida früher: <i>Pasteurella gallicida</i>	AR	2
Pasteurella multocida ssp. multocida	AR	2
Pasteurella multocida ssp. septica	AR	2
Pasteurella spp.	AR, e	2
Pectobacterium atrosepticum früher: <i>Pectobacterium carotovorum</i> ssp. <i>atrosepticum</i> , <i>Erwinia carotovora</i> ssp. <i>atroseptica</i>	p	1
Pectobacterium betavasculorum Syn: <i>Pectobacterium carotovorum</i> ssp. <i>betavasculorum</i> ; früher: <i>Erwinia carotovora</i> ssp. <i>betavasculorum</i>	p	1
Pectobacterium carotovorum ssp. betavasculorum Syn: <i>Pectobacterium betavasculorum</i> ; früher: <i>Erwinia carotovora</i> ssp. <i>betavasculorum</i>	p	1
Pectobacterium carotovorum ssp. carotovorum früher: <i>Pectobacterium carotovorum</i> , <i>Erwinia carotovora</i> ssp. <i>carotovora</i>	p	1
Pectobacterium carotovorum ssp. odoriferum früher: <i>Erwinia carotovora</i> ssp. <i>odorifera</i>	p	1
Pectobacterium carotovorum ssp. wasabiae Syn: <i>Pectobacterium wasabiae</i> ; früher: <i>Erwinia carotovora</i> ssp. <i>wasabiae</i>	p	1
Pectobacterium wasabiae Syn: <i>Pectobacterium carotovorum</i> ssp. <i>wasabiae</i> ; früher: <i>Erwinia carotovora</i> ssp. <i>wasabiae</i>	p	1
Pediococcus pentosaceus		1
Pediococcus spp.		1
Pedobacter sp. Leaf194		1
Pelosinus fermentans		1
Peptococcus niger		2
Peptoniphilus asaccharolyticus früher: <i>Peptostreptococcus asaccharolyticus</i> , <i>Peptococcus asaccharolyticus</i>		2
Peptoniphilus duerdenii		2
Peptostreptococcus anaerobius	AR	2
Phaeobacter gallaeciensis		1
Phaeobacter inhibens früher: <i>Roseobacter gallaeciensis</i>		1
Phocaeicola vulgatus früher: <i>Bacteroides vulgatus</i>		2
Photobacterium damsela		2
Photobacterium fischeri Syn: <i>Allivibrio fischeri</i>		1
Photobacterium leiognathi		1
Photorhabdus asymbiotica früher: <i>Xenorhabdus asymbiotica</i>		2
Photorhabdus luminescens ssp. luminescens früher: <i>Photorhabdus luminescens</i> , <i>Xenorhabdus luminescens</i>		1
Photorhabdus temperata		1
Planctomycetes bacterium B28_G16		1
Planctopirus limnophila		1
Planktothrix agardhii		1
Planobacterium okeanoikoites		1
Plantibacter sp. Leaf1		1
Plesiomonas shigelloides	AR	2
Pluralibacter gergoviae früher: <i>Enterobacter gergoviae</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Porphyromonas</i> spp.	AR	2
<i>Prevotella</i> spp.	AR, e	2
<i>Propionibacterium freudenreichii</i> ssp. <i>freudenreichii</i>		1
<i>Propionibacterium freudenreichii</i> ssp. <i>shermanii</i>		1
<i>Propionigenium modestum</i>		1
<i>Protaminobacter rubrum</i>		1
<i>Proteus inconstans</i> Syn: <i>Providencia alcalifaciens</i>	AR	2
<i>Proteus mirabilis</i>	AR	2
<i>Proteus penneri</i>	AR	2
<i>Proteus rettgeri</i> Syn: <i>Providencia rettgeri</i>	AR	2
<i>Proteus vulgaris</i>	AR	2
<i>Protochlamydia amoebophila</i>		2
<i>Providencia alcalifaciens</i> Syn: <i>Proteus inconstans</i>	AR	2
<i>Providencia heimbachae</i>	AR	1
<i>Providencia rettgeri</i> Syn: <i>Proteus rettgeri</i>	AR	2
<i>Providencia rustigianii</i>	AR	2
<i>Providencia</i> spp.	AR, e	2
<i>Providencia stuartii</i>	AR	2
<i>Pseudoalteromonas carrageenovora</i> früher: <i>Alteromonas carrageenovora</i>		1
<i>Pseudomonas aeruginosa</i>	AR	2
<i>Pseudomonas alloputida</i>		2
<i>Pseudomonas alloputida</i> KT2440 früher: <i>Pseudomonas putida</i> KT2440, <i>Pseudomonas putida</i> mt-2 KT2440		1
<i>Pseudomonas aridus</i>		1
<i>Pseudomonas azelaica</i>		1
<i>Pseudomonas capeferrum</i> früher: <i>Pseudomonas putida</i>		1
<i>Pseudomonas cichorii</i>	p	1
<i>Pseudomonas citronellolis</i>		1
<i>Pseudomonas fluorescens</i>		1
<i>Pseudomonas koreensis</i>		1
<i>Pseudomonas lundensis</i>		1
<i>Pseudomonas marginalis</i>	p	1
<i>Pseudomonas oleovorans</i> früher: <i>Pseudomonas pseudoacaligenes</i>		2
<i>Pseudomonas protegens</i>		1
<i>Pseudomonas putida</i>		2
<i>Pseudomonas</i> sp. AIB1		2
<i>Pseudomonas</i> sp. FF1		1
<i>Pseudomonas</i> sp. FF2		1
<i>Pseudomonas</i> sp. FF3		1
<i>Pseudomonas</i> sp. FF4		1
<i>Pseudomonas</i> sp. HR 199		1
<i>Pseudomonas stutzeri</i>		1
<i>Pseudomonas syringae</i>	p	1
<i>Pseudomonas veronii</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Ralstonia pickettii</i> früher: <i>Burkholderia pickettii</i> , <i>Pseudomonas pickettii</i>		1
<i>Ralstonia pseudosolanacearum</i> früher: <i>Ralstonia solanacearum</i>	p	2
<i>Ralstonia solanacearum</i> früher: <i>Pseudomonas solanacearum</i> , <i>Burkholderia solanacearum</i>	p	2
<i>Ralstonia syzygii</i> ssp. <i>celebesensis</i> früher: <i>Blood disease bacterium</i>	p	2
<i>Ralstonia syzygii</i> ssp. <i>indonesiensis</i> früher: <i>Ralstonia solanacearum</i>	p	2
<i>Ralstonia syzygii</i> ssp. <i>syzygii</i> früher: <i>Ralstonia syzygii</i>	p	1
<i>Raoultella planticola</i> früher: <i>Klebsiella planticola</i>		2
<i>Rathayibacter</i> sp. Leaf296		1
<i>Rhizobium leguminosarum</i>		1
<i>Rhizobium radiobacter</i> Syn: <i>Agrobacterium tumefaciens</i> ; früher: <i>Agrobacterium radiobacter</i>	p	1
<i>Rhizobium rhizogenes</i> früher: <i>Agrobacterium rhizogenes</i>	p	1
<i>Rhizobium</i> spp.		1
<i>Rhodobacter capsulatus</i> früher: <i>Rhodopseudomonas capsulatus</i>		1
<i>Rhodobacter ferrooxidans</i>		1
<i>Rhodobacter sphaeroides</i> früher: <i>Rhodopseudomonas sphaeroides</i>		1
<i>Rhodobacter</i> spp.		1
<i>Rhodococcus erythropolis</i>		1
<i>Rhodococcus globerulus</i> früher: <i>Nocardia globerula</i>		1
<i>Rhodococcus hoagii</i> früher: <i>Corynebacterium equi</i> , <i>Rhodococcus equi</i>	AR	2
<i>Rhodococcus opacus</i>		1
<i>Rhodococcus rhodochrous</i> früher: <i>Rhodococcus roseus</i>		1
<i>Rhodococcus</i> sp. Leaf225		1
<i>Rhodopseudomonas</i> spp.		1
<i>Rhodospirillum rubrum</i>		1
<i>Rickettsia akari</i>	AR, *	3
<i>Rickettsia australis</i>	AR	3
<i>Rickettsia bellii</i>		3
<i>Rickettsia canadensis</i>	AR	2
<i>Rickettsia conorii</i>	AR	3
<i>Rickettsia heilongjiangensis</i>	AR, *	3
<i>Rickettsia japonica</i>	AR	3
<i>Rickettsia montanensis</i> früher: <i>Rickettsia montana</i>	AR	2
<i>Rickettsia parkeri</i>		2
<i>Rickettsia prowazekii</i>	AR	3
<i>Rickettsia rickettsii</i>	AR	3
<i>Rickettsia sibirica</i>	AR	3
<i>Rickettsia</i> spp., außer den Arten, die in Risikogruppe 3 genannt sind	AR	2
<i>Rickettsia typhi</i>	AR	3
<i>Rickettsiella</i> spp.		1

Organismenname	siehe Legende	Risikogruppe
<i>Roseburia intestinalis</i>		1
<i>Roseobacter</i> spp. M2		1
<i>Ruegeria pomeroyi</i> früher: <i>Silicibacter pomeroyi</i>		1
<i>Ruminococcus flavefaciens</i>		1
<i>Ruminococcus gnavus</i>		2
<i>Saccharopolyspora erythraea</i> früher: <i>Streptomyces erythraeus</i>		1
<i>Saccharopolyspora rectivirgula</i> Syn: <i>Micropolyspora faeni</i> ; früher: <i>Faenia rectivirgula</i>		1
<i>Saccharopolyspora spinosa</i>		1
<i>Saccharothrix espanaensis</i>		1
<i>Salmonella enterica</i> ssp. <i>arizonae</i> früher: <i>Salmonella choleraesuis</i> ssp. <i>arizonae</i> , <i>Salmonella arizonae</i>	AR	2
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Enteridis 318 TAD <i>Salmonella vacE</i> , Impfstamm		1
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Enteridis 6403 PT4, abgeleitet Salmovac SE, Impfstamm		1
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Gallinarum 9, LPS-Mutante Nobilis SG9R Impfstamm		2
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhi Ty21a	Va	1
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhi ZH9		1
<i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Enteritidis Syn: <i>Salmonella</i> Enteridis	AR	2
<i>Salmonella</i> Paratyphi A, B, C Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Paratyphi A, B, C	AR	2
<i>Salmonella</i> Typhi Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhi	AR, *	3
<i>Salmonella</i> Typhimurium Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhimurium	AR	2
<i>Salmonella</i> Typhimurium Δ aroA, Δ galE oder Δ cya und Δ crp Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhimurium Δ aroA, Δ galE oder Δ cya und Δ crp		1
<i>Salmonella</i> Typhimurium Ames-Stämme TA1535, TA98, TA100, TA102, TA1538 Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhimurium Ames-Stämme TA1535, TA98, TA100, TA102, TA1538		1
<i>Salmonella</i> Typhimurium chi11218 Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhimurium chi11218		1
<i>Salmonella</i> Typhimurium MvP101 und MvP103 Syn: <i>Salmonella enterica</i> ssp. <i>enterica</i> Serovar Typhimurium MvP101 und MvP103		1
<i>Salmonella</i> , weitere Serovarietäten außer den genannten	AR	2
<i>Selenomonas flueggei</i>		2
<i>Selenomonas noxia</i>		2
<i>Serratia liquefaciens</i>		2
<i>Serratia marcescens</i>		2
<i>Serratia nematodiphila</i>		2
<i>Serratia odorifera</i>		1
<i>Serratia proteamaculans</i> früher: <i>Serratia proteamaculans</i> ssp. <i>proteamaculans</i>		2
<i>Serratia quinovorans</i> früher: <i>Serratia proteamaculans</i> ssp. <i>quinovora</i>		1
<i>Shewanella oneidensis</i>		1
<i>Shewanella putrefaciens</i> früher: <i>Alteromonas putrefaciens</i>		1
<i>Shigella boydii</i>	AR	2
<i>Shigella dysenteriae</i> (außer Typ 1)	AR	2

Organismenname	siehe Legende	Risikogruppe
<i>Shigella dysenteriae</i> (Typ 1)	AR, *	3
<i>Shigella flexneri</i>	AR	2
<i>Shigella sonnei</i>	AR	2
<i>Shimwellia blattae</i> früher: <i>Escherichia blattae</i>		1
<i>Simkania negevensis</i>		2
<i>Slackia equolifaciens</i>		2
<i>Sphingomonas melonis</i>		1
<i>Sphingomonas paucimobilis</i> früher: <i>Pseudomonas paucimobilis</i>		2
<i>Sphingomonas phyllosphaerae</i>		1
<i>Sphingomonas</i> sp. Leaf17		1
<i>Sphingomonas</i> sp. Leaf34		1
<i>Sphingomonas</i> sp. Leaf357		1
<i>Spirochaeta thermophila</i>		1
<i>Spiroplasma citri</i>	p	2
<i>Staphylococcus aureus</i> ssp. <i>anaerobius</i>	AR	2
<i>Staphylococcus aureus</i> ssp. <i>aureus</i>	AR	2
<i>Staphylococcus carnosus</i> ssp. <i>carnosus</i> früher: <i>Staphylococcus carnosus</i>		1
<i>Staphylococcus epidermidis</i>		2
<i>Staphylococcus felis</i>		2
<i>Staphylococcus haemolyticus</i>		2
<i>Staphylococcus hyicus</i>		2
<i>Staphylococcus intermedius</i>		2
<i>Staphylococcus lugdunensis</i>		2
<i>Staphylococcus lutrae</i>		2
<i>Staphylococcus pettenkoferi</i>		2
<i>Staphylococcus pseudintermedius</i>		2
<i>Staphylococcus saprophyticus</i> ssp. <i>bovis</i>		1
<i>Staphylococcus saprophyticus</i> ssp. <i>saprophyticus</i>		2
<i>Staphylococcus schleiferi</i> ssp. <i>coagulans</i>		2
<i>Staphylococcus schleiferi</i> ssp. <i>schleiferi</i>		2
<i>Staphylococcus simiae</i>		2
<i>Staphylococcus simulans</i>		1
<i>Staphylococcus warneri</i>		1
<i>Staphylococcus xylosus</i>		1
<i>Stella humosa</i>		1
<i>Stella</i> sp. ATCC 35155 Syn: <i>Stella aquatica</i>		1
<i>Stella vacuolata</i>		1
<i>Stenotrophomonas maltophilia</i> früher: <i>Xanthomonas maltophilia</i>		2
<i>Stieleria maiorica</i>		1
<i>Stigmatella aurantiaca</i>		1
<i>Streptoalloteichus hindustanus</i>		1
<i>Streptobacillus moniliformis</i>	AR	2
<i>Streptococcus agalactiae</i>		2
<i>Streptococcus anginosus</i>		2
<i>Streptococcus canis</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Streptococcus constellatus</i> ssp. <i>constellatus</i> früher: <i>Streptococcus constellatus</i>		2
<i>Streptococcus dysgalactiae</i> ssp. <i>dysgalactiae</i>		2
<i>Streptococcus dysgalactiae</i> ssp. <i>equisimilis</i>		2
<i>Streptococcus dysgalactiae</i> ssp. <i>equisimilis</i> Stamm H46A		2
<i>Streptococcus equi</i> ssp. <i>equi</i>		2
<i>Streptococcus equi</i> ssp. <i>ruminantium</i>		2
<i>Streptococcus equi</i> ssp. <i>zooepidemicus</i>		2
<i>Streptococcus gordonii</i>		2
<i>Streptococcus intermedius</i>		2
<i>Streptococcus mitis</i>		2
<i>Streptococcus mutans</i>		2
<i>Streptococcus oralis</i>		2
<i>Streptococcus parasanguinis</i> früher: <i>Streptococcus parasanguis</i>		2
<i>Streptococcus phocae</i>		2
<i>Streptococcus pneumoniae</i>	AR	2
<i>Streptococcus porcinus</i>		2
<i>Streptococcus pseudoporcinus</i>		2
<i>Streptococcus pyogenes</i>	AR	2
<i>Streptococcus salivarius</i> außer den genannten Stämmen		2
<i>Streptococcus salivarius</i> Stämme K12, M18, 24SMB und DB-B5		1
<i>Streptococcus sanguinis</i>		2
<i>Streptococcus sobrinus</i>		2
<i>Streptococcus</i> spp.	AR, e	2
<i>Streptococcus suis</i>	AR	2
<i>Streptococcus thermophilus</i> früher: <i>Streptococcus salivarius</i> ssp. <i>thermophilus</i>		1
<i>Streptococcus uberis</i>		2
<i>Streptomyces alboniger</i>		1
<i>Streptomyces albus</i> ssp. <i>albus</i>		1
<i>Streptomyces albus</i> ssp. <i>pathocidicus</i>		1
<i>Streptomyces arenae</i>		1
<i>Streptomyces argillaceus</i>		1
<i>Streptomyces avidinii</i>		1
<i>Streptomyces azureus</i>		1
<i>Streptomyces chartreusis</i>		1
<i>Streptomyces coelicolor</i>		1
<i>Streptomyces cyaneus</i>		1
<i>Streptomyces diastaticus</i> ssp. <i>ardesiacus</i>		1
<i>Streptomyces diastaticus</i> ssp. <i>diastaticus</i>		1
<i>Streptomyces diastatochromogenes</i>		1
<i>Streptomyces fradiae</i>		1
<i>Streptomyces glaucescens</i>		1
<i>Streptomyces griseobrunneus</i>		1
<i>Streptomyces griseus</i> ssp. <i>alpha</i> Syn: <i>Streptomyces microflavus</i>		1
<i>Streptomyces griseus</i> ssp. <i>griseus</i>		1
<i>Streptomyces griseus</i> ssp. <i>solvificiens</i>		1
<i>Streptomyces hygroscopicus</i> ssp. <i>angustmyceticus</i>		1
<i>Streptomyces hygroscopicus</i> ssp. <i>decoyicus</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Streptomyces hygroscopicus</i> ssp. <i>glebosus</i>		1
<i>Streptomyces hygroscopicus</i> ssp. <i>hygroscopicus</i>		1
<i>Streptomyces hygroscopicus</i> ssp. <i>ossamyceticus</i>		1
<i>Streptomyces lividans</i> 66, TK23, TK24		1
<i>Streptomyces microflavus</i> Syn: <i>Streptomyces griseus</i> ssp. <i>alpha</i> ; früher: <i>Streptomyces griseus</i> ssp. <i>cretosus</i>		1
<i>Streptomyces murinus</i>		1
<i>Streptomyces noursei</i>		1
<i>Streptomyces olivaceoviridis</i>		1
<i>Streptomyces olivaceus</i>		1
<i>Streptomyces olivochromogenes</i>		1
<i>Streptomyces peucetius</i>		1
<i>Streptomyces philanthi</i>		1
<i>Streptomyces purpurogeneiscleroticus</i> früher: <i>Chainia purpurogena</i>		1
<i>Streptomyces rimosus</i> ssp. <i>paromomycinus</i>		1
<i>Streptomyces rimosus</i> ssp. <i>rimosus</i>		1
<i>Streptomyces rochei</i>		1
<i>Streptomyces rubiginosus</i>		1
<i>Streptomyces scabiei</i>	p	1
<i>Streptomyces somaliensis</i>		2
<i>Streptomyces</i> spp. <i>ausgenommen S. somaliensis</i>		1
<i>Streptomyces tendae</i>		1
<i>Streptomyces venezuelae</i>		1
<i>Streptomyces violaceoruber</i>		1
<i>Streptomyces violaceusniger</i>		1
<i>Streptomyces viridochromogenes</i>		1
<i>Sulfitobacter dubius</i>		1
<i>Sulfurimonas denitrificans</i> früher: <i>Thiomicrospira denitrificans</i>		1
<i>Sulfurospirillum arsenophilum</i> früher: <i>Geospirillum arsenophilum</i>		1
<i>Sulfurospirillum barnesii</i>		1
<i>Sulfurospirillum multivorans</i> früher: <i>Dehalospirillum multivorans</i>		1
<i>Synechococcus</i> sp. PCC6301		1
<i>Synechococcus</i> spp.		1
<i>Synechocystis</i> sp. PCC6803		1
<i>Tannerella forsythia</i> früher: <i>Bacteroides forsythus</i> , <i>Tannerella forsythensis</i>		2
<i>Thauera aromatica</i>		1
<i>Thermoactinomyces vulgaris</i>		1
<i>Thermoanaerobacter</i> spp.		1
<i>Thermoanaerobacter thermohydrosulfuricus</i> früher: <i>Clostridium thermohydrosulfuricum</i>		1
<i>Thermoanaerobacterium saccharolyticum</i>		1
<i>Thermoanaerobacterium thermosaccharolyticum</i> früher: <i>Clostridium thermosaccharolyticum</i>		1
<i>Thermoanaerobacterium thermosulfurigenes</i> früher: <i>Clostridium thermosulfurigenes</i>		1
<i>Thermotoga maritima</i>		1
<i>Thermus aquaticus</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Thermus</i> spp.		1
<i>Thermus thermophilus</i>		1
<i>Thiobacillus denitrificans</i>		1
<i>Thiobacillus</i> spp.		1
<i>Thiococcus pfennigii</i> früher: <i>Thiocapsa pfennigii</i>		1
<i>Thiodictyon</i> sp. Stamm F4		1
<i>Thomasclavelia ramosa</i> früher: <i>Clostridium ramosum</i>		2
<i>Trabulsiella guamensis</i>		1
<i>Treponema carateum</i>	AR	2
<i>Treponema lecithinolyticum</i>		2
<i>Treponema maltophilum</i>		2
<i>Treponema pallidum</i>	AR	2
<i>Treponema pertenuis</i>	AR	2
<i>Treponema</i> spp.	AR, e	2
<i>Tropheryma whipplei</i>		2
<i>Trueperella pyogenes</i> früher: <i>Actinomyces pyogenes</i> , <i>Corynebacterium pyogenes</i> , <i>Arcanobacterium pyogenes</i>	AR	2
<i>Ureaplasma parvum</i>	AR	2
<i>Ureaplasma urealyticum</i>	AR	2
<i>Veillonella dispar</i>		2
<i>Veillonella parvula</i>		2
<i>Vibrio alginolyticus</i> Syn: <i>Beneckeia alginolytica</i>		2
<i>Vibrio campbellii</i> früher: <i>Beneckeia campbellii</i>		2
<i>Vibrio cholerae</i>	AR	2
<i>Vibrio cholerae</i> C6706 ΔCTXΦ		2
<i>Vibrio cholerae</i> O139 MO10 Bengal-2		2
<i>Vibrio cholerae</i> O395-N1		2
<i>Vibrio coralliilyticus</i>		2
<i>Vibrio diabolicus</i>		1
<i>Vibrio diazotrophicus</i>		1
<i>Vibrio fluvialis</i>		2
<i>Vibrio harveyi</i> früher: <i>Beneckeia harveyi</i> , <i>Lucibacterium harveyi</i>		2
<i>Vibrio metschnikovii</i>		2
<i>Vibrio mimicus</i>		2
<i>Vibrio natriegens</i> früher: <i>Pseudomonas natriegens</i> , <i>Beneckeia natriegens</i>		1
<i>Vibrio natriegens</i> Vmax™ früher: <i>Pseudomonas natriegens</i> , <i>Beneckeia natriegens</i> Vmax™		1
<i>Vibrio parahaemolyticus</i> Syn: <i>Beneckeia parahaemolytica</i>	AR	2
<i>Vibrio proteolyticus</i> früher: <i>Aeromonas hydrophila</i> ssp. <i>proteolytica</i>		1
<i>Vibrio scophthalmi</i>		1
<i>Vibrio</i> spp.	AR, e	2
<i>Vibrio tubiashii</i>		2
<i>Vibrio vulnificus</i> früher: <i>Beneckeia vulnifica</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Waddlia chondrophila</i>		2
<i>Weissella confusa</i>		2
<i>Weissella oryzae</i> SG25		1
<i>Williamsia</i> sp. Leaf354		1
<i>Wolbachia</i> spp.		1
<i>Wolinella succinogenes</i> früher: <i>Vibrio succinogenes</i>		1
<i>Xanthobacter</i> spp.		1
<i>Xanthomonas campestris</i>	p	1
<i>Xanthomonas campestris</i> (definierte Produktionsstämme)		1
<i>Xanthomonas campestris</i> pv. <i>pelargonii</i>	p	1
<i>Xanthomonas fragariae</i>	p	1
<i>Xenorhabdus doucetiae</i>		1
<i>Xylophilus</i> sp. Leaf220		1
<i>Yersinia aldovae</i>	AR	1
<i>Yersinia bercovieri</i>	AR	1
<i>Yersinia enterocolitica</i> E40 Δ blaA (pYV40 Δ HOPEMT)		1
<i>Yersinia enterocolitica</i> E40 Δ blaA Δ asd (pYV40 Δ HOPEMT)		1
<i>Yersinia enterocolitica</i> ssp. <i>enterocolitica</i>	AR	2
<i>Yersinia enterocolitica</i> ssp. <i>paleartica</i>	AR	2
<i>Yersinia enterocolitica</i> W22703 pYV-		1
<i>Yersinia frederiksenii</i>		2
<i>Yersinia intermedia</i>		2
<i>Yersinia kristensenii</i>		2
<i>Yersinia mollaretii</i>	AR	1
<i>Yersinia pestis</i>	AR	3
<i>Yersinia pestis</i> EV76		2
<i>Yersinia pseudotuberculosis</i>	AR	2
<i>Yersinia rohdei</i>		2
<i>Yersinia ruckeri</i>		2
<i>Yersinia</i> spp. außer <i>Yersinia pestis</i> und den genannten <i>Yersinia</i> spp. der Risiko- gruppe 1	AR, e	2
<i>Zobellia galactanivorans</i>		1
<i>Zoogloea ramigera</i>		1
<i>Zymomonas mobilis</i> ssp. <i>mobilis</i>		1
<i>Zymomonas mobilis</i> ssp. <i>pomacea</i>		1

Eukaryoten

(Parasiten, Pilze und andere eukaryote Einzeller)

Parasiten, eine ökologisch determinierte Gruppe von Organismen, zeigen oft komplexe reproduktive Zyklen mit Stadien, die ein unterschiedliches Gefährdungspotenzial haben. Manche Parasiten können nur in ihrem natürlichen Überträger kultiviert werden. Wenn Parasiten nicht in Überträgern oder Endwirten kultiviert werden, kann dies in einigen Fällen zu einer veränderten Einschätzung des Gefährdungspotenzials führen. Diese speziellen Bedingungen werden bei der Gefährdungsabschätzung in der vorliegenden Liste berücksichtigt (siehe d). Ektoparasiten sind nicht Bestandteil der Liste.

Organismenname	siehe Legende	Risikogruppe
Absidia corymbifera früher: <i>Absidia ramosa</i>		2
Absidia glauca		1
Acanthamoeba castellanii	AR	2
Acanthamoeba culbertsoni		2
Acanthocheilonema reconditum Syn: <i>Dipetalonema reconditum</i>	d	2
Acanthocheilonema viteae	d	2
Acremonium alabamense (anamorph) Syn: <i>Thielavia terrestris</i> (teleomorph)		1
Acremonium chrysogenum früher: <i>Cephalosporium chrysogenum</i>		1
Acremonium falciforme früher: <i>Cephalosporium falciforme</i>		2
Acremonium recifei früher: <i>Cephalosporium recifei</i>		2
Acremonium strictum Syn: <i>Cephalosporium acremonium</i>		1
Actinomucor elegans Syn: <i>Mucor parasiticus</i>		1
Acytostelium spp.		1
Agaricus bisporus		1
Albugo candida	p	1
Albugo laibachii	p	1
Alternaria alternata Syn: <i>A. rugosa</i> , <i>A. tenuis</i> , <i>Macrosporium fasciculatum</i> , <i>Torula alternata</i> , <i>A. tenuisima</i>	p	1
Alternaria alternata f. sp. mali früher: <i>A. mali</i> , <i>A. alternata</i> Pathovar <i>malus</i>	p	2
Alternaria brassicicola	p	1
Amphora coffeaformis		1
Ancylostoma caninum		2
Ancylostoma duodenale	AR	2
Angiostrongylus cantonensis Syn: <i>Parastrongylus costaricensis</i>	AR	2
Angiostrongylus costaricensis	AR	2
Angomonas deanei früher: <i>Crithidia deanei</i> , <i>Herpetomonas deanei</i>		1
Anisakis simplex	AR	2
Armillaria mellea		1
Armillaria ostoyae		1
Arthrobotrys oligospora (anamorph) Syn: <i>Orbilbia auricolor</i> (teleomorph)		1
Arthroderma gypsea (teleomorph) Syn: <i>Microsporium gypseum</i> (anamorph), früher: <i>Nannizzia gypsea</i> (teleomorph), <i>Nannizzia incurvata</i>		2
Arthroderma incurvata (teleomorph) Syn: <i>Microsporium gypseum</i> (anamorph), früher: <i>Nannizzia incurvata</i> (teleomorph), <i>Nannizzia gypsea</i>		2
Arthroderma obtusum (teleomorph) Syn: <i>Microsporium nanum</i> (anamorph), früher: <i>Nannizzia obtusa</i> (teleomorph)		2
Arthroderma otae (teleomorph) Syn: <i>Microsporium canis</i> (anamorph), früher: <i>Nannizzia otae</i> (teleomorph)		2
Arthroderma persicolor (teleomorph) Syn: <i>Microsporium persicolor</i> (anamorph), früher: <i>Nannizzia persicolor</i> (teleomorph)		2
Arthroderma simii (teleomorph) Syn: <i>Trichophyton simii</i> (anamorph)		2

Organismenname	siehe Legende	Risikogruppe
Arthroderma vanbreuseghemii (teleomorph) Syn: <i>Trichophyton interdigitale</i> (anamorph)		2
Arxula adenivorans G1211		1
Arxula adenivorans LS3		1
Ascaridia galli		2
Ascaris lumbricoides	AR	2
Ascaris suum	AR	2
Ashbya gossypii Syn: <i>Eremothecium gossypii</i>		1
Aspergillus aculeatus		1
Aspergillus amstelodami Syn: <i>Eurotium amstelodami</i> (teleomorph), <i>Aspergillus vitis</i>		1
Aspergillus apicalis Syn: <i>Aspergillus pallidus</i> , <i>Aspergillus clavatus</i>		2
Aspergillus brasiliensis		2
Aspergillus calidoustus		2
Aspergillus clavatus Syn: <i>Aspergillus pallidus</i> , <i>Aspergillus apicalis</i>		2
Aspergillus fischeri früher: <i>Neosartorya fischeri</i> (teleomorph), <i>Aspergillus fischerianus</i>		1
Aspergillus flavus früher: <i>Petromyces flavus</i>	AR	2
Aspergillus fumigatus	AR	2
Aspergillus giganteus		1
Aspergillus kawachii Syn: <i>Aspergillus awamori</i> var. <i>kawachii</i>		1
Aspergillus nidulans (anamorph) Syn: <i>Emericella nidulans</i> (teleomorph)		1
Aspergillus niger (außer definierte Produktionsstämme)		2
Aspergillus niger (definierte Produktionsstämme wie N402, MA78.6, MA80.1, MA234.1, N400, AB4.1, NRL3122, CBS 513.88, ATCC1015, ATCC9142)		1
Aspergillus ochraceus		1
Aspergillus oryzae		1
Aspergillus pallidus Syn: <i>Aspergillus clavatus</i> , <i>Aspergillus apicalis</i>		2
Aspergillus parasiticus (anamorph) Syn: <i>Petromyces parasiticus</i> (teleomorph)	p	2
Aspergillus pseudoterreus früher: <i>Aspergillus terreus</i>		2
Aspergillus restrictus		1
Aspergillus sojae		1
Aspergillus spp.	AR, e	2
Aspergillus sydowii		1
Aspergillus terreus		2
Aspergillus tubingensis	p	2
Aspergillus versicolor		2
Asterochloris spp.		1
Aureobasidium pullulans		1
Auxenochlorella protothecoides früher: <i>Chlorella protothecoides</i>		1
Babesia caballi		2
Babesia canis		2
Babesia divergens	AR	2

Organismenname	siehe Legende	Risikogruppe
Babesia microti Syn: <i>Theileria microti</i>	AR	2
Balamuthia mandrillaris		3
Balantidium coli	AR	2
Basidiobolus haptosporus		2
Basipetospora rubra (anamorph) Syn: <i>Monascus ruber</i> (teleomorph)		1
Beauveria bassiana Syn: <i>Cordyceps bassiana</i> (teleomorph)		2
Beauveria nivea Syn: <i>Tolytocladium inflatum</i> (anamorph), <i>Cordyceps subsessilis</i> (teleomorph), früher: <i>Trichoderma polysporum</i>		1
Besnoitia besnoiti		2
Bipolaris dactyloides (anamorph) Syn: <i>Drechslerella dactyloides</i> (teleomorph)		1
Bipolaris maydis (anamorph) Syn: <i>Cochliobolus heterostrophus</i> (teleomorph), <i>Drechslera maydis</i>	p	1
Bipolaris sorokiniana (anamorph) Syn: <i>Cochliobolus sativus</i> (teleomorph), früher: <i>Drechslera sorokiniana</i> , <i>Ophiobolus sativus</i> , <i>Helminthosporium sorokinianum</i>	p	1
Blakeslea trispora	p	1
Blastomyces dermatitidis Syn: <i>Ajellomyces dermatitidis</i>	AR	3
Blastomyces gilchristii	AR	3
Blepharisma japonicum		1
Blepharisma stoltei		1
Blepharisma undulans		1
Blumeria graminis früher: <i>Erysiphe graminis</i>	p	1
Bolinia lutea Syn: <i>Camaropella lutea</i>		1
Botrytis cinerea früher: <i>Sclerotinia fuckeliana</i> , <i>Botryotinia fuckeliana</i> (teleomorph)	p	1
Bremia lactucae	p	1
Brettanomyces bruxellensis (anamorph) Syn: <i>Dekkera bruxellensis</i> (teleomorph)		1
Brugia malayi	AR, d	2
Brugia pahangi	AR, d	2
Brugia timori	AR	2
Byssochlamys fulva (teleomorph) Syn: <i>Paecilomyces fulvus</i> (anamorph)		1
Caenorhabditis elegans		1
Caldariomyces fumago Syn: <i>Leptoxyphium fumago</i>		1
Calodium hepaticum Syn: <i>Capillaria hepatica</i> , <i>Hepaticola hepatica</i>	AR	2
Camaropella lutea Syn: <i>Bolinia lutea</i>		1
Candida albicans	AR	2
Candida albicans HLC84		2
Candida apicola früher: <i>Torulopsis apicola</i>		1
Candida auris		2
Candida boidinii		1
Candida bombicola (anamorph) Syn: <i>Starmerella bombicola</i> (teleomorph)		1

Organismenname	siehe Legende	Risikogruppe
<i>Candida dubliniensis</i>		2
<i>Candida famata</i> (anamorph) Syn: <i>Debaryomyces hansenii</i> (teleomorph)		1
<i>Candida glabrata</i>		2
<i>Candida guilliermondii</i> var. <i>guilliermondii</i> (anamorph) Syn: <i>Pichia guilliermondii</i> (teleomorph)		1
<i>Candida kefyr</i> (anamorph) Syn: <i>Kluyveromyces marxianus</i> (teleomorph), früher: <i>Candida pseudotropicalis</i>		1
<i>Candida krusei</i> (anamorph) Syn: <i>Pichia kudriavzevii</i> (teleomorph)		2
<i>Candida lipolytica</i> var. <i>lipolytica</i> (anamorph) Syn: <i>Yarrowia lipolytica</i> (teleomorph), früher: <i>Candida paralipolytica</i>		1
<i>Candida maltosa</i>		1
<i>Candida metapsilosis</i>		2
<i>Candida orthopsilosis</i>		2
<i>Candida parapsilosis</i>		2
<i>Candida pelliculosa</i> (anamorph) Syn: <i>Pichia anomala</i> (teleomorph), <i>Hansenula anomala</i>		1
<i>Candida robusta</i> (anamorph) Syn: <i>Saccharomyces cerevisiae</i> var. <i>diasticus</i> (teleomorph)		1
<i>Candida shehatae</i>		1
<i>Candida silvicola</i> Syn: <i>Pichia holstii</i> , <i>Hansenula holstii</i>		1
<i>Candida sphaerica</i> (anamorph) Syn: <i>Kluyveromyces lactis</i> (teleomorph)		1
<i>Candida succiphila</i>		1
<i>Candida tropicalis</i>	AR	2
<i>Candida utilis</i> (anamorph) Syn: <i>Pichia jadinii</i> (teleomorph)		1
<i>Candida valida</i> (anamorph) Syn: <i>Pichia membranifaciens</i> (teleomorph)		1
<i>Candida viswanathii</i> früher: <i>Candida aquaetextoris</i>		2
<i>Candida viswanathii</i> ATCC 20336, ATCC 20913, ATCC 20962 früher: <i>Candida tropicalis</i> Pk33		1
<i>Capillaria hepatica</i> Syn: <i>Calodium hepaticum</i> , <i>Hepaticola hepatica</i>	AR	2
<i>Capillaria philippinensis</i>	AR	2
<i>Capillaria</i> spp.	AR	2
<i>Capronia mansonii</i> (teleomorph) Syn: <i>Exophiala mansonii</i> (anamorph)		1
<i>Catenaria anguillulae</i>		1
<i>Cenococcum geophilum</i>		1
<i>Cephalosporium acremonium</i> Syn: <i>Acremonium strictum</i>		1
<i>Ceratocystis adiposa</i>	p	1
<i>Ceratocystis albifundus</i>	p	1
<i>Ceratocystis coerulescens</i>	p	1
<i>Ceratocystis fimbriata sensu stricto</i>	p	1
<i>Ceratocystis laricicola</i>	p	1
<i>Ceratocystis moniliformis</i>		1
<i>Ceratocystis platani</i>	p	2
<i>Ceratocystis polonica</i>	p	1
<i>Ceratocystis populicola</i>	p	1
<i>Ceratocystis rufipenni</i>	p	2

Organismenname	siehe Legende	Risikogruppe
<i>Cercospora beticola</i>	p	1
<i>Ceriporiopsis subvermispora</i>		1
<i>Chaetomium globosum</i>		1
<i>Chaetomium thermophilum</i>		1
<i>Chlamydomonas reinhardtii</i>		1
<i>Chlorella sorokiniana</i>		1
<i>Chlorella vulgaris</i>		1
<i>Chlorogonium</i> spp.		1
Chrysonilia crassa (anamorph) Syn: <i>Neurospora crassa</i> (teleomorph)		1
Chrysonilia sitophila (anamorph) Syn: <i>Neurospora sitophila</i> (teleomorph)		1
Chrysosporthe austroafricana	p	1
Chrysotila carterae früher: <i>Syracosphaera carterae</i> , <i>Pleurochrysis carterae</i>		1
Chrysotila dentata früher: <i>Pleurochrysis carterae</i> var. <i>dentata</i> , <i>Pleurochrysis dentata</i>		1
Chrysotila haptonefera früher: <i>Cricosphaera roscoffensis</i> var. <i>haptonefera</i> , <i>Pleurochrysis haptonefera</i>		1
Chrysotila roscoffensis früher: <i>Cricosphaera roscoffensis</i> , <i>Pontosphaera roscoffensis</i>		1
Cladophialophora bantiana früher: <i>Cladosporium bantianum</i> , <i>Cladosporium trichoides</i> , <i>Xylohypha bantiana</i>	AR	3
Cladophialophora carrionii früher: <i>Cladosporium carrionii</i>		2
Cladophialophora modesta	AR	3
Cladophialophora , sonstige spp.	AR	2
Cladosporium cladosporioides		1
Cladosporium fulvum Syn: <i>Passalora fulva</i> , <i>Fulvia fulva</i>	p	1
Cladosporium herbarum (anamorph) Syn: <i>Davidiella tassiana</i> (teleomorph), früher: <i>Mycosphaerella tassiana</i>		1
Cladosporium sphaerospermum		2
Claviceps paspali	p	1
Claviceps purpurea (teleomorph) Syn: <i>Sphacelia segetum</i> (anamorph)	p	1
Clavochytridium emersonii Syn: <i>Blastocladiella emersonii</i>		1
Clonorchis sinensis Syn: <i>Opisthorchis sinensis</i>	AR, d	2
Clonorchis viverrini Syn: <i>Opisthorchis viverrini</i>	AR, d	2
Coccidioides immitis (dimorph)	AR	3
Coccidioides posadasii	AR	3
Coccomyxa ophiurae		2
Coccomyxa parasitica		2
Coccomyxa spp. (<i>Coccomyxaceae</i>) außer den genannten		1
Cochliobolus carbonum (teleomorph) Syn: <i>Helminthosporium carbonum</i> (anamorph), früher: <i>Drechslera carbonum</i> , <i>Drechslera zeicola</i> , <i>Cochliobolus zeicola</i> , <i>Helminthosporium zeicola</i>	p	1
Cochliobolus heterostrophus (teleomorph) Syn: <i>Bipolaris maydis</i> (anamorph), <i>Drechslera maydis</i>	p	1
Cochliobolus lunatus (teleomorph) Syn: <i>Curvularia lunata</i> (anamorph)	p	1

Organismenname	siehe Legende	Risikogruppe
Cochliobolus sativus (teleomorph) Syn: <i>Bipolaris sorokiniana</i> (anamorph), früher: <i>Drechslera sorokiniana</i> , <i>Ophiobolus sativus</i> , <i>Helminthosporium sorokinianum</i>	p	1
Colletotrichum destructivum (anamorph) Syn: <i>Glomerella glycines</i> (teleomorph)	p	1
Colletotrichum graminicola (anamorph) Syn: <i>Glomerella graminicola</i> (teleomorph)	p	1
Colletotrichum higginsianum	p	1
Colletotrichum lindemuthianum (anamorph) Syn: <i>Glomerella lindemuthiana</i> (teleomorph)	p	1
Conferticium ochraceum		1
Conidiobolus coronatus Syn: <i>Delacroixia coronata</i>		2
Coniophora puteana		1
Coprinus cinereus		1
Cordyceps bassiana Syn: <i>Beauveria bassiana</i> (anamorph)		2
Cordyceps confragosa Syn: <i>Verticillium lecanii</i> (anamorph), früher: <i>Torrubiella confragosa</i> (teleomorph)		1
Cordyceps militaris (teleomorph) Syn: <i>Paecilomyces militaris</i> (anamorph)		1
Cordyceps subsessilis (teleomorph) Syn: <i>Tolyposcladium inflatum</i> (anamorph), <i>Beauveria nivea</i> , früher: <i>Trichoderma polysporum</i>		1
Coriolus versicolor Syn: <i>Trametes versicolor</i>	p	1
Cortinarius calochrous		1
Cortinarius glaucopus		1
Cortinarius odorifer		1
Cortinarius rufoolivaceus		1
Craspedostauros australis		1
Crithidia fasciculata		1
Cryphonectria parasitica früher: <i>Endothia parasitica</i>	p	2
Cryptococcus gattii (anamorph) Syn: <i>Filobasidiella neoformans</i> var. <i>bacillispora</i> (teleomorph), <i>Filobasidiella bacillispora</i> , früher: <i>Cryptococcus bacillisporus</i> (anamorph)	AR	2
Cryptococcus neoformans (anamorph) Syn: <i>Filobasidiella neoformans</i> var. <i>neoformans</i> (teleomorph)	AR	2
Cryptodiaporthe populea Syn: <i>Dothichiza populea</i>	p	1
Cryptomonas salina Syn: <i>Pyrenomonas salina</i> , <i>Rhodomonas salina</i>		1
Cryptosporidium hominis	AR	2
Cryptosporidium parvum	AR	2
Cunninghamella blakesleeana		1
Cunninghamella elegans		1
Curvularia lunata (anamorph) Syn: <i>Cochliobolus lunatus</i> (teleomorph), <i>Curvularia lunata</i> var. <i>lunata</i> (anamorph)		1
Cyanophora paradoxa		1
Cyathus stercoreus		1
Cyclospora cayetanensis	AR	2
Cyclotella cryptica		1
Cylindrotheca fusiformis		1
Cylindrotrichum oligospermum		1

Organismenname	siehe Legende	Risikogruppe
<i>Cystoisospora belli</i> früher: <i>Isospora belli</i>		2
<i>Dacryomyces deliquescens</i> Syn: <i>Dacryomyces stillatus</i>		1
<i>Dacryomyces stillatus</i> Syn: <i>Dacryomyces deliquescens</i>		1
<i>Debaryomyces hansenii</i> (teleomorph) Syn: <i>Candida famata</i> (anamorph)		1
<i>Debaryomyces occidentalis</i> Syn: <i>Schwanniomyces occidentalis</i>		1
<i>Dekkera bruxellensis</i> (teleomorph) Syn: <i>Brettanomyces bruxellensis</i> (anamorph)		1
<i>Delacroixia coronata</i> Syn: <i>Conidiobolus coronatus</i>		2
<i>Dendryphiella arenaria</i>		1
<i>Diaporthe eres</i>	p	1
<i>Dicrocoelium dentriticum</i>	AR	2
<i>Dictyostelium discoideum</i>		1
<i>Dictyostelium purpureum</i>		1
<i>Dipetalonema dracunculoides</i> Syn: <i>Acanthocheilonema dracunculoides</i>	d	2
<i>Dipetalonema perstans</i> Syn: <i>Mansonella perstans</i>	AR, d	2
<i>Dipetalonema reconditum</i> Syn: <i>Acanthocheilonema reconditum</i>	d	2
<i>Diphyllobothrium latum</i>	AR	2
<i>Diplodia bulgarica</i>	p	1
<i>Disporotrichum dimorphosporum</i>		1
<i>Dracunculus medinensis</i>	AR	2
<i>Drechslera maydis</i> (anamorph) Syn: <i>Cochliobolus heterostrophus</i> (teleomorph), <i>Bipolaris maydis</i> (anamorph)	p	1
<i>Drechslerella dactyloides</i> (teleomorph) Syn: <i>Bipolaris dactyloides</i> (anamorph)		1
<i>Echinococcus granulosus</i>	AR, *	3
<i>Echinococcus multilocularis</i>	AR, *	3
<i>Echinococcus vogeli</i>	AR, *	3
<i>Echinostoma caproni</i>		2
<i>Echinostoma revolutum</i>		2
<i>Eimeria bovis</i>		2
<i>Eimeria falciformis</i>	d	2
<i>Eimeria gruis</i>		2
<i>Eimeria nieschulzi</i>	d	2
<i>Eimeria papillata</i>	d	2
<i>Eimeria tenella</i>		2
<i>Eimeria vermiformis</i>	d	2
<i>Emericella nidulans</i> (teleomorph) Syn: <i>Aspergillus nidulans</i> (anamorph)		1
<i>Emiliania huxleyi</i> früher: <i>Pontosphaera huxleyi</i> , <i>Coccolithus huxleyi</i>		1
<i>Emmonsia parva</i> var. <i>crescens</i> (dimorph)	AR	2
<i>Emmonsia parva</i> var. <i>parva</i> (dimorph)	AR	2
<i>Encephalitozoon cuniculi</i>		2
<i>Encephalitozoon hellem</i>		2
<i>Encephalitozoon intestinalis</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Engyodontium album</i> Syn: <i>Trifirachium album</i>		1
<i>Entamoeba dispar</i>		2
<i>Entamoeba histolytica</i>	AR	2
<i>Entamoeba invadens</i>		2
<i>Enterobius vermicularis</i>	AR	2
<i>Enterocytozoon bieneusi</i>	AR	2
<i>Entomophthora muscae</i>		1
<i>Epidermophyton floccosum</i>	AR	2
<i>Epidermophyton spp.</i>	AR	2
<i>Eremothecium ashbyi</i>		1
<i>Eremothecium gossypii</i> Syn: <i>Ashbya gossypii</i>		1
<i>Euglena gracilis</i>		1
<i>Euplotes crassus</i>		1
<i>Euplotes raikovi</i>		1
<i>Eurotium amstelodami</i> (teleomorph) Syn: <i>Aspergillus amstelodami</i> (anamorph), <i>Aspergillus vitis</i>		1
<i>Eutypa lata</i>	p	1
<i>Exophiala castellanii</i>		2
<i>Exophiala spinifera</i> früher: <i>Rhinoctadiella spinifera</i>		2
<i>Fasciola gigantica</i>	AR, d	2
<i>Fasciola hepatica</i>	AR, d	2
<i>Fasciolopsis buski</i>	AR, d	2
<i>Fibrocapsa japonica</i>		1
<i>Filobasidiella bacillispora</i> (teleomorph) Syn: <i>Cryptococcus gattii</i> (anamorph), <i>Filobasidiella neoformans</i> var. <i>bacillispora</i> , früher: <i>Cryptococcus bacillisporus</i>	AR	2
<i>Filobasidiella neoformans</i> (teleomorph) Syn: <i>Cryptococcus neoformans</i> (anamorph)	AR	2
<i>Filobasidiella neoformans</i> var. <i>bacillispora</i> (teleomorph) Syn: <i>Cryptococcus gattii</i> (anamorph), <i>Filobasidiella neoformans</i> , früher: <i>Cryptococcus bacillisporus</i>	AR	2
<i>Fomitiporia mediterranea</i>	p	1
<i>Fomitopsis pinicola</i>		1
<i>Fonsecaea compacta</i> früher: <i>Rhinoctadiella compacta</i> , <i>Rhinoctadiella compactum</i>	AR	2
<i>Fonsecaea pedrosoi</i> früher: <i>Rhinoctadiella pedrosoi</i>	AR	2
<i>Fragilariopsis cylindrus</i>		1
<i>Fraseriella bispora</i> (anamorph) Syn: <i>Xeromyces bisporus</i> (teleomorph)		1
<i>Fulvia fulva</i> Syn: <i>Passalora fulva</i> , <i>Cladosporium fulvum</i>	p	1
<i>Fusarium avenaceum</i> früher: <i>Gibberella avenacea</i>	p	1
<i>Fusarium culmorum</i>	p	1
<i>Fusarium fujikuroi</i> früher: <i>Fusarium moniliforme</i> , <i>Gibberella fujikuroi</i>	p	1
<i>Fusarium graminearum</i> früher: <i>Gibberella zeae</i>	p	1
<i>Fusarium oxysporum</i>	p	2
<i>Fusarium poae</i>	p	1

Organismenname	siehe Legende	Risikogruppe
<i>Fusarium proliferatum</i> früher: <i>Gibberella intermedia</i>	p	2
<i>Fusarium sambucinum</i> früher: <i>Gibberella pulicaris</i>	p	1
<i>Fusarium scirpi</i>	p	1
<i>Fusarium solani</i> (anamorph) Syn: <i>Nectria haematococca</i> (teleomorph), früher: <i>Nectria haematococca</i> var. <i>breviconica</i> (teleomorph)	p	2
<i>Fusarium tricinctum</i> früher: <i>Gibberella tricincta</i>	p	1
<i>Fusarium verticillioides</i> früher: <i>Fusarium moniliforme</i> , <i>Gibberella moniliformis</i>	p	2
<i>Galactomyces geotrichum</i> (teleomorph) Syn: <i>Geotrichum candidum</i> (anamorph)		1
<i>Geosmithia emersonii</i> (anamorph) Syn: <i>Rasamsonia emersonii</i> (teleomorph), <i>Penicillium emersonii</i> , früher: <i>Talaromyces emersonii</i>		1
<i>Geotrichum candidum</i> (anamorph) Syn: <i>Galactomyces geotrichum</i> (teleomorph)		1
<i>Giardia duodenalis</i> Syn: <i>Giardia intestinalis</i> , <i>Giardia lamblia</i>	AR	2
<i>Giardia intestinalis</i> Syn: <i>Giardia lamblia</i> , <i>Giardia duodenalis</i>	AR	2
<i>Giardia lamblia</i> Syn: <i>Giardia intestinalis</i> , <i>Giardia duodenalis</i>	AR	2
<i>Gigaspora gigantea</i>		1
<i>Globodera pallida</i>	p	1
<i>Gloeophyllum trabeum</i>		1
<i>Glomerella glycines</i> (teleomorph) Syn: <i>Colletotrichum destructivum</i> (anamorph)	p	1
<i>Glomerella graminicola</i> (teleomorph) Syn: <i>Colletotrichum graminicola</i> (anamorph)	p	1
<i>Glomerella lindemuthiana</i> (teleomorph) Syn: <i>Colletotrichum lindemuthianum</i> (anamorph)	p	1
<i>Glomus intraradices</i>		1
<i>Glomus mosseae</i>		1
<i>Guillardia theta</i> früher: <i>Cryptomonas</i> sp. <i>theta</i>		1
<i>Haematococcus pluvialis</i> Syn: <i>Sphaerella pluvialis</i>		1
<i>Haemonchus contortus</i>		2
<i>Hansenula anomala</i> (teleomorph) Syn: <i>Pichia anomala</i> (teleomorph), <i>Candida pelliculosa</i> (anamorph)		1
<i>Hansenula polymorpha</i> Syn: <i>Pichia angusta</i>		1
<i>Hartmannella cantabrigiensis</i>		1
<i>Heligmosomoides polygyrus</i> früher: <i>Nematospiroides dubius</i>		2
<i>Helminthosporium carbonum</i> (anamorph) Syn: <i>Cochliobolus carbonum</i> (teleomorph), früher: <i>Drechslera carbonum</i> , <i>Drechslera zeicola</i> , <i>Cochliobolus zeicola</i> , <i>Helminthosporium zeicola</i>	p	1
<i>Hepaticola hepatica</i> Syn: <i>Capillaria hepatica</i> , <i>Calodium hepaticum</i>	AR	2
<i>Herpetomonas muscarum</i>		1
<i>Heterakis spumosa</i>		1
<i>Heterobasidion annosum</i>	p	1
<i>Heterophyes</i> spp.	AR	2
<i>Heterorhabditis bacteriophora</i>		1

Organismenname	siehe Legende	Risikogruppe
Heterosigma akashiwo früher: <i>Entomosigma akashiwo</i>		1
Hirsutella formicarium (anamorph) Syn: <i>Ophiocordyceps unilateralis</i> (teleomorph)		1
Histoplasma capsulatum früher: <i>Ajellomyces capsulata</i> , <i>Emmonsella capsulata</i>	AR	3
Histoplasma capsulatum var. farciminosum früher: <i>Ajellomyces capsulatus</i> var. <i>farciminosum</i> (teleomorph), <i>Histoplasma farciminosum</i>	AR	3
Histoplasma duboisii früher: <i>Ajellomyces capsulatus</i> var. <i>duboisii</i> , <i>Histoplasma capsulata</i> var. <i>duboisii</i>	AR	3
Hohenbuehelia petaloides		1
Hortaea werneckii früher: <i>Exophiala werneckii</i> , <i>Phaeoannellomyces werneckii</i> , <i>Cladosporium werneckii</i>		1
Hyaloperonospora parasitica früher: <i>Peronospora parasitica</i>	p	1
Hydnomerulius pinastri		1
Hymenolepis diminuta	AR	2
Hymenolepis nana fraterna Syn: <i>Rodentolepis nana</i>	AR	2
Hymenopleella hippophaeicola	p	1
Hypholoma fasciculare		1
Hyphozyma roseonigra		1
Hypocrea rufa (teleomorph) Syn: <i>Trichoderma viride</i> (anamorph)		1
Hypoderaeum conoideum		2
Hypoxyton rickii früher: <i>Hypodiscus rickii</i> , <i>Neohypodiscus rickii</i>		1
Ilyonectria robusta	p	1
Isthmiophora melis		2
Khuskia oryzae (teleomorph) Syn: <i>Nigrospora sphaerica</i> (anamorph)	p	1
Kloeckera corticis		1
Kluyveromyces lactis (teleomorph) Syn: <i>Candida sphaerica</i> (anamorph)		1
Kluyveromyces marxianus (teleomorph) Syn: <i>Candida kefir</i> (anamorph)		1
Knufia petricola früher: <i>Sarcinomyces petricola</i>		1
Komagataella pastoris früher: <i>Pichia pastoris</i>		1
Komagataella phaffii früher: <i>Pichia pastoris</i>		1
Lacazia loboi früher: <i>Loboa loboi</i>		2
Leishmania aethiopica	AR, d	2
Leishmania braziliensis	AR, *, d	3
Leishmania donovani	AR, *, d	3
Leishmania guyanensis Syn: <i>Viannia guyanensis</i> , <i>Leishmania braziliensis guyanensis</i>	AR, *	3
Leishmania infantum	*, d	3
Leishmania major	AR, d	2
Leishmania mexicana	AR, d	2
Leishmania panamensis Syn: <i>Viannia panamensis</i>	AR, *	3
Leishmania peruviana	AR, d	2

Organismenname	siehe Legende	Risikogruppe
<i>Leishmania tropica</i> Syn: <i>Leishmania tropica minor</i>	AR, d	2
<i>Lentinula edodes</i> Syn: <i>Lentinus edodes</i>		1
<i>Lentinus edodes</i> Syn: <i>Lentinula edodes</i>		1
<i>Leptographium abietinum</i>	p	2
<i>Leptomonas costaricensis</i>		2
<i>Leptomonas seymouri</i>		1
<i>Leptosphaeria maculans</i> (anamorph) Syn: <i>Phoma lingam</i> (teleomorph)	p	1
<i>Leptosphaeria senegalensis</i>		2
<i>Leptosphaeria thompkinsii</i>		2
<i>Lipomyces lipofer</i> Syn: <i>Waltomyces lipofer</i>		1
<i>Lipomyces starkeyi</i>		1
<i>Litomosoides sigmodontis</i> früher: <i>Litomosoides carinii</i>		1
<i>Loa loa</i>	AR, d	2
<i>Loxodes magnus</i>		1
<i>Loxodes striatus</i>		1
<i>Madurella grisea</i>	AR	2
<i>Madurella mycetomatis</i>	AR	2
<i>Madurella mycetomi</i>		2
<i>Malassezia furfur</i>		2
<i>Mansonella ozzardi</i>	AR, d	2
<i>Mansonella perstans</i> Syn: <i>Dipetalonema perstans</i>	AR, d	2
<i>Mansonella streptocerca</i> früher: <i>Dipetalonema streptocerca</i>	AR, d	2
<i>Melampsora allii-populina</i>	p	1
<i>Melampsora larici-populina</i>	p	1
<i>Melampsora lini</i>	p	1
<i>Melanopsichium pennsylvanicum</i>	p	1
<i>Meloidogyne chitwoodi</i>	p	2
<i>Metagonimus</i> spp.	AR	2
<i>Metarhizium anisopliae</i>		1
<i>Microascus brevicaulis</i> (teleomorph) Syn: <i>Scopulariopsis brevicaulis</i> (anamorph)		2
<i>Microbotryum lychnidis-dioicae</i>	p	1
<i>Microsporium audouinii</i>		2
<i>Microsporium canis</i> (anamorph) Syn: <i>Arthroderma otae</i> , früher: <i>Nannizzia otae</i> (teleomorph)		2
<i>Microsporium canis</i> var. <i>distortum</i> früher: <i>Microsporium distortum</i>		2
<i>Microsporium duboisii</i>		2
<i>Microsporium equinum</i>		2
<i>Microsporium ferrugineum</i>		2
<i>Microsporium gallinae</i>		2
<i>Microsporium gypseum</i> (anamorph) Syn: <i>Arthroderma gypsea</i> (teleomorph), <i>Arthroderma incurvata</i> , früher: <i>Nannizzia gypsea</i> (teleomorph), <i>Nannizzia incurvata</i>		2
<i>Microsporium nanum</i> (anamorph) Syn: <i>Arthroderma obtusa</i> (teleomorph), früher: <i>Nannizzia obtusa</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Microsporium persicolor</i> (anamorph) Syn: <i>Arthroderma persicolor</i> (teleomorph), früher: <i>Nannizzia persicolor</i>		2
<i>Microsporium praecox</i>		2
<i>Microsporium</i> spp.	AR	2
<i>Monascus purpureus</i>		1
<i>Monascus ruber</i> (teleomorph) Syn: <i>Basipetospora rubra</i> (anamorph)		1
<i>Moniliella pollinis</i>		1
<i>Moniliella suaveolens</i>		1
<i>Moniliella tomentosa</i>		1
<i>Monilinia fructigena</i>	p	1
<i>Monilinia laxa</i>	p	1
<i>Moniliophthora roreri</i> früher: <i>Monilia roreri</i> , <i>Crinipellis roreri</i>	p	1
<i>Mortierella alpina</i>		1
<i>Mucor circinelloides</i>		1
<i>Mucor indicus</i> früher: <i>Mucor rouxii</i>		1
<i>Mucor mucedo</i>		1
<i>Mucor parasiticus</i> Syn: <i>Actinomucor elegans</i>		1
<i>Mucor plumbeus</i>		1
<i>Mucor racemosus</i>		1
<i>Mycosphaerella graminicola</i> (teleomorph) Syn: <i>Septoria tritici</i> (anamorph)	p	1
<i>Mycosphaerella tassiana</i> (teleomorph) Syn: <i>Cladosporium herbarum</i> (anamorph)		1
<i>Myrothecium verrucaria</i>	p	1
<i>Naegleria clarki</i>		1
<i>Naegleria fowleri</i>	AR	3
<i>Naegleria gruberi</i>		1
<i>Nannizzia</i> spp.	AR	2
<i>Necator americanus</i>	AR	2
<i>Nectria haematococca</i> (teleomorph) Syn: <i>Fusarium solani</i> (anamorph), früher: <i>Nectria haematococca</i> var. <i>brevicona</i>	p	2
<i>Neospora caninum</i>		2
<i>Neotestudina rosatii</i>	AR	2
<i>Neurospora crassa</i> (teleomorph) Syn: <i>Chrysonilia crassa</i> (anamorph)		1
<i>Neurospora sitophila</i> (teleomorph) Syn: <i>Chrysonilia sitophila</i> (anamorph)		1
<i>Nigrospora sphaerica</i> (anamorph) Syn: <i>Khuskia oryzae</i> (teleomorph)	p	1
<i>Nitzschia closterium</i> f. <i>minutissima</i> Syn: <i>Phaeodactylum tricornutum</i>		1
<i>Nosema apis</i>		2
<i>Nosema bombi</i>		2
<i>Nosema ceranae</i>		2
<i>Novymonas esmeraldas</i>		1
<i>Oesophagostomum dentatum</i>		2
<i>Omphalotus illudens</i>		1
<i>Omphalotus japonicus</i>		1
<i>Omphalotus olearius</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Omphalotus subilludens</i>		1
<i>Onchocerca lienalis</i>	d	2
<i>Onchocerca lupi</i>	d	2
<i>Onchocerca volvulus</i>	AR, d	2
<i>Ophiocordyceps unilateralis</i> (teleomorph) Syn: <i>Hirsutella formicarum</i> (anamorph)		1
<i>Ophiostoma bicolor</i>		1
<i>Ophiostoma ips</i>	p	1
<i>Ophiostoma novo-ulmi</i>	p	1
<i>Ophiostoma ulmi</i>	p	1
<i>Opisthorchis felineus</i>	AR, d	2
<i>Opisthorchis sinensis</i> Syn: <i>Clonorchis sinensis</i>	AR, d	2
<i>Opisthorchis viverrini</i> Syn: <i>Clonorchis viverrini</i>	AR, d	2
<i>Orbilia auricolor</i> (teleomorph) Syn: <i>Arthrotrys oligospora</i> (anamorph)		1
<i>Ostreococcus tauri</i>		1
<i>Oxyporus populinus</i>		1
<i>Pachysolen tannophilus</i>		1
<i>Paecilomyces fulvus</i> (anamorph) Syn: <i>Byssochlamys fulva</i> (teleomorph)		1
<i>Paecilomyces militaris</i> (anamorph) Syn: <i>Cordyceps militaris</i> (teleomorph)		1
<i>Paecilomyces variotii</i>		2
<i>Parachlorella kessleri</i> früher: <i>Chlorella kessleri</i>		1
<i>Paracoccidioides brasiliensis</i>	AR	3
<i>Paracoccidioides lutzii</i>	AR	3
<i>Paragonimus westermani</i>	AR, d	2
<i>Paramecium</i> spp.		1
<i>Paraphyton</i> spp.	AR	2
<i>Parasitella parasitica</i> Syn: <i>Parasitella simplex</i>		1
<i>Parasitella simplex</i> Syn: <i>Parasitella parasitica</i>		1
<i>Parastrongylus costaricensis</i> Syn: <i>Angiostrongylus cantonensis</i>	AR	2
<i>Passalora fulva</i> Syn: <i>Cladosporium fulvum</i> , <i>Fulvia fulva</i>	p	1
<i>Paxillus involutus</i>		1
<i>Paxillus panuoides</i> früher: <i>Tapinella panuoides</i>		1
<i>Penicillium camemberti</i>		1
<i>Penicillium chrysogenum</i>		1
<i>Penicillium chrysogenum</i> (definierte Produktionsstämme)		1
<i>Penicillium citrinum</i>		1
<i>Penicillium commune</i>		1
<i>Penicillium coprobium</i>		1
<i>Penicillium crateriforme</i> Syn: <i>Talaromyces purpurogenus</i> (teleomorph), <i>Penicillium purpurogenum</i> (anamorph), <i>Penicillium sanguineum</i>		1
<i>Penicillium emersonii</i> (anamorph) Syn: <i>Geosmithia emersonii</i> (anamorph), <i>Rasamsonia emersonii</i> (teleomorph), früher: <i>Talaromyces emersonii</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Penicillium emmonsii</i> Syn: <i>Talaromyces stipitatus</i>		1
<i>Penicillium expansum</i>	p	1
<i>Penicillium funiculosum</i>		1
<i>Penicillium glabrum</i>		1
<i>Penicillium griseofulvum</i>		1
<i>Penicillium janthinellum</i> Syn: <i>Penicillium vitale</i>		1
<i>Penicillium marneffeii</i> (dimorph)	AR	2
<i>Penicillium ochrochloron</i>		1
<i>Penicillium olsonii</i>	p	1
<i>Penicillium purpurogenum</i> (anamorph) Syn: <i>Talaromyces purpurogenus</i> (teleomorph), <i>Penicillium crateriforme</i> , früher: <i>Penicillium sanguineum</i>		1
<i>Penicillium rubrum</i> (anamorph) Syn: <i>Talaromyces ruber</i> (teleomorph)		1
<i>Penicillium sanguineum</i> Syn: <i>Talaromyces purpurogenus</i> (teleomorph), <i>Penicillium purpurogenum</i> (anamorph), <i>Penicillium crateriforme</i>		1
<i>Penicillium simplicissimum</i>		1
<i>Penicillium verrucosum</i>	p	1
<i>Peronospora tabacina</i>	p	1
<i>Petromyces parasiticus</i> (teleomorph) Syn: <i>Aspergillus parasiticus</i> (anamorph)	p	2
<i>Phaeodactylum tricorutum</i> Syn: <i>Nitzschia closterium</i> f. <i>minutissima</i>		1
<i>Phanerochaete chrysosporium</i> (teleomorph) Syn: <i>Sporotrichum pruinosum</i> (anamorph)	p	1
<i>Phasmarhabditis hermaphrodita</i>		1
<i>Phialemonium curvatum</i>		2
<i>Phialophora americana</i> Syn: <i>Phialophora verrucosa</i>		2
<i>Phialophora verrucosa</i> Syn: <i>Phialophora americana</i>		2
<i>Phlebia brevispora</i>		1
<i>Phoma lingam</i> (teleomorph) Syn: <i>Leptosphaeria maculans</i> (anamorph)	p	1
<i>Phoma</i> spp. C2932		1
<i>Phycomyces blakesleeanus</i>		1
<i>Physarum polycephalum</i>		1
<i>Phytomonas</i> spp.	p	2
<i>Phytophthora capsici</i>	p	1
<i>Phytophthora colocasiae</i>	p	1
<i>Phytophthora cryptogea</i>	p	1
<i>Phytophthora infestans</i>	p	1
<i>Phytophthora iranica</i>	p	1
<i>Phytophthora megasperma</i>	p	1
<i>Phytophthora nicotianae</i> Syn: <i>Phytophthora parasitica</i>	p	1
<i>Phytophthora parasitica</i> Syn: <i>Phytophthora nicotianae</i>	p	1
<i>Phytophthora porri</i>	p	1
<i>Pichia angusta</i> Syn: <i>Hansenula polymorpha</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Pichia anomala</i> (teleomorph) Syn: <i>Candida pelliculosa</i> (anamorph), <i>Hansenula anomala</i>		1
<i>Pichia capsulata</i> Syn: <i>Kuraishia capsulata</i> , <i>Hansenula capsulata</i>		1
<i>Pichia farinosa</i>		1
<i>Pichia guilliermondii</i> (teleomorph) Syn: <i>Candida guilliermondii</i> var. <i>guilliermondii</i> (anamorph)		1
<i>Pichia holstii</i> Syn: <i>Candida silvicola</i> , <i>Hansenula holstii</i>		1
<i>Pichia jadinii</i> (teleomorph) Syn: <i>Candida utilis</i> (anamorph)		1
<i>Pichia kudriavzevii</i> (teleomorph) Syn: <i>Candida krusei</i> (anamorph)		2
<i>Pichia membranaefaciens</i> (teleomorph) Syn: <i>Candida valida</i> (anamorph)		1
<i>Pichia methanolica</i> Syn: <i>Pichia cellobiosa</i>		1
<i>Pichia stipitis</i>		1
<i>Plagiostoma aesculi</i> früher: <i>Cryptodiaporthe aesculi</i>		1
<i>Plasmodium berghei</i>	d	2
<i>Plasmodium chabaudi</i>	d	2
<i>Plasmodium falciparum</i>	AR, *, d	3
<i>Plasmodium knowlesi</i>	*, d	3
<i>Plasmodium</i> spp. (des Menschen und von Affen) außer <i>P. falciparum</i> und <i>P. knowlesi</i>	AR, d	2
<i>Plasmodium vinckei</i>	d	2
<i>Plasmodium yoelii</i>	d	2
<i>Plasmopara halstedii</i> (in Deutschland und in direkt angrenzenden Ländern vorkommende Rassen) Syn: <i>Plasmopara helianthi</i>	p	1
<i>Plasmopara halstedii</i> (nicht in Deutschland und in direkt angrenzenden Ländern vorkommende Rassen) Syn: <i>Plasmopara helianthi</i>	p	2
<i>Plasmopara helianthi</i> (in Deutschland und in direkt angrenzenden Ländern vorkommende Rassen) Syn: <i>Plasmopara halstedii</i>	p	1
<i>Plasmopara helianthi</i> (nicht in Deutschland und in direkt angrenzenden Ländern vorkommende Rassen) Syn: <i>Plasmopara halstedii</i>	p	2
<i>Plasmopara viticola</i>	p	1
<i>Pleurotus ostreatus</i>		1
<i>Pneumocystis jirovecii</i>		1
<i>Pneumocystis</i> spp. außer <i>Pneumocystis jirovecii</i>		2
<i>Podospora anserina</i> Syn: <i>Podospora pauciseta</i>		1
<i>Podospora pauciseta</i> Syn: <i>Podospora anserina</i>		1
<i>Polymyxa graminis</i>		1
<i>Polysphondylium</i> spp.		1
<i>Protostelium</i> spp.		1
<i>Prototheca wickerhamii</i>		2
<i>Pseudallescheria boydii</i> (teleomorph) Syn: <i>Monosporium apiospermum</i> (anamorph), <i>Scedosporium apiospermum</i>		2
<i>Pseudechinoparyphium echinatum</i>		2
<i>Pseudogymnoascus destructans</i> früher: <i>Geomyces destructans</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Pseudoxyalaria</i> spp.		1
<i>Pseudozyma tsukubaensis</i>		1
<i>Puccinia graminis</i>	p	1
<i>Purpureocillium lilacinum</i> (außer definierte Produktionsstämme) früher: <i>Paecilomyces lilacinus</i> , <i>Penicillium lilacinum</i>		2
<i>Purpureocillium lilacinum</i> (definierte Produktionsstämme) früher: <i>Paecilomyces lilacinus</i> , <i>Penicillium lilacinum</i> (definierte Produktionsstämme)		1
<i>Pycnoporus cinnabarinus</i>		1
<i>Pyrenomonas salina</i> Syn: <i>Cryptomonas salina</i> , <i>Rhodomonas salina</i>		1
<i>Pyricularia grisea</i> früher: <i>Magnaporthe grisea</i>	p	1
<i>Pyricularia oryzae</i> früher: <i>Magnaporthe oryzae</i>	p	1
<i>Rasamsonia emersonii</i> (teleomorph) Syn: <i>Geosmithia emersonii</i> (anamorph), <i>Penicillium emersonii</i> , früher: <i>Talaromyces emersonii</i>		1
<i>Rhinoclatiella mackenziei</i>	AR	3
<i>Rhinosporidium seeberi</i>		2
<i>Rhizoctonia solani</i> (anamorph) Syn: <i>Thanatephorus cucumeris</i> (teleomorph)	p	1
<i>Rhizopus arrhizus</i> Syn: <i>Rhizopus oryzae</i>		1
<i>Rhizopus arrhizus</i> (definierte Produktionsstämme) Syn: <i>Rhizopus oryzae</i> (definierte Produktionsstämme)		1
<i>Rhizopus microsporus</i> früher: <i>Rhizopus rhizopodiformis</i>		2
<i>Rhizopus niveus</i>		1
<i>Rhizopus oryzae</i> Syn: <i>Rhizopus arrhizus</i>		1
<i>Rhizopus oryzae</i> (definierte Produktionsstämme) Syn: <i>Rhizopus arrhizus</i> (definierte Produktionsstämme)		1
<i>Rhizopus stolonifer</i>		1
<i>Rhodomonas salina</i> Syn: <i>Pyrenomonas salina</i> , <i>Cryptomonas salina</i>		1
<i>Rhodosporidium diobovatum</i> (teleomorph) Syn: <i>Rhodotorula glutinis</i> (anamorph)		1
<i>Rhodosporidium torulooides</i> (teleomorph) Syn: <i>Rhodotorula gracilis</i> (anamorph)		1
<i>Rhodotorula glutinis</i> (anamorph) Syn: <i>Rhodosporidium diobovatum</i> (teleomorph)		1
<i>Rhodotorula mucilaginosa</i> früher: <i>Rhodotorula rubra</i>		2
<i>Rhynchosporium secalis</i>	p	1
<i>Rodentolepis nana</i> Syn: <i>Hymenolepis nana fraterna</i>	AR	2
<i>Saccharomyces cerevisiae</i> (teleomorph) Syn: <i>Candida robusta</i> (anamorph)		1
<i>Saccharomyces diastaticus</i> (teleomorph) früher: <i>Saccharomyces cerevisiae</i> var. <i>diasticus</i>		1
<i>Saccharomyces fragilis</i>		1
<i>Salpingoeca rosetta</i>		1
<i>Sarcocystis sui hominis</i>	AR	2
<i>Sarocladium kiliense</i> früher: <i>Cephalosporium granulomatosus</i> , <i>Cephalosporium infestans</i> , <i>Acremonium kiliense</i>		2
<i>Sauroleishmania tarentolae</i> früher: <i>Leishmania tarentolae</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Scedosporium apiospermum</i> (anamorph) Syn: <i>Pseudallescheria boydii</i> (teleomorph), <i>Graphium eumorphum</i> (anamorph), früher: <i>Monosporium apiospermum</i> (anamorph)	AR	2
<i>Scedosporium prolificans</i>	AR	2
<i>Scenedesmus bijugatus</i> Syn: <i>Scenedesmus obliquus</i> , <i>Scenedesmus dactylococcoides</i>		1
<i>Scenedesmus dactylococcoides</i> Syn: <i>Scenedesmus bijugatus</i> , <i>Scenedesmus obliquus</i>		1
<i>Scenedesmus obliquus</i> Syn: <i>Scenedesmus bijugatus</i> , <i>Scenedesmus dactylococcoides</i>		1
<i>Schistosoma haematobium</i>	AR, d	2
<i>Schistosoma intercalatum</i>	AR, d	2
<i>Schistosoma japonicum</i>	AR, d	2
<i>Schistosoma mansoni</i>	AR, d	2
<i>Schistosoma mekongi</i>	AR, d	2
<i>Schizochytrium</i> spp.		1
<i>Schizophyllum commune</i>		1
<i>Schizosaccharomyces pombe</i>		1
<i>Schwanniomycetes occidentalis</i> Syn: <i>Debaryomyces occidentalis</i>		1
<i>Scopulariopsis brevicaulis</i> (anamorph) Syn: <i>Microascus brevicaulis</i> (teleomorph)		2
<i>Seminavis robusta</i>		1
<i>Septoria tritici</i> (anamorph) Syn: <i>Mycosphaerella graminicola</i> (teleomorph)	p	1
<i>Serendipita indica</i> Syn: <i>Piriformospora indica</i> , früher: <i>Achlamydospora indica</i>		1
<i>Serendipita vermifera</i> früher: <i>Sebacina vermifera</i>		1
<i>Sergeia podlipaevi</i>		2
<i>Serpula lacrymans</i>		1
<i>Sordaria macrospora</i>		1
<i>Spermatozopsis similis</i>		1
<i>Sphaerella pluvialis</i> Syn: <i>Haematococcus pluvialis</i>		1
<i>Sphaeroforma arctica</i>		1
<i>Sporisorium reilianum</i> Syn: <i>Sphacelotheca reiliana</i>	p	1
<i>Sporisorium scitamineum</i>	p	1
<i>Sporobolomyces singularis</i> früher: <i>Bullera singularis</i>		1
<i>Sporothrix schenckii</i>	AR	2
<i>Sporothrix stenoceras</i> Syn: <i>Ophiostoma stenoceras</i>		1
<i>Sporotrichum pruinosum</i> (anamorph) Syn: <i>Phanerochaete chrysosporium</i> (teleomorph)		1
<i>Stachybotrys chartarum</i>		1
<i>Stagonospora</i> sp. MF5453		1
<i>Starmerella bombicola</i> (teleomorph) Syn: <i>Candida bombicola</i> (anamorph)		1
<i>Steinernema carpocapsae</i>		1
<i>Steinernema feltiae</i>		1
<i>Steinernema kraussei</i>		1
<i>Stentor</i> spp.		1
<i>Stereum hirsutum</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Strigomonas culicis</i> früher: <i>Heterosigma culicis</i> , <i>Blastocrithidia culicis</i>		1
<i>Strobilurus tenacellus</i>		1
<i>Strongyloides</i> spp.	AR	2
<i>Strongyloides stercoralis</i>	AR	2
<i>Stropharia aeruginosa</i>		1
<i>Stropharia coronilla</i>		1
<i>Stropharia inuncta</i>		1
<i>Stropharia rugosoannulata</i>		1
<i>Stylonychia lemnae</i>		1
<i>Suillus granulatus</i>		1
<i>Suillus grevillei</i>		1
<i>Suillus luteus</i>		1
<i>Taenia cellulosae</i> Syn: <i>Taenia solium</i>	AR, *	3
<i>Taenia saginata</i>	AR, d	2
<i>Taenia solium</i> Syn: <i>Taenia cellulosae</i>	AR, *	3
<i>Talaromyces purpurogenus</i> (teleomorph) Syn: <i>Penicillium purpurogenum</i> (anamorph), <i>Penicillium crateriforme</i> , <i>Penicillium sanguineum</i>		1
<i>Talaromyces ruber</i> (teleomorph) Syn: <i>Penicillium rubrum</i> (anamorph)		1
<i>Talaromyces stipitatus</i> Syn: <i>Penicillium emmonsii</i>		1
<i>Termitomyces</i> spp.		1
<i>Tetrahymena thermophila</i>		1
<i>Tetratrichomonas gallinarum</i>		2
<i>Thalassiosira oceanica</i>		1
<i>Thalassiosira pseudonana</i>		1
<i>Thanatephorus cucumeris</i> (teleomorph) Syn: <i>Rhizoctonia solani</i> (anamorph)	p	1
<i>Thecaphora oxalidis</i>	p	1
<i>Thecaphora saponaria</i>	p	1
<i>Thecaphora seminis-convolvuli</i>	p	1
<i>Thecaphora thlaspeos</i>	p	1
<i>Theileria annulata</i>	d	2
<i>Theileria equi</i> früher: <i>Babesia equi</i>		2
<i>Theileria parva</i>	d	2
<i>Thermothelomyces thermophilus</i> früher: <i>Myceliophthora thermophila</i> , <i>Sporotrichum thermophile</i> , <i>Chrysosporium thermophilum</i> , <i>Corynascus thermophilum</i>		2
<i>Thermothelomyces thermophilus</i> HC und abgeleitete Produktionsstämme früher: <i>Chrysosporium lucknowense</i> C1-Derivate		1
<i>Thielavia terrestris</i> (teleomorph) Syn: <i>Acremonium alabamense</i> (anamorph)		1
<i>Tolypocladium inflatum</i> (anamorph) Syn: <i>Cordyceps subsessilis</i> (teleomorph), <i>Beauveria nivea</i> , früher: <i>Trichoderma polysporum</i>		1
<i>Toxocara canis</i>	AR	2
<i>Toxocara cati</i>	AR	2
<i>Toxoplasma gondii</i>	AR	2
<i>Trametes versicolor</i> Syn: <i>Coriolus versicolor</i>	p	1

Organismenname	siehe Legende	Risikogruppe
<i>Trebouxia arboricola</i>		1
<i>Trebouxia simplex</i>		1
<i>Trichinella nativa</i>	AR	2
<i>Trichinella nelsoni</i>	AR	2
<i>Trichinella pseudospiralis</i>	AR	2
<i>Trichinella spiralis</i>	AR	2
<i>Trichobilharzia franki</i>		2
<i>Trichobilharzia ocellata</i>		2
<i>Trichoderma atroviride</i> früher: <i>Hypocrea atroviridis</i>		1
<i>Trichoderma harzianum</i>		1
<i>Trichoderma longibrachiatum</i>		1
<i>Trichoderma longibrachiatum</i> 18.2		1
<i>Trichoderma reesei</i> (anamorph) Syn: <i>Hypocrea jecorina</i> (teleomorph)		1
<i>Trichoderma virens</i> früher: <i>Gliocladium virens</i> , <i>Hypocrea virens</i>		1
<i>Trichoderma viride</i> (anamorph) Syn: <i>Hypocrea rufa</i> (teleomorph)		1
<i>Tricholoma sulphureum</i>		1
<i>Trichomonas vaginalis</i>	AR	2
<i>Trichophyton benhamiae</i> früher: <i>Arthroderma benhamiae</i>		2
<i>Trichophyton concentricum</i>		2
<i>Trichophyton equinum</i>		2
<i>Trichophyton erinacei</i>		2
<i>Trichophyton gourvilii</i>		2
<i>Trichophyton interdigitale</i> (anamorph) Syn: <i>Arthroderma vanbreuseghemii</i> (teleomorph)		2
<i>Trichophyton megninii</i>		2
<i>Trichophyton mentagrophytes</i>		2
<i>Trichophyton rubrum</i>	AR	2
<i>Trichophyton schoenleinii</i>		2
<i>Trichophyton simii</i> (anamorph) Syn: <i>Arthroderma simii</i> (teleomorph)		2
<i>Trichophyton soudanense</i>		2
<i>Trichophyton</i> spp.	AR	2
<i>Trichophyton tonsurans</i>	AR	2
<i>Trichophyton verrucosum</i>		2
<i>Trichophyton violaceum</i>		2
<i>Trichophyton yaoundei</i>		2
<i>Trichostrongylus orientalis</i>	AR	2
<i>Trichostrongylus</i> spp.		2
<i>Trichuris suis</i>		2
<i>Trichuris trichiura</i>	AR	2
<i>Trigonopsis variabilis</i>		1
<i>Trypanosoma avium</i>		2
<i>Trypanosoma bennetti</i>		2
<i>Trypanosoma boissoni</i>		2
<i>Trypanosoma brucei brucei</i>	AR, d	2
<i>Trypanosoma brucei equiperdum</i> Syn: <i>Trypanosoma equiperdum</i>		2

Organismenname	siehe Legende	Risikogruppe
<i>Trypanosoma brucei gambiense</i>	AR, *, d	3
<i>Trypanosoma brucei rhodesiense</i>	AR, *, d	3
<i>Trypanosoma carassii</i>		2
<i>Trypanosoma chattonii</i>		2
<i>Trypanosoma congolense</i>	d	2
<i>Trypanosoma cruzi</i>	*	3
<i>Trypanosoma evansi</i> Syn: <i>Trypanosoma brucei evansi</i> , früher: <i>Trypanosoma equinum</i>		2
<i>Trypanosoma mega</i>		2
<i>Trypanosoma rangeli</i>		2
<i>Trypanosoma rotatorium</i>		2
<i>Trypanosoma theileri</i>		1
<i>Trypanosoma therezieni</i>		2
<i>Trypanosoma triglae</i>		2
<i>Trypanosoma vivax</i>		2
<i>Umbelopsis vinacea</i> früher: <i>Mortierella vinacea</i>		1
<i>Uromyces vicia-fabae</i>	p	1
<i>Ustilagoidea virens</i> Syn: <i>Villosiclava virens</i> , früher: <i>Claviceps virens</i> , <i>Claviceps oryzae-sativae</i>	p	2
<i>Ustilago avenae</i>	p	1
<i>Ustilago hordei</i>	p	1
<i>Ustilago maydis</i>	p	1
<i>Ustilago nuda</i>	p	1
<i>Ustilago striiformis sensu lato</i> -Komplex (in Deutschland und angrenzenden Ländern nicht vorkommende Arten, deren Wirtspflanzen in Deutschland und angrenzenden Ländern vorkommen)	p	2
<i>Ustilago striiformis sensu lato</i> -Komplex (in Deutschland und angrenzenden Ländern vorkommende Arten oder Arten, deren Wirtspflanzen nicht in Deutschland und angrenzenden Ländern vorkommen)	p	1
<i>Ustilago trichophora</i>	p	1
<i>Ustilago tritici</i>	p	1
<i>Ustilago violacea</i>	p	1
<i>Vahlkampfia lobospinosa</i>		1
<i>Vermamoeba vermiformis</i> früher: <i>Hartmannella vermiformis</i>		1
<i>Verticillium albo-atrum</i>	p	1
<i>Verticillium dahliae</i>	p	1
<i>Verticillium lecanii</i> (anamorph) Syn: <i>Torrubiella confragosa</i> (teleomorph)		1
<i>Volvariella volvacea</i>		1
<i>Wallemia sebi</i>		1
<i>Waltomyces lipofer</i> Syn: <i>Lipomyces lipofer</i>		1
<i>Wangiella dermatitidis</i> Syn: <i>Exophiala dermatitidis</i>		2
<i>Wuchereria bancrofti</i>	AR, d	2
<i>Xanthoria parietina</i>		1
<i>Xeromyces bisporus</i> (teleomorph) Syn: <i>Fraseriella bisporea</i> (anamorph)		1
<i>Yarrowia lipolytica</i> (teleomorph) Syn: <i>Candida lipolytica</i> (anamorph)		1
<i>Yarrowia</i> sp.		1
<i>Zygorhynchus moelleri</i>		1

Organismenname	siehe Legende	Risikogruppe
<i>Zygosaccharomyces bailii</i>		1
<i>Zygosaccharomyces rouxii</i> Syn: <i>Candida mogii</i> (anamorph)		1

Viren

Risikogruppe 1

- Apathogene Virusstämme der verschiedenen Virusfamilien, die zur Herstellung von amtlich zugelassenen Impfstoffen mit vermehrungsfähigen Erregern verwendet werden. Voraussetzung ist, dass nicht mehr als die jeweils von der Zulassungsstelle zugelassenen Passagen erfolgen und zur Vermehrung keine anderen als die bei der Impfstoffherstellung verwendeten Zellkulturen oder Wirtssysteme benutzt werden. Hierzu gehören auch Impfstoffe mit vermehrungsfähigen Viren, die für bestimmte Tierarten apathogen, für andere Tierarten aber noch pathogen sind, vorausgesetzt, dass solche Viren auf natürlichem Weg nicht auf empfängliche Tierarten übertragen werden können (z. B. Aujeszky-Impfstoffe mit vermehrungsfähigen Viren).
- Viren, die für gesunde Menschen und Tiere apathogen sind.
- Myko-, Viro- und Bakteriophagen, soweit bei ihnen keine human- oder tierpathogenen Eigenschaften beschrieben sind oder sie nicht für Virulenzfaktoren bzw. virulenz erhöhende Faktoren für menschliche oder tierische Infektionskrankheiten kodieren.

Viren
(alphabetisch geordnet)

Organismenname	siehe Legende	Risikogruppe
Abutilon mosaic Brazil virus Abutilon mosaic Brazil virus (AbMBV)	p	2
Abutilon mosaic virus Malvaceous chlorosis virus, Abutilon mosaic virus (AbMV)	p	1
Acanthamoeba polyphaga mimivirus Acanthamoeba polyphaga mimivirus (ApMV)		2
Acute bee paralysis virus Acute bee paralysis virus (ABPV)		2
Adeno-associated dependoparvovirus A, Typ 1, 2, 3, 3b, 6, 8 und 9 Adeno-assoziierte Viren Typ 1, 2, 3, 3b, 6, 8 und 9 (AAV)		1
Adeno-associated dependoparvovirus A, Typ 4, 7, 10, 11, 12 und 13 Adeno-assoziierte Viren Typ 4, 7, 10, 11, 12 und 13 (AAV)		2
Adeno-associated dependoparvovirus B, Typ 5 Adeno-assoziiertes Virus Typ 5		1
Adeno-assoziiertes Virus Serotyp rh.74		2
Adeno-assoziiertes Virus Typ po 1 (AAV)		2
Adeno-assoziiertes Virus Typ rh-10		1
Adenoviren beim Pferd, Schaf, Schwein, bei der Ente, Gans, Taube, beim Huhn, Wellensittich und Fisch		1
Adenoviren der Reptilien		2
African cassava mosaic virus African cassava mosaic virus (ACMV), Cassava latent virus	p	1
African horse sickness virus African horse sickness virus (AHSV), Afrikanisches Pferdepest-Virus		3
African swine fever virus African swine fever virus (ASFV), Virus der Afrikanischen Schweinepest (ASFV)		4
Ageratum yellow vein virus Ageratum yellow vein virus (AYVV)	p	2
Aichivirus A Aichivirus-1	AR	2
Akabane orthobunyavirus Akabane virus (AKAV)		3
akute Leukämie/Sarkom-Viren der Subgruppen A und B der Geflügel-Leukose-Sarkom-Viren		1
akute Leukämie/Sarkom-Viren der Subgruppen C und D der Geflügel-Leukose-Sarkom-Viren		2
Alcelaphine gammaherpesvirus 1 Alcelaphine herpesvirus 1 (AIHV-1), Virus des Bösartigen Katarrhalfiebers beim Rind		2
Alpha-, Beta- und Gammainfluenzavirus influenzae (außer den speziell genannten) Influenza-Virus Typ A, B, C (FLUAV, FLUBV, FLUCV), Influenza A virus, Influenza B virus, Influenza C virus, außer den speziell genannten	AR	2
Alphaarterivirus equid Equine arteritis virus (EAV), Pferde-Arteritis-Virus		2
Alphacoronavirus 1 Feline infectious peritonitis virus (FIPV), Porcine respiratory coronavirus (PRCV), Transmissible gastroenteritis virus (TGEV), Virus der Transmissiblen Gastroenteritis des Schweines		2
Alphainfluenzavirus influenzae: aktuell nicht zirkulierende Varianten des Subtyps H2N2 Influenza-Virus Typ A (FLUAV), Influenza A virus: aktuell nicht zirkulierende Varianten des Subtyps H2N2		3
Alphainfluenzavirus influenzae: hochpathogene aviäre Influenzaviren (HPAIV) Influenza-Virus Typ A (FLUAV), Influenza A virus: hochpathogene aviäre Influenzaviren (HPAIV)		3
Alphainfluenzavirus influenzae: hochpathogene aviäre Influenzaviren (HPAIV), die das Potenzial einer effizienten Luftübertragbarkeit zwischen Säugetieren besitzen Influenza-Virus Typ A (FLUAV), Influenza A virus: hochpathogene aviäre Influenzaviren (HPAIV), die das Potenzial einer effizienten Luftübertragbarkeit zwischen Säugetieren besitzen		4

Organismenname	siehe Legende	Risikogruppe
Alphainfluenzavirus influenzae: neuartige aviäre Influenzaviren des Subtyps H7N9 Influenza-Virus Typ A (FLUAV), Influenza A virus: neuartige aviäre Influenzaviren des Subtyps H7N9		3
Alphainfluenzavirus influenzae: Subtyp H5N8 Influenza-Virus Typ A (FLUAV), Influenza A virus: Subtyp H5N8		3
Alphainfluenzavirus influenzae: Variante des Subtyps H1N1 der Spanischen Grippe von 1918 Influenza-Virus Typ A (FLUAV), Influenza A virus: Variante des Subtyps H1N1 der Spanischen Grippe von 1918		3
Alphamesonivirus 1 Nam Dinh virus (NDiV), Houston virus, Cavally virus (CaV)		2
Alphamesonivirus 2 Botang Baru virus (BBaV), Karang Sari virus (KSaV)		2
Alphamesonivirus 3 Kamphang Phet virus (KPhV), Dak Nong virus (DKNV)		2
Alphamesonivirus 4 Casuarina virus (CASV)		2
Alphamesonivirus 5 Hana virus (HanaV)		2
Alphamesonivirus 8 Nsé virus (NseV), Mesonivirus 2		2
Alphamesonivirus 9 Méno virus (MenoV), Mesonivirus 1		2
Alphapolyomavirus quintihominis Merkel cell polyomavirus (MCV or MCPyV), Human polyomavirus 5		2
Ambystoma tigrinum virus Ambystoma tigrinum virus (ATV)		2
Anatid alphaherpesvirus 1 Duck enteritis virus (DEV), Anatid herpesvirus 1		2
Andes orthohantavirus Andes virus (ANDV)		3
animale Coronaviren mit zoonotischem Potenzial		3
animale Coronaviren ohne zoonotisches Potenzial		2
Anseriform dependoparvovirus 1 Gänseh hepatitis-Virus, Muscovy duck parvovirus (MDPV), Goose parvovirus		2
Aotine betaherpesvirus 1		2
Apple chlorotic leaf spot virus Apple chlorotic leaf spot virus (ACLSV)	p	1
Apple latent spherical virus Apple latent spherical virus (ALSV)	p	1
Apple mosaic virus Apple mosaic virus (ApMV), Birch line pattern virus, Birch ringspot virus, Dutch plum line pattern virus, European plum line pattern virus, Hop A virus, Horse chestnut yellow mosaic virus, Rose mosaic virus (einige Isolate)	p	1
Apple stem grooving virus Apple stem grooving virus (ASGV)	p	1
Apple stem pitting virus Apple stem pitting virus (ASPV)	p	1
Arenavirus Lemniscomys/F4-8/TZA/2008		2
Arenavirus Mus/TZ22285/TZA/2008		2
Argentinian mammarenavirus Junin virus (JUNV)	AR	4
Astroviridae	AR	2
Ateline gammaherpesvirus 2 Ateline herpesvirus 2 (AtHV-2), Herpesvirus Ateles (HVA)		2
Aura virus Aura virus (AURAV)		2
Avian coronavirus Infectious bronchitis virus (IBV)		2

Organismenname	siehe Legende	Risikogruppe
Avian metaavulavirus 10 Avian paramyxovirus 10 (APMV-10), Avian avulavirus 10		2
Avian metaavulavirus 11 Avian paramyxovirus 11 (APMV-11), Avian avulavirus 11		2
Avian metaavulavirus 14 Avian paramyxovirus 14 (APMV-14), Avian avulavirus 14		2
Avian metaavulavirus 15 Avian paramyxovirus 15 (APMV-15), Avian avulavirus 15		2
Avian metaavulavirus 2 Avian paramyxovirus 2 (APMV-2), Avian avulavirus 2		2
Avian metaavulavirus 20 Avian paramyxovirus 20 (APMV-20), Avian avulavirus 20		2
Avian metaavulavirus 5 Avian paramyxovirus 5 (APMV-5), Avian avulavirus 5		2
Avian metaavulavirus 6 Avian paramyxovirus 6 (APMV-6), Avian avulavirus 6		2
Avian metaavulavirus 7 Avian paramyxovirus 7 (APMV-7), Avian avulavirus 7		2
Avian metaavulavirus 8 Avian paramyxovirus 8 (APMV-8), Avian avulavirus 8		2
Avian metapneumovirus Turkey rhinotracheitis virus (TRTV), Virus der Putenrhinotracheitis		2
Avian orthoavulavirus 1 Newcastle disease virus (NDV), Avian paramyxovirus 1 (APMV-1), Avian avulavirus 1	AR	2
Avian orthoavulavirus 12 Avian paramyxovirus 12 (APMV-12), Avian avulavirus 12		2
Avian orthoavulavirus 13 Avian paramyxovirus 13 (APMV-13), Avian avulavirus 13		2
Avian orthoavulavirus 16 Avian paramyxovirus 16 (APMV-16), Avian avulavirus 16		2
Avian orthoavulavirus 17 Avian paramyxovirus 17 (APMV-17), Avian avulavirus 17		2
Avian orthoavulavirus 18 Avian paramyxovirus 18 (APMV-18), Avian avulavirus 18		2
Avian orthoavulavirus 19 Avian paramyxovirus 19 (APMV-19), Avian avulavirus 19		2
Avian orthoavulavirus 21 Avian paramyxovirus 21 (APMV-21), Avian avulavirus 21		2
Avian orthoavulavirus 9 Avian paramyxovirus 9 (APMV-9), Avian avulavirus 9		2
Avian orthoreovirus Avian reovirus (ARV)		2
Avian paraavulavirus 3 Avian paramyxovirus 3 (APMV-3), Avian avulavirus 3		2
Avian paraavulavirus 4 Avian paramyxovirus 4 (APMV-4), Avian avulavirus 4		2
Aviäre Enteroviren, außer den speziell genannten Spezies		1
Aviäre Leukose-Viren (ALV)		1
Aviäre Pockenviren (z. B. Geflügelpocken-Viren)		2
Avihepatovirus A Duck hepatitis virus I and III (DHV), Entenhepatitis-Virus		2
Baboon endogenous virus (BaEV)		2
Baculoviren bei Insekten z. B. Autographa californica multiple nucleopolyhedrovirus (AcMNPV)		1
Baculoviren bei Krebsen		2
Badu phasivirus Badu virus (BADUV)		1
Banana streak virus (BSV)	p	1

Organismenname	siehe Legende	Risikogruppe
Banna virus	AR	2
Barley mild mosaic virus Barley mild mosaic virus (BaMMV)	p	1
Barley stripe mosaic virus Barley stripe mosaic virus (BSMV), Barley false stripe virus, Barley mild stripe virus, Oat stripe mosaic virus	p	2
Barley yellow dwarf virus (BYDV)	p	1
Barmah forest virus Barmah forest virus (BFV)		2
Bat paramyxovirus (BatPV/Epo_spe/218-AR1/ DRC/2009)		2
bat pestivirus 1 und 2		1
Batai orthobunyavirus Batai virus (BATV), Chittoor-Virus		2
Bayou orthohantavirus Bayou virus (BAYV)		3
Bean common mosaic virus Bean common mosaic virus (BCMV), Blackeye cowpea mosaic virus, Azuki bean mosaic virus, Peanut stripe virus, Peanut mild mottle virus, Peanut chlorotic ring mottle virus	p	1
Bean dwarf mosaic virus Bean dwarf mosaic virus (BDMV)	p	1
Bean leafroll virus Bean leafroll virus (BLRV)	p	1
Bean pod mottle virus Bean pod mottle virus (BPMV), Pod mottle virus	p	1
Bean yellow dwarf virus (BeYDV)	p	2
Bebaru virus Bebaru virus (BEBV)	AR	2
Bee virus X, Y		2
Beet curly top Iran virus	p	2
Beet curly top virus Beet curly top virus (BCTV)	p	2
Beet mild yellowing virus Beet mild yellowing virus (BMYV)	p	1
Beet mosaic virus Beet mosaic virus (BtMV)	p	1
Beet necrotic yellow vein virus Beet necrotic yellow vein virus (BNYVV)	p	1
Beet soil-borne mosaic virus Beet soil-borne mosaic virus (BSBMV)	p	2
Beet soil-borne virus Beet soil-borne virus (BSBV)	p	1
Beet western yellows virus Beet western yellows virus (BWYV)	p	1
Beet yellows virus Beet yellows virus (BYV)	p	1
Betaarterivirus suid 1 Virus des Porcinen Reproduktiven und Respiratorischen Syndroms (PRRSV), Porcine reproductive and respiratory syndrome virus (PRRSV), Porcine reproductive and respiratory syndrome virus 1		2
Betaarterivirus suid 2 Virus des Porcinen Reproduktiven und Respiratorischen Syndroms (PRRSV), Porcine reproductive and respiratory syndrome virus (PRRSV), Porcine reproductive and respiratory syndrome virus 2		2
Betachrysovirus fogramineari Fusarium graminearum virus China 9, Fusarium graminearum chrysovirus, Fusarium graminearum mycovirus China 9		1
Betacoronavirus 1 Humanes Coronavirus OC43		2
Betapolyomavirus hominis BK polyomavirus (BKPyV), Human polyomavirus 1	AR	2

Organismenname	siehe Legende	Risikogruppe
Betapolyomavirus macacae Simian virus 40 (SV-40), Macaca mulatta polyomavirus 1		2
Betapolyomavirus secuhominis JC polyomavirus (JCPyV), Human polyomavirus 2	AR	2
Bhanja bandavirus Bhanja virus (BHAV)	AR	2
Big Cypress virus (BCPV)		1
Biratnagar virus (BIRV)		1
Birnaviren bei Krebsen und Weichtieren		2
Black Creek Canal orthohantavirus Black Creek Canal virus (BCCV)		3
Black medic leaf roll virus Black medic leaf roll virus (BMLRV)	p	1
Black queen cell virus Black queen cell virus (BQCV)		2
Bluetongue virus, außer den speziell genannten Serotypen		3
Bluetongue virus-6 (BTV-6), europäische Isolate		2
Bluetongue virus-8 (BTV-8)		2
B-lymphotropic polyomavirus (LPyV) African green monkey polyomavirus (AGMPyV)		2
Bombali ebolavirus Bombali ebolavirus (BOMV)		4
Bovine alphaherpesvirus 1 Bovine herpesvirus 1 (BoHV-1), Virus der Infektiösen Bovinen Rhinotracheitis (IBRV)		2
Bovine enterovirus (BEV) Rinder-Enteroviren (ECBO)		1
Bovine foamy virus Bovine foamy virus (BFV), Bovine syncytial virus (BSV)		2
Bovine immunodeficiency virus Bovine immunodeficiency virus (BIV), Bovines Immundefizienzvirus		2
Bovine leukemia virus Bovine leukemia virus (BLV), Bovines Leukämie-Virus		2
Bovine orthopneumovirus Bovine respiratory syncytial virus (BRSV)		2
Bovine papillomavirus (BPV)		2
Bovine papular stomatitis virus Bovine papular stomatitis virus (BPSV), Stomatitis-papulosa-Virus		2
Bovine polyomavirus (BPYV)		2
Bovine rhinoviruses (BRV) Rhinoviren bei Tieren		1
Bovine torovirus Bovine torovirus (BoTV), Breda virus (BRV)		2
Bovines Coronavirus		2
Bracoviriform demolitoris Microplitis demolitor bracovirus (MdBV), Microplitis demolitor bracovirus		1
Brazilian mammarenavirus	AR	4
Brejeira virus (BREJV)		1
Brome mosaic virus Brome mosaic virus (BMV), Ryegrass streak virus	p	1
Brome streak mosaic virus Brome streak mosaic virus (BrSMV), Brome streak virus (BSV), Brome streak mosaic ry-movirus (BrSMV)	p	1
Bundibugyo ebolavirus Bundibugyo ebolavirus (BDBV)		4
Bunyamwera orthobunyavirus Germiston virus (GERV), Bunyamwera virus (BUNV)	AR	2
Bunyaviren bei Krebsen		2

Organismenname	siehe Legende	Risikogruppe
Bustos virus (Bustos)		1
Cabassou virus	AR	3
Cabbage leaf curl virus Cabbage leaf curl virus (CaLCuV)	p	2
Cacao swollen shoot virus (CSSV) Theobroma virus 1, Cacao mottle leaf virus	p	1
Cali mammarenavirus Pichinde virus (PICV)		2
California encephalitis orthobunyavirus California encephalitis virus (CEV), Virus der Kalifornischen Enzephalitis	AR	2
Calovo-Virus		2
Camelpox virus Camelpox virus (CMLV), Kamelpockenvirus		2
Canarypox virus Canarypox virus (CNPV), Kanarienvirus		2
Canarypox virus, Stamm ALVAC Canarypox virus (CNPV), Kanarienvirus, Stamm ALVAC		1
Canine circovirus Canine circovirus (CaCV), Dog circovirus (DoCV)		2
Canine morbillivirus Staupe-Virus, Canine distemper virus (CDV)		2
Caño Delgadito orthohantavirus Caño Delgadito virus (CADV)		3
Caprine arthritis encephalitis virus Caprine arthritis encephalitis virus (CAEV), Caprines Arthritis-Enzephalitis-Virus		2
Cardiovirus A Encephalomyocarditis virus (EMCV), Columbia SK-Virus, Mengo-Virus		2
Cardiovirus A, Stamm vMC0 Encephalomyocarditis virus (EMCV) Stamm vMC0, Mengovirus Stamm vMC0		1
Cardiovirus B Saffoldvirus, Theiler's murine encephalomyelitis virus (TMEV)	AR	2
Carnation Italian ringspot virus Carnation Italian ringspot virus (CIRV)	p	1
Carnivore protoparvovirus 1 Mink enteritis virus (MEV), Nerzenteritis-Virus, Feline panleukopenia virus (FPV), Felines Panleukopenie-Virus, Canine parvovirus 2		2
Carrot mottle mimic virus Carrot mottle mimic virus (CMoMV)	p	1
Cassava brown streak virus Cassava brown streak virus (CBSV)	p	1
Castlerea virus (CsV)		1
Cauliflower mosaic virus Cauliflower mosaic virus (CaMV), Broccoli mosaic virus, Cabbage mosaic virus, Cabbage virus B	p	1
Caviid betaherpesvirus 2 Caviid herpesvirus 2 (CavHV-2), Guinea pig cytomegalovirus		2
Cebus monkey hepatitis B virus (CMHBV)	*	3
Cedar henipavirus		2
Celery latent virus Celery latent virus (CeLV)	p	1
Cell fusing agent virus (CFAV)		1
Cercopithecine alphaherpesvirus 2 Cercopithecine herpesvirus 2 (CeHV-2), Simian agent 8 (SA8)		2
Cetacean morbillivirus Cetacean morbillivirus (CeMV)		2
Chapare mammarenavirus Chapare mammarenavirus (CHPV)	AR	4
Chayote yellow mosaic virus Chayote yellow mosaic virus (ChaYMV)	p	2

Organismenname	siehe Legende	Risikogruppe
Cherry leaf roll virus Cherry leaf roll virus (CLRV), Ash mosaic virus, Sambucus ringspot and yellow net virus	p	1
Cherry virus A Cherry virus A (CVA)	p	1
Chicken anemia virus Chicken anemia virus (CAV), Virus der Infektiösen Anämie der Küken		2
Chickpea chlorotic dwarf virus Chickpea chlorotic dwarf virus (CpCDV)	p	1
Chikungunya virus Chikungunya virus (CHIKV)	*	3
Chikungunya virus Δ5nsP3 Chikungunya virus (CHIKV) Δ5nsP3		1
Chikungunya virus, Isolat 181/clone 25 Chikungunya virus (CHIKV), Isolat 181/clone 25	*	3
Chimpanzee hepatitis B virus (ChHBV)	*	3
Chiropteran tetraparvovirus 1 Eidolon helvum-Parvovirus 1 (Eh-BtPV-1), Artibeus jamaicensis-Parvovirus 1 (Aj-BtPV-1)		1
Choclo orthohantavirus	AR	3
Chronic bee paralysis virus (CBPV)		2
Cleome leaf crumble virus (CILCrV)	p	2
Coconut foliar decay virus Coconut foliar decay virus (CFDV)	p	1
Coltivirus (Genus), als ausschließlich humanpathogen bekannte Arten	AR	2
Cordoba virus (CDBV)		1
Cosavirus A	AR	2
Cowpea golden mosaic virus Cowpea golden mosaic virus (CPGMV)	p	1
Cowpea mosaic virus Cowpea mosaic virus (CPMV)	p	1
Cowpox virus Cowpox virus (CPXV), Kuhpocken-Virus	AR	2
Cricket paralysis virus Cricket paralysis virus (CrPV)		1
Crimean-Congo hemorrhagic fever orthonavirus Crimean-Congo hemorrhagic fever virus (C-CHFV), Virus des Hämorrhagischen Kongo-Krim-Fiebers	AR	4
Cucumber mosaic virus Cucumber mosaic virus (CMV), Banana infectious chlorosis virus, Coleus mosaic virus, Cowpea banding mosaic virus, Cowpea ringspot virus, Cucumber virus 1, Lily ringspot virus, Pea top necrosis virus, Peanut yellow mosaic virus, Southern celery mosaic virus, Soybean stunt virus, Spinach blight virus, Tomato fern leaf virus, Pea western ringspot virus	p	1
Cucumber vein yellowing virus Cucumber vein yellowing virus (CVYV)	p	2
Cucurbit aphid-borne yellows virus Cucurbit aphid-borne yellows virus (CABYV)	p	1
Culex univittatus negevirus (CUNV)		1
Culex y virus (CYV)		1
Cymbidium ringspot virus Cymbidium ringspot virus (CyRSV)	p	1
Cyprinid herpesvirus 1		2
Cyprinid herpesvirus 2		2
Cyprinid herpesvirus 3		2
Cytorhabdovirus fragariarugosus Strawberry crinkle virus (SCV), Strawberry crinkle cytorhabdovirus	p	1
Daazvirus cynopsis newt HDV-like virus (amHDV), Chinese fire belly newt virus 1		2

Organismenname	siehe Legende	Risikogruppe
Dabie bandavirus Huaiyangshan banyangvirus, Severe fever with thrombocytopenia syndrome virus (SFTSV), Huaiyangshan virus, Henan fever virus, Severe fever with thrombocytopenia syndrome phlebovirus	AR	4
Dagazvirus scherdorhinotermitis termite HDV-like virus (tHDV), rhinotermitid virus 1		2
Daletvirus boae snake HDV-like virus (sHDV), Swiss snake colony virus 1		2
Dalvirus anatis avian HDV-like virus (avHDV), dabbling duck virus 1		2
Dandenong virus (DANV)		2
Deevirus actinopterygii fish HDV-like virus (fiHDV), ray-finned fish virus 1		2
Deformed wing virus Deformed wing virus (DWV), Flügeldeformationsvirus		2
Deltaarterivirus hemfev Simian hemorrhagic fever virus (SHFV)		2
Deltainfluenzavirus influenzae Influenza D virus		2
Deltavirus cameroonense Hepatitis delta virus 7 (HDV7)		2
Deltavirus carense Hepatitis delta virus 6 (HDV6)		2
Deltavirus italiense Hepatitis delta virus 1 (HDV1)		2
Deltavirus japanense Hepatitis delta virus 2 (HDV2)		2
Deltavirus peruense Hepatitis delta virus 3 (HDV3)		2
Deltavirus senegalense Hepatitis delta virus 8 (HDV8)		2
Deltavirus taiwanense Hepatitis delta virus 4 (HDV4)		2
Deltavirus togense Hepatitis delta virus 5 (HDV5)		2
Dengue virus Dengue virus (DENV)	AR	3
Dengue virus rDENV1Δ30, rDENV4Δ30, rDENV2/4Δ30(ME), rDENV3Δ30/31 Dengue virus (DENV) rDENV1Δ30, rDENV4Δ30, rDENV2/4Δ30(ME), rDENV3Δ30/31		1
Dengue virus TDV-1, -2, -3, -4 Dengue virus (DENV) TDV-1, -2, -3, -4		1
Dezidougou virus (DEZV)		1
Dobrava-Belgrade orthohantavirus Dobrava-Belgrade virus (DOBV)	AR	3
Dobrovirus bufonis toad HDV-like virus (tfHDV), Chusan Island toad virus 1		2
Domestic cat hepatitis B virus Domestic cat hepatitis B virus (DCHBV)	*	3
Donkey hepatitis B virus (DoHBV)	*	3
Drosophila C virus Drosophila C virus (DCV)		1
Duck hepatitis B virus Duck hepatitis B virus (DHBV), Entenhepatitis-B-Virus		1
Dugbe orthonairovirus Dugbe virus (DUGV)		3
East African cassava mosaic virus East African cassava mosaic virus (EACMV), East African cassava mosaic virus-Uganda (EACMV-UG)	p	1
Eastern equine encephalitis virus Eastern equine encephalitis virus (EEEV)	AR	3

Organismenname	siehe Legende	Risikogruppe
<i>Ectocarpus siliculosus virus 1</i> Ectocarpus siliculosus virus 1 (EsV-1)		1
<i>Ectromelia virus</i> Ectromelia virus (ECTV), Ektromelie-Virus		2
<i>Eilat virus</i> Eilat virus (EILV)		1
<i>El Moro Canyon orthohantavirus</i> El Moro Canyon virus (ELMCV)		3
<i>Emiliana huxleyi virus 86</i> Emiliana huxleyi virus (EhV)		1
endogene tierische Retroviren, die auf natürliche Weise in das Genom gelangen und apathogen sind		1
<i>Enterovirus A</i> einige Coxsackieviren, Echoviren	AR	2
<i>Enterovirus B</i> einige Coxsackieviren, Echoviren, Swine vesicular disease virus, Virus der Bläschenkrankheit des Schweines (SVD-Virus)	AR	2
<i>Enterovirus C, Serotyp 2 des Poliovirus</i> Poliomyelitis-Virus, Human poliovirus 2 (PV)		3
<i>Enterovirus C, Serotypen 1 und 3 des Poliovirus</i> Poliomyelitis-Virus, Human poliovirus 1 und 3 (PV)		2
<i>Enterovirus D</i> Acute haemorrhagic conjunctivitis virus (AHC), Humanes Enterovirus Typ 70 (Acute-Haemorrhagic-Conjunctivitis-Virus)	AR	2
<i>Ephemerovirus febris</i> Bovine ephemeral fever virus (BEFV), Bovines Ephemeralfieber-Virus, Bovine fever ephemerovirus		2
<i>Epizootic hemorrhagic disease virus</i> Epizootic hemorrhagic disease virus (EHDV), Virus der Enzootischen Hämorrhagischen Krankheit des Rotwilds		3
<i>Equid alphaherpesvirus 1</i> Equid herpesvirus 1 (EHV-1)		2
<i>Equid alphaherpesvirus 1 Stamm RaCh</i> EHV-1 RaCh	Va	1
<i>Equid alphaherpesvirus 4</i> Equid herpesvirus 4 (EHV-4)		2
<i>Equid gammaherpesvirus 2</i> Equid herpesvirus 2 (EHV-2)		2
<i>Equine infectious anemia virus</i> Equine infectious anemia virus (EIAV), Virus der Infektiösen Anämie der Einhufer		2
<i>Equine rhinitis A virus</i> Equine rhinitis A virus (ERAV)		2
<i>Equine rhinitis B virus</i> Equine rhinitis B virus (ERBV), Equine rhinovirus 2 (ErhV3), Equine rhinovirus 3 (ErhV3), acid-stable equine picornavirus (EqPV)		2
<i>Equine torovirus</i> Equine torovirus (EqTV), Berne virus (BEV)		2
<i>Euphorbia mosaic virus</i> Euphorbia mosaic virus (EuMV)	p	2
<i>European brown hare syndrome virus</i> Calicivirus des Europäischen Hasensterbens, European brown hare syndrome virus (EBHSV)		2
<i>Everglades virus</i> Everglades virus (EVEV)	AR, *	3
exogene Retroviren, außer den speziell genannten Spezies		2
<i>Eyach coltivirus</i> Eyach virus (EYAV)		2
<i>Faba bean necrotic stunt virus</i> Faba bean necrotic stunt virus (FBNSV)	p	2
<i>Faba bean necrotic yellows virus</i> Faba bean necrotic yellows virus (FBNYV)	p	2

Organismenname	siehe Legende	Risikogruppe
<i>Feline calicivirus</i> Feline calicivirus (FCV)		2
<i>Feline foamy virus</i> Feline foamy virus (FFV), Felines Synzytium-Virus (FSV)		2
<i>Feline immunodeficiency virus</i> Feline immunodeficiency virus (FIV), Felines Immundefizienzvirus		2
<i>Feline leukemia virus</i> Feline leukemia virus (FeLV), Felines Leukämie-Virus		2
<i>Feline morbillivirus</i> Feline morbillivirus (FeV)		2
Felines endogenes Retrovirus RD114 Katzen-b-Retrovirus RD114		2
<i>Flexal mammarenavirus</i> Flexal virus (FLEV)	AR	3
<i>Flock House virus</i> Flock House virus (FHV)		1
<i>Foot-and-mouth disease virus</i> Foot-and-mouth disease virus (FMDV), Maul- und Klauenseuche-Virus (MKSU)		4
<i>Fort Morgan virus</i> Fort Morgan virus (FMV)		2
<i>Foxtail mosaic virus</i>	p	2
<i>Frog virus 3</i> Frog virus 3 (FV-3)		1
<i>Gallid alphaherpesvirus 1</i> Gallid herpesvirus 1 (GaHV-1), Virus der Infektiösen Laryngotracheitis des Huhnes (ILTV)		2
<i>Gallid alphaherpesvirus 2</i> Gallid herpesvirus 2 (GaHV-2), Marek's disease virus Serotyp 1 (MDV)		2
<i>Gallid alphaherpesvirus 3</i> Gallid herpesvirus 3 (GaHV-3), Marek's disease virus Serotyp 2 (MDV)		2
<i>Galliform aveparvovirus 1</i> Parvovirus des Huhns, Chicken parvovirus (ChPV)		1
<i>Gammaarterivirus lacdeh</i> Lactate dehydrogenase elevating virus (LDV)		2
<i>Gbagroube virus</i>		2
Geflügel-Leukose-Sarkom-Viren (GLSV)		1
<i>Getah virus</i> Getah virus (GETV), Sagiyama virus (SAGV)		3
<i>Gibbon ape leukemia virus</i> Gibbon ape leukemia virus (GALV), Gibbon-Affen-Leukämie-Virus		2
<i>Gibbon hepatitis B virus (GiHBV)</i>	*	3
<i>Gill-associated virus</i> Gill-associated virus (GAV)		2
<i>Gorilla hepatitis B virus (GoHBV)</i>	*	3
<i>Gouleako goukovirus</i>		2
<i>Gou-tanap virus (GANV)</i>		1
<i>Grapevine Algerian latent virus</i> Grapevine Algerian latent virus (GALV)	p	1
<i>Great Island virus</i> Tribec virus (TRBV)		2
<i>Ground squirrel hepatitis virus</i> Ground squirrel hepatitis B virus (GSHV), Backenhörnchen-Hepatitis B-Virus, Arctic squirrel hepatitis virus (ASHV), Arctic ground squirrel hepatitis B virus		2
<i>Groundnut ringspot orthospovirus</i> Groundnut ringspot virus (GRSV)	p	1
<i>Guanarito mammarenavirus</i> Guanarito virus (GOTV)	AR	4
<i>Guinea pig mastadenovirus A</i> Adenovirus des Meerschweinchens (GPAV)		2

Organismenname	siehe Legende	Risikogruppe
Hantaan orthohantavirus Hantaan virus (HTNV), Virus des Koreanischen Hämorrhagischen Fiebers bzw. des Mandchurischen Songo-Fiebers	AR	3
Hare fibroma virus Hare fibroma virus (FIBV), Fibromvirus beim Hasen		2
Harvey murine sarcoma virus Harvey murine sarcoma virus (HaMSV)		2
Hazara orthonairovirus Hazara virus (HAZV)	AR	2
Hendra henipavirus Hendra virus (HeV)		4
Hepacivirus A Canine hepacivirus, Equine hepacivirus (EHCV), Nonprimate hepacivirus (NPHV)		2
Hepacivirus C Hepatitis C virus (HCV)	AR, *	3
Hepacivirus K		2
Hepacivirus L		2
Hepacivirus M		2
Hepacivirus N Bovine hepacivirus (BovHepV)		2
Hepatitis B virus Hepatitis B virus (HBV)	AR	2
Hepatitis B virus, uncharakterisierte Patientenisolat Hepatitis B virus (HBV), uncharakterisierte Patientenisolat	*	3
Hepatitis G virus (HGV)	AR	1
Hepatitis-Delta-Virus-ähnliche Viren, nicht näher klassifiziert HDV-ähnliche Viren, nicht näher klassifiziert		2
Hepatovirus A Hepatitis A virus (HAV), Humanes Enterovirus Typ 70	AR	2
Herbert herbevirus Herbert virus		2
Heron hepatitis B virus Heron hepatitis B virus (HHBV), Reiher-(Graureiher)-Hepatitis-B-Virus		1
Herpesviren aus Fledermäusen		2
Herpesviren bei Krebsen und Weichtieren		2
Herpesviren der Reptilien		2
Highlands J virus Highlands J virus (HJV)		1
Human alphaherpesvirus 1 Human herpesvirus 1 (HHV-1), Herpes-simplex-Virus 1 (HSV-1)	AR	2
Human alphaherpesvirus 1 5dl1.2 Herpes simplex virus 1 (HSV-1) 5dl1.2		1
Human alphaherpesvirus 1 JS1/34.5-/47-/mGM-CSF Humanes Herpesvirus 1 JS1/34.5-/47-/mGM-CSF		1
Human alphaherpesvirus 1 Talimogen laherparepvec Human herpesvirus 1 (HHV-1) Talimogen laherparepvec		1
Human alphaherpesvirus 2 Human herpesvirus 2 (HHV-2), Herpes-simplex-Virus 2 (HSV-2)	AR	2
Human alphaherpesvirus 3 Human herpesvirus 3 (HHV-3), Varizella-Zoster-Virus (VZV)	AR	2
Human alphaherpesvirus 3, Impfstamm vOka Human herpesvirus 3 (HHV-3), Varizella-Zoster-Virus (VZV) vOka	Va	1
Human betaherpesvirus 5 Human herpesvirus 5 (HHV-5), Human cytomegalovirus (hCMV)	AR	2
Human betaherpesvirus 6A Human herpesvirus 6 (HHV-6), Human B-lymphotropic virus (HBLV)	AR	2
Human betaherpesvirus 6B	AR	2

Organismenname	siehe Legende	Risikogruppe
Human betaherpesvirus 7 Human herpesvirus 7 (HHV-7)	AR	2
Human coronavirus 229E		2
Human coronavirus HKU1		2
Human coronavirus NL63		2
Human endogenous retrovirus K Melanom-assoziiertes endogenes Retrovirus (MERV/HERV-K)		1
Human foamy virus (HFV) Human spumavirus (HSRV), Prototype foamy virus (PFV)		2
Human gammaherpesvirus 4 Human herpesvirus 4 (HHV-4), Epstein-Barr-Virus (EBV)	AR	2
Human gammaherpesvirus 8 Human herpesvirus 8 (HHV-8)	AR	2
Human gyrovirus (HGyV)		2
Human immunodeficiency virus 1, -2 Human immunodeficiency virus 1, 2 (HIV-1, HIV-2), Humanes Immundefizienzvirus Typ 1 und Typ 2	*	3
Human mastadenovirus A Adenovirus Typen 12, 18, 31, 61	AR	2
Human mastadenovirus B Adenovirus Typen 3, 7, 11, 14, 21, 34, 35, 50, 55, 68	AR	2
Human mastadenovirus C Adenovirus Typen 1, 2, 5, 6	AR	2
Human mastadenovirus C rAd5-S-CoV2 Impfstamm "Sputnik V"		1
Human mastadenovirus D Adenovirus Typen 8, 9, 10, 13, 15, 17, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 36, 37, 38, 39, 42, 43, 44, 45, 46, 47, 48, 49, 51, 53, 54, 56, 58, 62, 63, 64, 65, 67	AR	2
Human mastadenovirus D Ad26.COVS1 Impfstamm Johnson & Johnson/Janssen	Va	1
Human mastadenovirus D Ad26.Mos2S.Env, Ad26.Mos1.Env, Ad26.Mos1.Gag-Pol und Ad26.Mos2.Gag-Pol Adenovirus Typ 26 Ad26.Mos2S.Env, Ad26.Mos1.Env, Ad26.Mos1.Gag-Pol und Ad26.Mos2.Gag-Pol		1
Human mastadenovirus D Ad26.RSV.preF Adenovirus Typ 26 Ad26.RSV.preF		1
Human mastadenovirus D rAD26-S-CoV2 Impfstamm "Sputnik V"		1
Human mastadenovirus E Adenovirus Typ 4	AR	2
Human mastadenovirus E ChAdOx1 nCoV-19 Impfstamm AstraZeneca	Va	1
Human mastadenovirus F Adenovirus Typen 40, 41, 49	AR	2
Human mastadenovirus G Adenovirus Typ 52	AR	2
Human metapneumovirus Human metapneumovirus (HMPV)		2
Human orthopneumovirus Human respiratory syncytial virus (HRSV), Respiratory syncytial virus (RSV)	AR	2
Human orthorubulavirus 2 Parainfluenzavirus Type 2, Human rubulavirus 2	AR	2
Human orthorubulavirus 4 Parainfluenzavirus Type 4, Human rubulavirus 4	AR	2
Human respirovirus 1 Parainfluenzavirus Type 1	AR	2
Human respirovirus 3 Parainfluenzavirus Type 3	AR	2

Organismenname	siehe Legende	Risikogruppe
<i>Idaeovirus rubi</i> Raspberry bushy dwarf virus (RBDV), Raspberry bushy dwarf virus	p	1
<i>Ilheus virus</i> Rocio virus (ROCV), Rocio-Enzephalitis-Virus	AR	3
<i>Impatiens necrotic spot orthotospovirus</i> Impatiens necrotic spot virus (INSV)	p	1
<i>Indian cassava mosaic virus</i> Indian cassava mosaic virus (ICMV)	p	1
<i>Infectious bursal disease virus</i> Infectious bursal disease virus (IBDV), Virus der Aviären Infektiösen Bursitis		2
<i>Infectious pancreatic necrosis virus</i> Infectious pancreatic necrosis virus (IPNV), Virus der Infektiösen Pankreasnekrose der Forellen		2
<i>Iotapapillomavirus 1</i> Mastomys natalensis papillomavirus (MnPV)		2
<i>Ippy mammarenavirus</i> Ippy virus (IPPYV)		2
Iridoviren bei Krebsen und Weichtieren		2
Iridoviren der Reptilien		2
<i>Isla Vista hantavirus</i> Isla Vista virus (ISLAV)		2
<i>Israeli acute bee paralysis virus</i> Israeli acute bee paralysis virus (IAPV)		2
<i>Jaagsiekte sheep retrovirus</i> Jaagsiekte sheep retrovirus (JSRV), Virus der Lungenadenomatose des Schafes		2
<i>Jamestown Canyon orthobunyavirus</i> Inkoo virus (INKV), Jamestown Canyon virus (JCV)		2
<i>Japanese encephalitis virus</i> Japanese encephalitis virus (JEV), Japan-Enzephalitis-Virus	AR	3
<i>Johnsongrass mosaic virus</i> Australian maize dwarf mosaic virus, Johnsongrass mosaic virus (JGMV)	p	2
<i>Kamiti river virus</i>		1
<i>Kappapapillomavirus 2</i> Cottontail rabbit papillomavirus (CRPV)		2
<i>Kashmir bee virus</i> Kashmir bee virus (KBV)		2
<i>Khabarovsk orthohantavirus</i> Khabarovsk virus, Topografov virus		2
<i>Kibale herbevirus</i> Kibale virus		2
<i>Kirsten murine sarcoma virus</i> Kirsten murine sarcoma virus (KiMSV)		2
<i>Kodoko virus</i>		2
<i>Kyasanur forest disease virus</i> Kyasanur forest disease virus (KFDV)	AR	3
Kyzylagach virus (KYZV)		3
<i>La Crosse orthobunyavirus</i> La crosse virus (LACV)		2
<i>Laguna Negra orthohantavirus</i> Laguna Negra virus (LANV), Rio Mamoré virus (RIOMV)		3
La-Jolla-Virus (LJV)		1
Lake Casitas retrovirus		2
<i>Lake Sinai virus 1</i> Lake Sinai virus 1 (LSV1)		2
<i>Lake Sinai virus 2</i> Lake Sinai virus 2 (LSV2)		2
<i>Langat virus</i> Langat virus (LGTV)		2

Organismenname	siehe Legende	Risikogruppe
Lassa mammarenavirus Lassa virus (LASV)	AR	4
lateral-shaking inducing neurodegenerative agent (Linda) virus (LV)		2
Leek yellow stripe virus Leek yellow stripe virus (LYSV)	p	1
Lilac mottle virus (LiMV)	p	2
Little cherry virus (LChV)	p	1
Lloviu cuevavirus Lloviu cuevavirus (LLOV)		4
Loch Morlich virus		1
Long-fingered bat hepatitis B virus bat hepatitis B virus (BatHBV)	*	3
Loreto virus (LORV)		1
Louping ill virus Louping ill virus (LIV)	AR, *	3
Lujo mammarenavirus Lujo virus (LUJV)		4
Lumbo orthobunyavirus Lumbo-Virus		2
Lumpy skin disease virus Lumpy skin disease virus (LSDV)		2
Luna mammarenavirus Luna virus (LUNV)		2
Lunk mammarenavirus Lunk virus		2
Lymphocytic choriomeningitis mammarenavirus Lymphocytic choriomeningitis mammarenavirus (LCMV)		2
Lymphoproliferative disease virus of turkeys (LPDV) Virus der lymphoproliferativen Erkrankung des Truthahns		2
Lyssavirus australis Australian bat lyssavirus (ABLV), Australisches Fledermauslyssavirus, Tollwutvirus Genotyp 7, Australian bat lyssavirus	*	3
Lyssavirus duvenhage Tollwutvirus Serotyp 4, Duvenhage virus (DUVV), Duvenhage lyssavirus	AR, *	3
Lyssavirus hamburg Tollwutvirus Genotyp 5, European bat virus (EBV), European bat 1 lyssavirus	AR, *	3
Lyssavirus helsinki Tollwutvirus Genotyp 6, European bat virus (EBV), European bat 2 lyssavirus	AR, *	3
Lyssavirus lagos Tollwutvirus Serotyp 2, Lagos bat virus (LBV), Lagos bat lyssavirus	AR	3
Lyssavirus mokola Tollwutvirus Serotyp 3, Mokola lyssavirus (MOKV), Mokola lyssavirus		3
Lyssavirus rabies Tollwutvirus Serotyp 1, Rabies virus (RABV), Rabies lyssavirus	AR, *	3
Lyssavirus rabies, Stamm SAD B19 Rabies virus (RABV), Stamm SAD B19		2
Lyssavirus rabies, Stamm SPBN GASGAS Rabies virus (RABV), Stamm SPBN GASGAS		1
Macacine alphaherpesvirus 1 Cercopithecine herpesvirus 1 (CeHV-1), Herpesvirus Simiae, Herpes-B-Virus	AR	3
Macacine betaherpesvirus 3 Cercopithecine herpesvirus 8 (CeHV-8), Rhesus monkey cytomegalovirus		2
Macacine gammaherpesvirus 5 Rhesus monkey rhadinovirus (RRV), Macacine herpesvirus 5, Cercopithecine herpesvirus 17		2
Machupo mammarenavirus Machupo virus (MACV)	AR	4
Madariaga virus		2
Maize dwarf mosaic virus	p	1

Organismenname	siehe Legende	Risikogruppe
Maize streak virus	p	2
Mammalian orthoreovirus Mammalian orthoreovirus (MRV)		2
Mammalian orthorubulavirus 5 Parainfluenzavirus Type 5, Simian Virus Typ 5, Mammalian rubulavirus 5		2
Maporal orthohantavirus Maporal orthohantavirus (MAPV)		3
Marburg marburgvirus Marburg virus (MBGV)	AR	4
Marseilleviridae		2
Mason-Pfizer monkey virus Mason-Pfizer monkey virus (MPMV), Mason-Pfizer-Affen-Virus, Simian retrovirus		2
Mayaro virus Mayaro virus (MAYV)	AR	3
Mayfield virus 1		1
Mayfield virus 2		1
Measles morbillivirus Masernvirus, Measles virus (MeV)	AR	2
Measles morbillivirus, Stamm Edmonston Masernvirus, Measles virus (MeV), Stamm Edmonston	Va	1
Meleagrid alphaherpesvirus 1 Meleagrid herpesvirus 1 (MeHV-1), Puten-Herpesvirus		1
Melon aphid-borne yellows virus Melon aphid-borne yellows virus (MABYV)	p	2
Menekre virus		2
Merino Walk mammarenavirus Merino Walk virus (MWV)		2
Middelburg virus		2
Middle East respiratory syndrome-related coronavirus Middle East respiratory syndrome-related coronavirus (MERS-CoV), hCoV-EMC		3
Midway nyavirus Midway virus (MIDWV)		2
Milk vetch dwarf virus Milk vetch dwarf virus (MDV)	p	2
Mobala mammarenavirus Mobala virus (MOBV)	AR	2
Modoc virus Modoc virus (MODV)		2
Molluscum contagiosum virus Molluscum contagiosum virus (MOCV)	AR	2
Monkeypox virus Monkeypox virus (MPXV), Affenpocken-Virus	AR	3
Mopeia mammarenavirus Mopeia virus (MOPV), Morogoro virus	AR	2
Motts Mill-Virus (MMV)		1
Mouse mammary tumor virus Mouse mammary tumor virus (MMTV), Murines Mammatumor (Bittner)-Virus		2
Mucambo virus Mucambo virus (MUCV)	AR, *	3
Muleshoe hantavirus Muleshoe virus (MULEV)		3
Mumps orthorubulavirus Mumps virus (MUV), Mumps rubulavirus	AR	2
Murid betaherpesvirus 1 Murid herpesvirus 1 (MCMV-1), Murines Cytomegalievirus		1
Murid betaherpesvirus 2 Murid herpesvirus 2 (MuHV-2), früher: RCMV Stamm Maastricht		1

Organismenname	siehe Legende	Risikogruppe
Murid betaherpesvirus 8 Murid herpesvirus 8 (MuHV-8), früher: RCMV Stamm England		1
Murid gammaherpesvirus 4 Murid herpesvirus 4, Murines Gamma-Herpesvirus 68 (MHV-68)		2
Murine amphotrope Retroviren		2
Murine coronavirus Murine hepatitis virus (MHV), Murines Coronavirus		2
Murine ecotrope Retroviren (außer Lake Casitas retrovirus)		1
Murine norovirus 1 (MNV-1)		1
Murine orthopneumovirus Pneumonia virus of mice (PVM), Murines Pneumonie-Virus		2
Murine respirovirus Murine parainfluenza virus 1, Sendai virus (SeV)		2
Murray Valley encephalitis virus Murray Valley encephalitis virus (MVEV), Virus der Australischen X-Enzephalitis	AR	3
Mus musculus polyomavirus Murine polyomavirus (MPyV)		2
Mustelidae-endogenes Lentivirus des Frettchens (MELVmpf)		2
Mycobacterium virus TM4 Mycobacterium phage TM4 (TM4)		1
Myxoma virus Myxoma virus (MYXV)		2
Nackednaviren		1
Nairobi sheep disease orthonairovirus Nairobi sheep disease virus (NSDV)		3
Namenloses kryptisches Virus aus Allium cepa	p	1
Naples phlebovirus Sandfly fever Naples phlebovirus, Sandfly fever Naples virus (SFNV), Pappataci fever-Virus, Toscana virus (TOSV), Sandfly fever sicilian virus (SFSV), Naples phlebovirus		2
Ndumu virus Ndumu virus (NDUV)	AR, *	3
Negev virus (NEGV)		1
Nelson Bay orthoreovirus Nelson Bay virus, Pulau virus, Melaka virus, Kampar virus, Sikamat virus, Xi River virus		2
Ngewotan negevirus Ngewotan virus (NWTV)		1
Niénokoué virus (NIEV)		1
Nipah henipavirus Nipah virus (NiV)		4
Nodamura virus		2
Norwalk virus außer Murine norovirus 1 (MNV-1) Norovirus (NV), Bovine norovirus (BoNV)		2
Nounané virus (NOUV)		2
Novirhabdovirus piscine Viral hemorrhagic septicemia virus (VHSV), Virus der Hämorrhagischen Septikämie der Forelle, Piscine novirhabdovirus		2
Novirhabdovirus salmonid Infectious hematopoietic necrosis virus (IHNV), Virus der Infektiösen Hämato-poetischen Nekrose der Salmoniden, Salmonid novirhabdovirus		2
Nyamanini nyavirus Nyamanini virus (NVMV)		2
Oat dwarf virus Oat dwarf virus (ODV)	p	1
Ochlerotatus caspius negevirus (OCNV)		1
Odontoglossum ringspot virus Odontoglossum ringspot virus (ORSV)	p	1
Okushiri virus (OKV)		1

Organismenname	siehe Legende	Risikogruppe
Omsk hemorrhagic fever virus Omsk hemorrhagic fever virus (OMSKV), Virus des Omsker Hämorrhagischen Fiebers	AR	3
Onyong-nyong virus O'nyong-nyong virus (ONNV)	AR	2
Orangutan hepatitis B virus (OuhBV)	*	3
Orf virus Orf virus (ORFV), Virus des Ekthyma contagiosum	AR	2
Oropouche orthobunyavirus Oropouche virus	AR	3
Orthobornavirus alphapsittaciforme Avian Bornavirus (ABV), Psittaciform 1 orthobornavirus		2
Orthobornavirus avisaquaticae Avian Bornavirus (ABV), Waterbird 1 orthobornavirus		2
Orthobornavirus betapsittaciforme Avian Bornavirus (ABV), Psittaciform 2 orthobornavirus		2
Orthobornavirus bornaense Borna disease virus (BDV), Mammalian 1 orthobornavirus		2
Orthobornavirus estrildidae Avian Bornavirus (ABV), Passeriform 2 orthobornavirus		2
Orthobornavirus sciuri Variegated squirrel 1 bornavirus (VSBV-1), Mammalian 2 orthobornavirus		3
Orthobornavirus serini Avian Bornavirus (ABV), Passeriform 1 orthobornavirus		2
Ovine gammaherpesvirus 2 Ovine herpesvirus 2 (OvHV-2), Virus des Bösartigen Katarrhalfiebers beim Schaf		2
Palm Creek virus (PCV)		1
Palyam virus Chuzan virus		2
Panine betaherpesvirus 2 Pongine herpesvirus 4 (PoHV-4), Chimpanzee cytomegalovirus		2
Papiine alphaherpesvirus 2 Papiine herpesvirus 2, Cercopithecine herpesvirus 16, Herpesvirus papio 2 (HVP-2)		2
Papiine gammaherpesvirus 1 Cercopithecine herpesvirus 12 (CeHV-12), Herpesvirus papio, Baboon herpesvirus, Baboon lymphocryptovirus		2
Paramecium bursaria chlorella virus CVK2 (PBCV-CVK2) Chlorella virus CVK2, Chlorovirus CVK-2		1
Parechovirus A Humanes Parechovirus	AR	2
Parechovirus B Ljunganvirus	AR	2
Parramatta River virus (PaRV)		1
Parsley latent virus	p	1
Parsley virus 5 (PaV-5)	p	1
Parvoviren der Krebse		2
Paslahepevirus balayani Hepatitis E virus (HEV), Orthohepevirus A		2
Pea early-browning virus	p	1
Pea necrotic yellow dwarf virus	p	1
Pea seed-borne mosaic virus Pea seed-borne mosaic virus (PSbMV)	p	1
Pelargonium necrotic spot virus Pelargonium necrotic spot virus (PNSV)	p	1
Pestivirus A Bovines Virusdiarrhoe-Virus, Mucosal disease virus, Bovine viral diarrhea virus 1 (BVDV-1)		2
Pestivirus B Bovines Virusdiarrhoe-Virus, Mucosal disease virus, Bovine viral diarrhea virus 2 (BVDV-2)		2

Organismenname	siehe Legende	Risikogruppe
Pestivirus C Hog cholera virus (HCV), Virus der Europäischen Schweinepest, Classical swine fever virus (CSFV)		2
Pestivirus D Border disease virus (BDV)		2
Pestivirus E pronghorn antelope pestivirus (PHV)		2
Pestivirus F Bungowannah virus		2
Pestivirus G giraffe pestivirus		2
Pestivirus H HoBi-like viruses, atypical ruminant pestivirus, BVDV-3		2
Pestivirus I Aydin-like pestiviruses		2
Pestivirus J Norwegian rat pestivirus (NrPV)		1
Pestivirus K atypical porcine pestivirus (APPV)		2
Petunia vein clearing virus (PVCV)	p	1
Phasi Charoen-like phasivirus		1
Phocine morbillivirus Seehund-Paramyxovirus, Phocine (seal) distemper virus (PDV)		2
Picornaviren bei Krebsen und Weichtieren		2
Picornavirus-ähnliches Bienenvirus		2
Pigeon circovirus		2
Pipapillomavirus 2 Mastomys coucha papillomavirus 2 (McPV 2)		2
Piura virus (PIUV)		1
Pixuna virus Pixuna virus (PIXV)		2
Plum pox virus Plum pox virus (PPV), Scharka-Virus	p	1
Pomona bat hepatitis B virus bat hepatitis B virus (BatHBV Pom)	*	3
Porcine circovirus 1 Porcine circovirus 1 (PCV1)		1
Porcine circovirus 2 Porcine circovirus 2 (PCV2)		2
Porcine circovirus 3		2
Porcine enteric calicivirus (PoCV) Porcine Calici-ähnliche Viren, Porcine enteric sapovirus		2
Porcine enterovirus (PEV) Schweine-Enteroviren (ECSO)		2
Porcine epidemic diarrhea virus Porcine epidemic diarrhea virus (PEDV)		2
Porzine endogene Retroviren (PERV), Subtypen A und B sowie natürliche Rekombinanten		2
Porzines endogenes Retrovirus (PERV), Subtyp C		1
Potato leafroll virus Potato leafroll virus (PLRV)	p	1
Potato spindle tuber viroid (PSTVd)	p	2
Potato virus M Potato Virus M (PVM)	p	1
Potato virus X Potato virus X (PVX)	p	1

Organismenname	siehe Legende	Risikogruppe
Potato virus Y Potato virus Y (PVY), Brinjal mosaic virus, Potato acropetal necrosis virus, Potato severe mosaic virus, Tobacco vein-banding virus	p	1
Potato yellow mosaic virus Potato yellow mosaic virus (PYMV)	p	2
Potato yellowing virus (PYV)	p	2
Powassan virus Powassan virus (POWV)	AR	3
Primate bocaparvovirus 1 Human bocavirus (HBoV) 1, 3		2
Primate bocaparvovirus 2 Human bocavirus (HBoV) 2c, 4		2
Primate erythroparvovirus 1 B19 virus (B19V), Parvovirus des Menschen (B19)	AR	2
Primate protoparvovirus 1 Bufavirus 1a, 1b, 2		2
Primate protoparvovirus 3 Cutavirus		2
Primate tetraparvovirus 1 Humanes Parvovirus 4 (PARV4), Genotyp 2: auch Humanes Parvovirus 5		2
Primate T-lymphotropic virus 1 Virus der Humanen Adulten T-Zell-Leukämie, Humanes T-lymphotropes Virus 1 (HTLV-1), Simian T-lymphotropic virus 1 (STLV1)	*	3
Primate T-lymphotropic virus 2 Virus der Haarzell-Leukämie, Humanes T-lymphotropes Virus 2 (HTLV-2), Simian T-lymphotropic virus 2 (STLV2)	*	3
Prospect hill orthohantavirus Prospect hill virus (PHV)		2
Prune dwarf virus Prune dwarf virus (PDV), Cherry chlorotic ringspot virus, Peach stunt virus, Sour cherry yellows virus	p	1
Prunus necrotic ringspot virus Prunus necrotic ringspot virus (PNRSV), European plum line pattern virus, Hop B virus, Hop C virus, Peach ringspot virus, Plum line pattern virus, Prunus ringspot virus, Red currant necrotic Ringspot virus, Rose chlorotic mottle virus, Rose line pattern virus, Rose vein banding virus, Rose yellow vein mosaic virus, Sour cherry necrotic ringspot virus	p	1
Pseudocowpox virus Pseudocowpox virus (PCPV), Pseudokuhpocken-Virus, Melkerknoten-Virus	AR	2
Pteropus lylei-associated alphaherpesvirus		2
Punta Toro phlebovirus Punta Toro virus	AR	2
Puumala orthohantavirus Puumala virus (PUUV)		2
Rabbit fibroma virus Rabbit fibroma virus (SFV), Kaninchen (Shope) Fibrom-Virus		2
Rabbit hemorrhagic disease virus Virus der Hämorrhagischen Kaninchenkrankheit, Rabbit hemorrhagic disease virus (RHDV)		2
Raspberry ringspot virus Raspberry ringspot virus (RpRSV), Raspberry Scottish leaf curl virus, Red currant ringspot virus	p	1
Reoviren bei Krebsen und Weichtieren		2
Reoviren der Reptilien		2
Reptilian ferlavivirus Paramyxoviren der Reptilien, Ophidian paramyxoviruses		2
Reston ebolavirus Reston virus (RESTV)		4
Retroviren bei Weichtieren		2
Rhabdoviren bei Krebsen		2

Organismenname	siehe Legende	Risikogruppe
Ribgrass mosaic virus Ribgrass mosaic virus (RMV)	p	1
Rice rat hepatitis B virus (RRHBV)	*	3
Rice tungro bacilliform virus Rice tungro bacilliform virus (RTBV)	p	1
Rice yellow mottle virus Rice yellow mottle virus (RYMV)	p	1
Rift Valley fever phlebovirus Rift Valley fever virus (RVFV), Riftalfiebervirus	AR	3
Rift Valley fever phlebovirus Clone 13 Rift Valley fever virus (RVFV) Clone 13		2
Rift Valley fever phlebovirus MP-12 Rift Valley fever virus (RVFV) MP-12		2
Rinderpest morbillivirus Rinderpest-Virus (RPV)		4
Ringtail hepatitis B virus (RtHBV)	*	3
Rio Segundo hantavirus Rio Segundo virus (RIOSV)		3
River Luinaeg virus		1
rodent pestivirus 1 bis 4		1
Rodent protoparvovirus 1 Kilham rat virus (KRV), Minute virus der Maus (MMV), H-1 virus, Hamster-H-1-Virus, Lullii virus, Tumor virus X, H3-Parvovirus		2
Ross River virus Ross River virus (RRV)	AR	2
Rotavirus (Genus)	AR	2
Roundleaf bat hepatitis B virus bat hepatitis B virus (BatHBV Hip)	*	3
Rubella virus Rubella virus (RUBV)	AR	2
Rubivirus ruteetense Ruhugu virus (RuhV)		2
Rubivirus strelense Rustrela virus (RusV)		2
Sacbrood virus Sacbrood virus (SBV)		2
Saimiriine gammaherpesvirus 2 Herpesvirus saimiri 2 (SaHV-2), Herpesvirus Saimiri (HVS)		2
Saint Louis encephalitis virus St. Louis encephalitis virus (SLEV)	AR	3
Salem salemvirus Salem virus (SaV)		2
Salmon pancreas disease virus salmonid alphavirus (SAV), sleeping disease virus (SDV)		2
Salmonid herpesvirus 1		2
Salmonid herpesvirus 2		2
Salmonid herpesvirus 3		2
San Bernardo virus (SBDV)		1
Sangassou orthohantavirus Sangassou orthohantavirus (SANGV)		3
Santana virus (SANV)		1
Schmallenberg orthobunyavirus Schmallenberg virus, Sathuperi orthobunyavirus		2
Semliki Forest virus Semliki Forest virus (SFV)	AR	2
Senecavirus A Senecavirus A (SVA)		2

Organismenname	siehe Legende	Risikogruppe
Seoul orthohantavirus Seoul virus (SEOV)	AR	3
Severe acute respiratory syndrome-related coronavirus SARS-CoV (mit dem schweren akuten respiratorischen Syndrom assoziiertes Coronavirus), SARS-CoV-2		3
Severe acute respiratory syndrome-related coronavirus, Viren OTS-206 und OTS-228 Severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), Viren OTS-206 und OTS-228		2
Shrew hepatitis B virus (SHBV Cro, Sor)	*	3
Sida golden mosaic virus Sida golden mosaic virus (SiGMV)	p	2
Sida micrantha mosaic virus Sida micrantha mosaic disease associated viruses	p	2
Sida yellow vein virus Sida yellow vein virus (SiYVV)	p	2
Siman foamy virus (SFV) Affen-Foamy-Virus, Human foamy virus (HFV)		2
Simbu orthobunyavirus Simbu virus (SIMV)		2
Simian adenovirus group C virus 155 (ChAd155)		2
Simian adenovirus group C virus 155-hli-HBV		2
Simian enterovirus (SEV) Affen-Enteroviren		2
Simian immunodeficiency virus Simian immunodeficiency virus (SIV), Affen-Lentivirus		2
Sin nombre orthohantavirus Sin nombre virus (SNV), Muerto canyon virus, Four corners virus, New York virus (NYV)		3
Sindbis virus, außer Kyzylagach virus Sindbis virus (SINV)		2
skink hepatitis B virus (SkHBV)		2
Slow bee paralysis virus Slow bee paralysis virus (SBPV)		2
Small ruminant morbillivirus Virus der Pest der Kleinen Wiederkäuer, Peste-des-petits-ruminants virus (PPRV)		4
Soil-borne wheat mosaic virus Bodenbürtiges Weizenmosaikvirus	p	1
Sosuga pararubulavirus		3
Southern elephant seal virus		1
Soybean dwarf virus Soybean dwarf virus (SbDV), Subterranean clover red leaf virus (SCRLV), Strawberry mild yellow edge virus (SMYEV)	p	1
spiny lizard hepatitis B virus 1 (SLHBV-1)		2
Sprivirus cyprinus Spring viremia of carp virus (SVCV), Virus der Frühjahrsvirämie des Karpfen, Carp sprivirus		2
Squash leaf curl virus Squash leaf curl virus (SLCV)	p	2
Squirrel fibroma virus Squirrel fibroma virus (SQFV), Fibromvirus beim Eichhörnchen		2
Squirrel monkey retrovirus Squirrel monkey retrovirus (SMRV)		2
Sri Lankan cassava mosaic virus Sri Lankan cassava mosaic virus (SLCMV)	p	1
Strawberry mild yellow edge virus Strawberry mild yellow edge virus (SMYEV)	p	1
Strawberry mottle virus Strawberry mottle virus (SMoV), Strawberry mild crinkle virus	p	1
Strawberry vein banding virus Strawberry vein banding virus (SVBV)	p	2

Organismenname	siehe Legende	Risikogruppe
Suakwa aphid-borne yellows virus Suakwa aphid-borne yellows virus (SABYV)	p	2
Subterranean clover stunt virus (SCSV)	p	2
Sudan ebolavirus Sudan ebolavirus (SUDV)		4
Suid alphaherpesvirus 1 Pseudorabies virus (PRV)		2
Suid alphaherpesvirus 1, Stamm Bartha Pseudorabies virus (PRV), Stamm Bartha		1
Sweet potato chlorotic stunt virus Sweet potato chlorotic stunt virus (SPCSV), Sweet potato sunken vein virus	p	1
Sweet potato feathery mottle virus Sweet potato feathery mottle virus (SPFMV), Sweet potato russet crack virus, Sweet potato A virus, Sweet potato chlorotic leaf spot virus, Sweet potato internal cork virus	p	1
Swinepox virus Swinepox virus (SWPV), Schweinepocken-Virus		2
Tacaribe mammarenavirus	AR	2
Tahyna orthobunyavirus Tahyna virus (TAHV), Trojica-Virus		2
Tai Forest ebolavirus Taï forest ebolavirus (TAFV)		4
Tanapox virus Tanapocken virus (TANV)	AR	2
Tanay virus (TANV)		1
Tent-making bat hepatitis B virus bat hepatitis B virus (BatHBV Uro)	*	3
Teschovirus A, außer Stamm Teschen Porcine teschovirus-1 (PTV-1), außer Stamm Teschen		2
Teschovirus A, Stamm Teschen Porcine teschovirus-1 (PTV-1), Stamm Teschen, Teschen-Talfan-Virus		3
Thailand orthohantavirus Thailand virus (THAIV)		2
Thiafora orthonairovirus Erve virus (ERVEV)		2
Thicket rat hepatitis B virus (TRHBV)	*	3
Thogotovirus bourbonense Bourbon virus		3
Thogotovirus dhoriense Batken virus, Dhori virus (DHOV), Dhori thogotovirus		2
Thogotovirus thogotoense Jos virus, Thogoto virus (THOV), Thogoto thogotovirus		2
Thosea asigna virus Thosea asigna virus (TaV)		1
Thottapalayam thottimvirus Thottapalayam virus (TPMV), Thottapalayam orthohantavirus		2
Thurisazvirus myis rodent HDV-like virus (rHDV), Tome's spiny-rat virus 1		2
Tick-borne encephalitis virus, Subtypen außer dem zentraleuropäischen Subtyp Tick-borne encephalitis virus (TBEV), Frühsommer-Meningoenzephalitis-Virus (FSME), Absettarovirus, Hanzalovavirus, Fernöstlicher Subtyp des Zeckenenzephalitisvirus, Hyprvirus, Kumlinge virus, Negishivirus, Sibirischer Subtyp des Zeckenenzephalitisvirus, Virus der Russischen Frühsommer-Enzephalitis	AR	3
Tick-borne encephalitis virus, zentraleuropäischer Subtyp Tick-borne encephalitis virus (TBEV), Frühsommer-Meningoenzephalitis-Virus (FSME)	AR	3
Tigray orthohantavirus Tigray orthohantavirus (TIGV)		3
Tobacco etch virus Tobacco etch virus (TEV)	p	2
Tobacco mosaic virus Tobacco mosaic virus (TMV)	p	1

Organismenname	siehe Legende	Risikogruppe
Tobacco rattle virus Tobacco rattle virus (TRV)	p	1
Tobacco vein mottling virus	p	2
Tomato bushy stunt virus Tomato bushy stunt virus (TBSV)	p	1
Tomato chlorotic spot orthotospovirus Tomato chlorotic spot virus (TCSV)	p	1
Tomato golden mosaic virus Tomato golden mosaic virus (TGMV)	p	1
Tomato leaf curl Yunnan virus Tomato leaf curl Yunnan virus (TLCYnV)	p	2
Tomato mosaic virus (ToMV)	p	1
Tomato spotted wilt orthotospovirus Tomato spotted wilt virus (TSWV), Dahlia oakleaf virus, Dahlia ringspot virus, Dahlia yellow ringspot virus, Groundnut ringspot virus, Mung bean leaf curl virus, Pineapple yellow spot virus, Watermelon silver mottle virus	p	1
Tomato yellow leaf curl China virus Tomato yellow leaf curl China virus (TYLCCNV)	p	2
Tomato yellow leaf curl Malaga virus Tomato yellow leaf curl Malaga virus (TYLCMaV)	p	2
Tomato yellow leaf curl Sardinia virus Tomato yellow leaf curl Sardinia virus (TYLCSV)	p	2
Tomato yellow leaf curl virus Tomato yellow leaf curl virus (TYLCV), Tomato leaf curl virus	p	2
Tonate virus	AR, *	3
Torque teno virus 1 Torque teno virus 1 (TTV)		2
Tremovirus A Aviäres Enzephalomyelitisvirus, Avian encephalomyelitis virus		2
Tula orthohantavirus Tula virus (TULV)		2
Tupaia narmovirus Tupaia paramyxovirus (TUPV)		2
Turnip mosaic virus Turnip mosaic virus (TuMV)	p	1
Una virus Una virus (UNAV)		2
Ungulate protoparvovirus 1 Porcine parvovirus Kresse, NADL-2		2
Ungulate tetraparvovirus 1 Bovines Hokovirus (BHoV), Bovines Partetravirus		1
Ungulate tetraparvovirus 2 Porzines Hokovirus (PHoV), Porzines Partetravirus, Porzines Parvovirus 3		1
Ungulate tetraparvovirus 3 Porzines Parvovirus 2 (PPV2), Cnvirus		1
Ungulate tetraparvovirus 4 Ovines Hokovirus (OHoV), Ovines Partetravirus		1
Usutu virus Usutu virus (USUV)		2
Uukuniemi uukuvirus Uukuniemi phlebovirus, Uukuniemi virus (UUKV)		2
Vaccinia virus Vaccinia-Virus (VACV), Elefantenpocken-Virus, Rabbitpox virus (RPXV), Buffalopox virus (BPXV)	AR	2
Vaccinia virus (modifiziert), Stamm Ankara Modified vaccinia virus Ankara (MVA)		1
Vaccinia virus (modifiziert), Stamm Ankara-HBV MVA-HBV		1
Vaccinia virus (modifiziert), Stamm NYVAC		1

Organismenname	siehe Legende	Risikogruppe
Vaccinia virus, Stamm Dis		1
Variola virus Weißpockenvirus, Variola minor virus (VARV), Variola major virus, Alastrim virus	AR	4
Varroa destructor iflavirus 1 Varroa destructor virus 1 (VDV-1), Varroa destructor virus 1		2
Varroa destructor macula-like virus (VdMLV)		2
Venezuelan equine encephalitis virus Venezuelan equine encephalitis virus (VEEV)	AR	3
Vesicular exanthema of swine virus Virus des Vesikulären Exanthems des Schweines, Vesicular exanthema of swine virus (VESV), San Miguel sea lion virus (SMSV), Kalifornisches Seelöwen-Virus		3
Vesiculovirus alagoas Alagoas vesiculovirus	AR	2
Vesiculovirus indiana Vesicular stomatitis indiana virus (VSIV), Vesicular stomatitis virus (VSV), Virus der vesikulären Stomatitis, Indiana vesiculovirus	AR	2
Vesiculovirus maraba Maraba vesiculovirus		2
Vesiculovirus newjersey New Jersey vesiculovirus	AR	2
Vesiculovirus pyri Piry vesiculovirus	AR	2
Vespertilionid gammaherpesvirus 1 bat gammaherpesvirus 8		2
Viren der Familie Polyomaviridae		2
Viren von Pilzen, Viren und Bakterien (Phagen), soweit bei ihnen keine human- oder tierpathogenen Eigenschaften beschrieben sind oder sie nicht für Virulenzfaktoren bzw. virulenz erhöhende Faktoren für menschliche oder tierische Infektionskrankheiten kodieren		1
Visna-maedi virus Maedi/Visna virus		2
Wallerfield virus (WALV)		1
Watermelon chlorotic stunt virus Watermelon chlorotic stunt virus (WmCSV)	p	2
Wesselsbron virus Wesselsbron virus (WSLV)	AR, *	3
West nile virus West nile virus (WNV), West-Nil-Fieber-Virus	AR	3
Western equine encephalitis virus Western equine encephalitis virus (WEEV)	AR	3
Whataroa virus Whataroa virus (WHAV)		2
Wheat dwarf virus (WDV)	p	1
Wheat streak mosaic virus Wheat streak mosaic virus (WSMV)	p	1
Whitewater Arroyo mammarenavirus	AR	3
Woodchuck hepatitis virus Waldmurmeltier-Hepatitis-B-Virus, Woodchuck hepatitis B virus (WHV)		2
Woolly monkey hepatitis B virus Woolly monkey hepatitis B Virus (WMHBV), Wollaffen-Hepatitis-B-Virus		2
Woolly monkey sarcoma virus Woolly monkey sarcoma virus (WMSV), Simian sarcoma virus (SSV)		2
Xenotropic murine leukemia virus-related virus (XMRV)		2
Yaba monkey tumor virus Yaba monkey tumor virus (YMTV), Yaba-Affentumor-Virus	AR	2
Yellow fever virus Yellow fever virus (YFV), Gelbfieber-Virus	AR	3
Yellow fever virus, Impfstamm 17D Yellow fever virus (YFV) 17D, Gelbfiebervirus 17D	Va	1

Organismenname	siehe Legende	Risikogruppe
Zaire ebolavirus Zaire ebolavirus (EBOV)		4
Zika virus Zika virus (ZIKV)		2
Zucchini yellow mosaic virus Zucchini yellow mosaic virus (ZYMV)	p	1

Viren
(nach Familien geordnet)

Organismenname	siehe Legende	Risikogruppe
Adenoviridae		
Adenoviren beim Pferd, Schaf, Schwein, bei der Ente, Gans, Taube, beim Huhn, Wellensittich und Fisch		1
Adenoviren der Reptilien		2
Guinea pig mastadenovirus A Adenovirus des Meerschweinchens (GPAV)		2
Human mastadenovirus A Adenovirus Typen 12, 18, 31, 61	AR	2
Human mastadenovirus B Adenovirus Typen 3, 7, 11, 14, 21, 34, 35, 50, 55, 68	AR	2
Human mastadenovirus C Adenovirus Typen 1, 2, 5, 6	AR	2
Human mastadenovirus C rAd5-S-CoV2 Impfstamm "Sputnik V"		1
Human mastadenovirus D Adenovirus Typen 8, 9, 10, 13, 15, 17, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 36, 37, 38, 39, 42, 43, 44, 45, 46, 47, 48, 49, 51, 53, 54, 56, 58, 62, 63, 64, 65, 67	AR	2
Human mastadenovirus D Ad26.COVS1 Impfstamm Johnson & Johnson/Janssen	Va	1
Human mastadenovirus D Ad26.Mos2S.Env, Ad26.Mos1.Env, Ad26.Mos1.Gag-Pol und Ad26.Mos2.Gag-Pol Adenovirus Typ 26 Ad26.Mos2S.Env, Ad26.Mos1.Env, Ad26.Mos1.Gag-Pol und Ad26.Mos2.Gag-Pol		1
Human mastadenovirus D Ad26.RSV.preF Adenovirus Typ 26 Ad26.RSV.preF		1
Human mastadenovirus D rAD26-S-CoV2 Impfstamm "Sputnik V"		1
Human mastadenovirus E Adenovirus Typ 4	AR	2
Human mastadenovirus E ChAdOx1 nCoV-19 Impfstamm AstraZeneca	Va	1
Human mastadenovirus F Adenovirus Typen 40, 41, 49	AR	2
Human mastadenovirus G Adenovirus Typ 52	AR	2
Simian adenovirus group C virus 155 (ChAd155)		2
Simian adenovirus group C virus 155-hli-HBV		2
Alloherpesviridae		
Cyprinid herpesvirus 1		2
Cyprinid herpesvirus 2		2
Cyprinid herpesvirus 3		2
Salmonid herpesvirus 1		2
Salmonid herpesvirus 2		2
Salmonid herpesvirus 3		2
Alphaflexiviridae		
Foxtail mosaic virus	p	2
Potato virus X Potato virus X (PVX)	p	1
Strawberry mild yellow edge virus Strawberry mild yellow edge virus (SMYEV)	p	1

Organismenname	siehe Legende	Risikogruppe
Anelloviridae		
Chicken anemia virus Chicken anemia virus (CAV), Virus der Infektiösen Anämie der Küken		2
Human gyrovirus (HGyV)		2
Torque teno virus 1 Torque teno virus 1 (TTV)		2
Arenaviridae		
Arenavirus Lemniscomys/F4-8/TZA/2008		2
Arenavirus Mus/TZ22285/TZA/2008		2
Argentinian mammarenavirus Junin virus (JUNV)	AR	4
Brazilian mammarenavirus	AR	4
Cali mammarenavirus Pichinde virus (PICV)		2
Chapare mammarenavirus Chapare mammarenavirus (CHPV)	AR	4
Dandenong virus (DANV)		2
Flexal mammarenavirus Flexal virus (FLEV)	AR	3
Gbagroube virus		2
Guanarito mammarenavirus Guanarito virus (GOTV)	AR	4
Ippy mammarenavirus Ippy virus (IPPYV)		2
Kodoko virus		2
Lassa mammarenavirus Lassa virus (LASV)	AR	4
Lujo mammarenavirus Lujo virus (LUJV)		4
Luna mammarenavirus Luna virus (LUNV)		2
Lunk mammarenavirus Lunk virus		2
Lymphocytic choriomeningitis mammarenavirus Lymphocytic choriomeningitis mammarenavirus (LCMV)		2
Machupo mammarenavirus Machupo virus (MACV)	AR	4
Menekre virus		2
Merino Walk mammarenavirus Merino Walk virus (MWV)		2
Mobala mammarenavirus Mobala virus (MOBV)	AR	2
Mopeia mammarenavirus Mopeia virus (MOPV), Morogoro virus	AR	2
Tacaribe mammarenavirus	AR	2
Whitewater Arroyo mammarenavirus	AR	3
Arteriviridae		
Alphaarterivirus equid Equine arteritis virus (EAV), Pferde-Arteritis-Virus		2
Betaarterivirus suid 1 Virus des Porcinen Reproduktiven und Respiratorischen Syndroms (PRRSV), Porcine reproductive and respiratory syndrome virus (PRRSV), Porcine reproductive and respiratory syndrome virus 1		2

Organismenname	siehe Legende	Risikogruppe
Betaarterivirus suid 2 Virus des Porcinen Reproduktiven und Respiratorischen Syndroms (PRRSV), Porcine reproductive and respiratory syndrome virus (PRRSV), Porcine reproductive and respiratory syndrome virus 2		2
Deltaarterivirus hemfev Simian hemorrhagic fever virus (SHFV)		2
Gammaarterivirus lacdeh Lactate dehydrogenase elevating virus (LDV)		2
Asfarviridae		
African swine fever virus African swine fever virus (ASFV), Virus der Afrikanischen Schweinepest (ASFV)		4
Astroviridae		
Astroviridae	AR	2
Baculoviridae		
Baculoviren bei Insekten z. B. Autographa californica multiple nucleopolyhedrovirus (AcMNPV)		1
Baculoviren bei Krebsen		2
Benyviridae		
Beet necrotic yellow vein virus Beet necrotic yellow vein virus (BNYVV)	p	1
Beet soil-borne mosaic virus Beet soil-borne mosaic virus (BSBMV)	p	2
Betaflexiviridae		
Apple chlorotic leaf spot virus Apple chlorotic leaf spot virus (ACLSV)	p	1
Apple stem grooving virus Apple stem grooving virus (ASGV)	p	1
Apple stem pitting virus Apple stem pitting virus (ASPV)	p	1
Cherry virus A Cherry virus A (CVA)	p	1
Lilac mottle virus (LiMV)	p	2
Potato virus M Potato Virus M (PVM)	p	1
Birnaviridae		
Birnaviren bei Krebsen und Weichtieren		2
Culex y virus (CYV)		1
Infectious bursal disease virus Infectious bursal disease virus (IBDV), Virus der Aviären Infektiösen Bursitis		2
Infectious pancreatic necrosis virus Infectious pancreatic necrosis virus (IPNV), Virus der Infektiösen Pankreasnekrose der Forellen		2
Bornaviridae		
Orthobornavirus alphapsittaciforme Avian Bornavirus (ABV), Psittaciform 1 orthobornavirus		2
Orthobornavirus avisaquaticae Avian Bornavirus (ABV), Waterbird 1 orthobornavirus		2

Organismenname	siehe Legende	Risikogruppe
<i>Orthobornavirus betapsittaciforme</i> Avian Bornavirus (ABV), Psittaciform 2 orthobornavirus		2
<i>Orthobornavirus bornaense</i> Borna disease virus (BDV), Mammalian 1 orthobornavirus		2
<i>Orthobornavirus estrildidae</i> Avian Bornavirus (ABV), Passeriform 2 orthobornavirus		2
<i>Orthobornavirus sciuri</i> Variegated squirrel 1 bornavirus (VSBV-1), Mammalian 2 orthobornavirus		3
<i>Orthobornavirus serini</i> Avian Bornavirus (ABV), Passeriform 1 orthobornavirus		2
<i>Bromoviridae</i>		
<i>Apple mosaic virus</i> Apple mosaic virus (ApMV), Birch line pattern virus, Birch ringspot virus, Dutch plum line pattern virus, European plum line pattern virus, Hop A virus, Horse chestnut yellow mosaic virus, Rose mosaic virus (einige Isolate)	p	1
<i>Brome mosaic virus</i> Brome mosaic virus (BMV), Ryegrass streak virus	p	1
<i>Cucumber mosaic virus</i> Cucumber mosaic virus (CMV), Banana infectious chlorosis virus, Coleus mosaic virus, Cowpea banding mosaic virus, Cowpea ringspot virus, Cucumber virus 1, Lily ringspot virus, Pea top necrosis virus, Peanut yellow mosaic virus, Southern celery mosaic virus, Soybean stunt virus, Spinach blight virus, Tomato fern leaf virus, Pea western ringspot virus	p	1
Potato yellowing virus (PYV)	p	2
<i>Prune dwarf virus</i> Prune dwarf virus (PDV), Cherry chlorotic ringspot virus, Peach stunt virus, Sour cherry yellows virus	p	1
<i>Prunus necrotic ringspot virus</i> Prunus necrotic ringspot virus (PNRSV), European plum line pattern virus, Hop B virus, Hop C virus, Peach ringspot virus, Plum line pattern virus, Prunus ringspot virus, Red currant necrotic Ringspot virus, Rose chlorotic mottle virus, Rose line pattern virus, Rose vein banding virus, Rose yellow vein mosaic virus, Sour cherry necrotic ringspot virus	p	1
<i>Caliciviridae</i>		
<i>European brown hare syndrome virus</i> Calicivirus des Europäischen Hasensterbens, European brown hare syndrome virus (EBHSV)		2
<i>Feline calicivirus</i> Feline calicivirus (FCV)		2
Loch Morlich virus		1
Mayfield virus 1		1
Mayfield virus 2		1
Murine norovirus 1 (MNV-1)		1
<i>Norwalk virus außer Murine norovirus 1 (MNV-1)</i> Norovirus (NV), Bovine norovirus (BoNV)		2
<i>Porcine enteric calicivirus (PoCV)</i> Porcine Calici-ähnliche Viren, Porcine enteric sapovirus		2
<i>Rabbit hemorrhagic disease virus</i> Virus der Hämorrhagischen Kaninchenkrankheit, Rabbit hemorrhagic disease virus (RHDV)		2
River Luinaeg virus		1
<i>Vesicular exanthema of swine virus</i> Virus des Vesikulären Exanthems des Schweines, Vesicular exanthema of swine virus (VESV), San Miguel sea lion virus (SMSV), Kalifornisches Seelöwen-Virus		3
<i>Caulimoviridae</i>		
Banana streak virus (BSV)	p	1
Cacao swollen shoot virus (CSSV) Theobroma virus 1, Cacao mottle leaf virus	p	1

Organismenname	siehe Legende	Risikogruppe
<i>Cauliflower mosaic virus</i> Cauliflower mosaic virus (CaMV), Broccoli mosaic virus, Cabbage mosaic virus, Cabbage virus B	p	1
<i>Petunia vein clearing virus (PVCV)</i>	p	1
<i>Rice tungro bacilliform virus</i> Rice tungro bacilliform virus (RTBV)	p	1
<i>Strawberry vein banding virus</i> Strawberry vein banding virus (SVBV)	p	2
<i>Chrysoviridae</i>		
<i>Betachrysovirus fogramineari</i> Fusarium graminearum virus China 9, Fusarium graminearum chrysovirus, Fusarium graminearum mycovirus China 9		1
<i>Circoviridae</i>		
<i>Canine circovirus</i> Canine circovirus (CaCV), Dog circovirus (DoCV)		2
<i>Pigeon circovirus</i>		2
<i>Porcine circovirus 1</i> Porcine circovirus 1 (PCV1)		1
<i>Porcine circovirus 2</i> Porcine circovirus 2 (PCV2)		2
<i>Porcine circovirus 3</i>		2
<i>Closteroviridae</i>		
<i>Beet yellows virus</i> Beet yellows virus (BYV)	p	1
Little cherry virus (LChV)	p	1
<i>Sweet potato chlorotic stunt virus</i> Sweet potato chlorotic stunt virus (SPCSV), Sweet potato sunken vein virus	p	1
<i>Coronaviridae</i>		
<i>Alphacoronavirus 1</i> Feline infectious peritonitis virus (FIPV), Porcine respiratory coronavirus (PRCV), Transmissible gastroenteritis virus (TGEV), Virus der Transmissiblen Gastroenteritis des Schweines		2
animale Coronaviren mit zoonotischem Potenzial		3
animale Coronaviren ohne zoonotisches Potenzial		2
<i>Avian coronavirus</i> Infectious bronchitis virus (IBV)		2
<i>Betacoronavirus 1</i> Humanes Coronavirus OC43		2
Bovines Coronavirus		2
<i>Human coronavirus 229E</i>		2
<i>Human coronavirus HKU1</i>		2
<i>Human coronavirus NL63</i>		2
<i>Middle East respiratory syndrome-related coronavirus</i> Middle East respiratory syndrome-related coronavirus (MERS-CoV), hCoV-EMC		3
<i>Murine coronavirus</i> Murine hepatitis virus (MHV), Murines Coronavirus		2
<i>Porcine epidemic diarrhea virus</i> Porcine epidemic diarrhea virus (PEDV)		2
<i>Severe acute respiratory syndrome-related coronavirus</i> SARS-CoV (mit dem schweren akuten respiratorischen Syndrom assoziiertes Coronavirus), SARS-CoV-2		3

Organismenname	siehe Legende	Risikogruppe
Severe acute respiratory syndrome-related coronavirus, Viren OTS-206 und OTS-228 Severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), Viren OTS-206 und OTS-228		2
Dicistroviridae		
Acute bee paralysis virus Acute bee paralysis virus (ABPV)		2
Black queen cell virus Black queen cell virus (BQCV)		2
Cricket paralysis virus Cricket paralysis virus (CrPV)		1
Drosophila C virus Drosophila C virus (DCV)		1
Israeli acute bee paralysis virus Israeli acute bee paralysis virus (IAPV)		2
Kashmir bee virus Kashmir bee virus (KBV)		2
Filoviridae		
Bombali ebolavirus Bombali ebolavirus (BOMV)		4
Bundibugyo ebolavirus Bundibugyo ebolavirus (BDBV)		4
Lloviu cuevavirus Lloviu cuevavirus (LLOV)		4
Marburg marburgvirus Marburg virus (MBGV)	AR	4
Reston ebolavirus Reston virus (RESTV)		4
Sudan ebolavirus Sudan ebolavirus (SUDV)		4
Tai Forest ebolavirus Tai forest ebolavirus (TAFV)		4
Zaire ebolavirus Zaire ebolavirus (EBOV)		4
Flaviviridae		
bat pestivirus 1 und 2		1
Cell fusing agent virus (CFAV)		1
Dengue virus Dengue virus (DENV)	AR	3
Dengue virus rDENV1Δ30, rDENV4Δ30, rDENV2/4Δ30(ME), rDENV3Δ30/31 Dengue virus (DENV) rDENV1Δ30, rDENV4Δ30, rDENV2/4Δ30(ME), rDENV3Δ30/31		1
Dengue virus TDV-1, -2, -3, -4 Dengue virus (DENV) TDV-1, -2, -3, -4		1
Hepacivirus A Canine hepacivirus, Equine hepacivirus (EHCV), Nonprimate hepacivirus (NPHV)		2
Hepacivirus C Hepatitis C virus (HCV)	AR, *	3
Hepacivirus K		2
Hepacivirus L		2
Hepacivirus M		2
Hepacivirus N Bovine hepacivirus (BovHepV)		2
Hepatitis G virus (HGV)	AR	1
Ilheus virus Rocio virus (ROCV), Rocio-Enzephalitis-Virus	AR	3

Organismenname	siehe Legende	Risikogruppe
Japanese encephalitis virus Japanese encephalitis virus (JEV), Japan-Enzephalitis-Virus	AR	3
Kamiti river virus		1
Kyasanur forest disease virus Kyasanur forest disease virus (KFDV)	AR	3
Langat virus Langat virus (LGTV)		2
lateral-shaking inducing neurodegenerative agent (Linda) virus (LV)		2
Louping ill virus Louping ill virus (LIV)	AR, *	3
Modoc virus Modoc virus (MODV)		2
Murray Valley encephalitis virus Murray Valley encephalitis virus (MVEV), Virus der Australischen X-Enzephalitis	AR	3
Niénokoué virus (NIEV)		1
Nounané virus (NOUV)		2
Omsk hemorrhagic fever virus Omsk hemorrhagic fever virus (OMSKV), Virus des Omsker Hämorrhagischen Fiebers	AR	3
Palm Creek virus (PCV)		1
Parramatta River virus (PaRV)		1
Pestivirus A Bovines Virusdiarrhoe-Virus, Mucosal disease virus, Bovine viral diarrhea virus 1 (BVDV-1)		2
Pestivirus B Bovines Virusdiarrhoe-Virus, Mucosal disease virus, Bovine viral diarrhea virus 2 (BVDV-2)		2
Pestivirus C Hog cholera virus (HCV), Virus der Europäischen Schweinepest, Classical swine fever virus (CSFV)		2
Pestivirus D Border disease virus (BDV)		2
Pestivirus E pronghorn antelope pestivirus (PHV)		2
Pestivirus F Bungowannah virus		2
Pestivirus G giraffe pestivirus		2
Pestivirus H HoBi-like viruses, atypical ruminant pestivirus, BVDV-3		2
Pestivirus I Aydin-like pestiviruses		2
Pestivirus J Norwegian rat pestivirus (NrPV)		1
Pestivirus K atypical porcine pestivirus (APPV)		2
Powassan virus Powassan virus (POWV)	AR	3
rodent pestivirus 1 bis 4		1
Saint Louis encephalitis virus St. Louis encephalitis virus (SLEV)	AR	3
Tick-borne encephalitis virus, Subtypen außer dem zentraleuropäischen Subtyp Tick-borne encephalitis virus (TBEV), Frühsommer-Meningoenzephalitis-Virus (FSME), Ab-settarovirus, Hanzalovavirus, Fernöstlicher Subtyp des Zeckenenzephalitisvirus, Hyprvirus, Kumlinge-virus, Negishivirus, Sibirischer Subtyp des Zeckenenzephalitisvirus, Virus der Russischen Frühsommer-Enzephalitis	AR	3
Tick-borne encephalitis virus, zentraleuropäischer Subtyp Tick-borne encephalitis virus (TBEV), Frühsommer-Meningoenzephalitis-Virus (FSME)	AR	3
Usutu virus Usutu virus (USUV)		2
Wesselsbron virus Wesselsbron virus (WSLV)	AR, *	3

Organismenname	siehe Legende	Risikogruppe
West nile virus West nile virus (WNV), West-Nil-Fieber-Virus	AR	3
Yellow fever virus Yellow fever virus (YFV), Gelbfieber-Virus	AR	3
Yellow fever virus, Impfstamm 17D Yellow fever virus (YFV) 17D, Gelbfiebervirus 17D	Va	1
Zika virus Zika virus (ZIKV)		2
Geminiviridae		
Abutilon mosaic Brazil virus Abutilon mosaic Brazil virus (AbMBV)	p	2
Abutilon mosaic virus Malvaceous chlorosis virus, Abutilon mosaic virus (AbMV)	p	1
African cassava mosaic virus African cassava mosaic virus (ACMV), Cassava latent virus	p	1
Ageratum yellow vein virus Ageratum yellow vein virus (AYVV)	p	2
Bean dwarf mosaic virus Bean dwarf mosaic virus (BDMV)	p	1
Bean yellow dwarf virus (BeYDV)	p	2
Beet curly top Iran virus	p	2
Beet curly top virus Beet curly top virus (BCTV)	p	2
Cabbage leaf curl virus Cabbage leaf curl virus (CaLCuV)	p	2
Chayote yellow mosaic virus Chayote yellow mosaic virus (ChaYMV)	p	2
Chickpea chlorotic dwarf virus Chickpea chlorotic dwarf virus (CpCDV)	p	1
Cleome leaf crumble virus (CILCrV)	p	2
Cowpea golden mosaic virus Cowpea golden mosaic virus (CPGMV)	p	1
East African cassava mosaic virus East African cassava mosaic virus (EACMV), East African cassava mosaic virus-Uganda (EACMV-UG)	p	1
Euphorbia mosaic virus Euphorbia mosaic virus (EuMV)	p	2
Indian cassava mosaic virus Indian cassava mosaic virus (ICMV)	p	1
Maize streak virus	p	2
Oat dwarf virus Oat dwarf virus (ODV)	p	1
Potato yellow mosaic virus Potato yellow mosaic virus (PYMV)	p	2
Sida golden mosaic virus Sida golden mosaic virus (SiGMV)	p	2
Sida micrantha mosaic virus Sida micrantha mosaic disease associated viruses	p	2
Sida yellow vein virus Sida yellow vein virus (SiYVV)	p	2
Squash leaf curl virus Squash leaf curl virus (SLCV)	p	2
Sri Lankan cassava mosaic virus Sri Lankan cassava mosaic virus (SLCMV)	p	1
Tomato golden mosaic virus Tomato golden mosaic virus (TGMV)	p	1

Organismenname	siehe Legende	Risikogruppe
Tomato leaf curl Yunnan virus Tomato leaf curl Yunnan virus (TLCYnV)	p	2
Tomato yellow leaf curl China virus Tomato yellow leaf curl China virus (TYLCCNV)	p	2
Tomato yellow leaf curl Malaga virus Tomato yellow leaf curl Malaga virus (TYLCMaV)	p	2
Tomato yellow leaf curl Sardinia virus Tomato yellow leaf curl Sardinia virus (TYLCSV)	p	2
Tomato yellow leaf curl virus Tomato yellow leaf curl virus (TYLCV), Tomato leaf curl virus	p	2
Watermelon chlorotic stunt virus Watermelon chlorotic stunt virus (WmCSV)	p	2
Wheat dwarf virus (WDV)	p	1
Hantaviridae		
Andes orthohantavirus Andes virus (ANDV)		3
Bayou orthohantavirus Bayou virus (BAYV)		3
Black Creek Canal orthohantavirus Black Creek Canal virus (BCCV)		3
Caño Delgadito orthohantavirus Caño Delgadito virus (CADV)		3
Choclo orthohantavirus	AR	3
Dobrava-Belgrade orthohantavirus Dobrava-Belgrade virus (DOBV)	AR	3
El Moro Canyon orthohantavirus El Moro Canyon virus (ELMCV)		3
Hantaan orthohantavirus Hantaan virus (HTNV), Virus des Koreanischen Hämorrhagischen Fiebers bzw. des Mand- schurischen Songo-Fiebers	AR	3
Isla Vista hantavirus Isla Vista virus (ISLAV)		2
Khabarovsk orthohantavirus Khabarovsk virus, Topografov virus		2
Laguna Negra orthohantavirus Laguna Negra virus (LANV), Rio Mamoré virus (RIOMV)		3
Maporal orthohantavirus Maporal orthohantavirus (MAPV)		3
Muleshoe hantavirus Muleshoe virus (MULEV)		3
Prospect hill orthohantavirus Prospect hill virus (PHV)		2
Puumala orthohantavirus Puumala virus (PUUV)		2
Rio Segundo hantavirus Rio Segundo virus (RIOSV)		3
Sangassou orthohantavirus Sangassou orthohantavirus (SANGV)		3
Seoul orthohantavirus Seoul virus (SEOV)	AR	3
Sin nombre orthohantavirus Sin nombre virus (SNV), Muerto canyon virus, Four corners virus, New York virus (NYV)		3
Thailand orthohantavirus Thailand virus (THAIV)		2
Thottapalayam thottimvirus Thottapalayam virus (TPMV), Thottapalayam orthohantavirus		2
Tigray orthohantavirus Tigray orthohantavirus (TIGV)		3

Organismenname	siehe Legende	Risikogruppe
<i>Tula orthohantavirus</i> Tula virus (TULV)		2
Hepadnaviridae		
Cebus monkey hepatitis B virus (CMHBV)	*	3
Chimpanzee hepatitis B virus (ChHBV)	*	3
Domestic cat hepatitis B virus Domestic cat hepatitis B virus (DCHBV)	*	3
Donkey hepatitis B virus (DoHBV)	*	3
Duck hepatitis B virus Duck hepatitis B virus (DHBV), Entenhepatitis-B-Virus		1
Gibbon hepatitis B virus (GiHBV)	*	3
Gorilla hepatitis B virus (GoHBV)	*	3
Ground squirrel hepatitis virus Ground squirrel hepatitis B virus (GSHV), Backenhörnchen-Hepatitis B-Virus, Arctic squirrel hepatitis virus (ASHV), Arctic ground squirrel hepatitis B virus		2
Hepatitis B virus Hepatitis B virus (HBV)	AR	2
Hepatitis B virus, uncharakterisierte Patientenisolat Hepatitis B virus (HBV), uncharakterisierte Patientenisolat	*	3
Heron hepatitis B virus Heron hepatitis B virus (HHBV), Reiher-(Graureiher)-Hepatitis-B-Virus		1
Long-fingered bat hepatitis B virus bat hepatitis B virus (BatHBV)	*	3
Orangutan hepatitis B virus (OuHBV)	*	3
Pomona bat hepatitis B virus bat hepatitis B virus (BatHBV Pom)	*	3
Rice rat hepatitis B virus (RRHBV)	*	3
Ringtail hepatitis B virus (RtHBV)	*	3
Roundleaf bat hepatitis B virus bat hepatitis B virus (BatHBV Hip)	*	3
Shrew hepatitis B virus (SHBV Cro, Sor)	*	3
skink hepatitis B virus (SkHBV)		2
spiny lizard hepatitis B virus 1 (SLHBV-1)		2
Tent-making bat hepatitis B virus bat hepatitis B virus (BatHBV Uro)	*	3
Thicket rat hepatitis B virus (TRHBV)	*	3
Woodchuck hepatitis virus Waldmurmeltier-Hepatitis-B-Virus, Woodchuck hepatitis B virus (WHV)		2
Woolly monkey hepatitis B virus Woolly monkey hepatitis B Virus (WMHBV), Wollaffen-Hepatitis-B-Virus		2
Hepeviridae		
Paslahepevirus balayani Hepatitis E virus (HEV), Orthohepevirus A		2
Herpesviridae		
Alcelaphine gammaherpesvirus 1 Alcelaphine herpesvirus 1 (AIHV-1), Virus des Bösartigen Katarrhalfiebers beim Rind		2
Anatid alphaherpesvirus 1 Duck enteritis virus (DEV), Anatid herpesvirus 1		2
Aotine betaherpesvirus 1		2
Ateline gammaherpesvirus 2 Ateline herpesvirus 2 (AtHV-2), Herpesvirus Ateles (HVA)		2

Organismenname	siehe Legende	Risikogruppe
Bovine alphaherpesvirus 1 Bovine herpesvirus 1 (BoHV-1), Virus der Infektiösen Bovinen Rhinotracheitis (IBRV)		2
Caviid betaherpesvirus 2 Caviid herpesvirus 2 (CavHV-2), Guinea pig cytomegalovirus		2
Cercopithecine alphaherpesvirus 2 Cercopithecine herpesvirus 2 (CeHV-2), Simian agent 8 (SA8)		2
Equid alphaherpesvirus 1 Equid herpesvirus 1 (EHV-1)		2
Equid alphaherpesvirus 1 Stamm RacH EHV-1 RacH	Va	1
Equid alphaherpesvirus 4 Equid herpesvirus 4 (EHV-4)		2
Equid gammaherpesvirus 2 Equid herpesvirus 2 (EHV-2)		2
Gallid alphaherpesvirus 1 Gallid herpesvirus 1 (GaHV-1), Virus der Infektiösen Laryngotracheitis des Huhnes (ILT)		2
Gallid alphaherpesvirus 2 Gallid herpesvirus 2 (GaHV-2), Marek's disease virus Serotyp 1 (MDV)		2
Gallid alphaherpesvirus 3 Gallid herpesvirus 3 (GaHV-3), Marek's disease virus Serotyp 2 (MDV)		2
Herpesviren aus Fledermäusen		2
Herpesviren bei Krebsen und Weichtieren		2
Herpesviren der Reptilien		2
Human alphaherpesvirus 1 Human herpesvirus 1 (HHV-1), Herpes-simplex-Virus 1 (HSV-1)	AR	2
Human alphaherpesvirus 1 5dl1.2 Herpes simplex virus 1 (HSV-1) 5dl1.2		1
Human alphaherpesvirus 1 JS1/34.5-/47-/mGM-CSF Humanes Herpesvirus 1 JS1/34.5-/47-/mGM-CSF		1
Human alphaherpesvirus 1 Talimogen laherparepvec Human herpesvirus 1 (HHV-1) Talimogen laherparepvec		1
Human alphaherpesvirus 2 Human herpesvirus 2 (HHV-2), Herpes-simplex-Virus 2 (HSV-2)	AR	2
Human alphaherpesvirus 3 Human herpesvirus 3 (HHV-3), Varizella-Zoster-Virus (VZV)	AR	2
Human alphaherpesvirus 3, Impfstamm vOka Human herpesvirus 3 (HHV-3), Varizella-Zoster-Virus (VZV) vOka	Va	1
Human betaherpesvirus 5 Human herpesvirus 5 (HHV-5), Human cytomegalovirus (hCMV)	AR	2
Human betaherpesvirus 6A Human herpesvirus 6 (HHV-6), Human B-lymphotropic virus (HBLV)	AR	2
Human betaherpesvirus 6B	AR	2
Human betaherpesvirus 7 Human herpesvirus 7 (HHV-7)	AR	2
Human gammaherpesvirus 4 Human herpesvirus 4 (HHV-4), Epstein-Barr-Virus (EBV)	AR	2
Human gammaherpesvirus 8 Human herpesvirus 8 (HHV-8)	AR	2
Macacine alphaherpesvirus 1 Cercopithecine herpesvirus 1 (CeHV-1), Herpesvirus Simiae, Herpes-B-Virus	AR	3
Macacine betaherpesvirus 3 Cercopithecine herpesvirus 8 (CeHV-8), Rhesus monkey cytomegalovirus		2
Macacine gammaherpesvirus 5 Rhesus monkey rhadinovirus (RRV), Macacine herpesvirus 5, Cercopithecine herpesvirus 17		2
Meleagrid alphaherpesvirus 1 Meleagrid herpesvirus 1 (MeHV-1), Puten-Herpesvirus		1
Murid betaherpesvirus 1 Murid herpesvirus 1 (MCMV-1), Murines Cytomegalievirus		1

Organismenname	siehe Legende	Risikogruppe
Murid betaherpesvirus 2 Murid herpesvirus 2 (MuHV-2), früher: RCMV Stamm Maastricht		1
Murid betaherpesvirus 8 Murid herpesvirus 8 (MuHV-8), früher: RCMV Stamm England		1
Murid gammaherpesvirus 4 Murid herpesvirus 4, Murines Gamma-Herpesvirus 68 (MHV-68)		2
Ovine gammaherpesvirus 2 Ovine herpesvirus 2 (OvHV-2), Virus des Bösartigen Katarrhalfiebers beim Schaf		2
Panine betaherpesvirus 2 Pongine herpesvirus 4 (PoHV-4), Chimpanzee cytomegalovirus		2
Papiine alphaherpesvirus 2 Papiine herpesvirus 2, Cercopithecine herpesvirus 16, Herpesvirus papio 2 (HVP-2)		2
Papiine gammaherpesvirus 1 Cercopithecine herpesvirus 12 (CeHV-12), Herpesvirus papio, Baboon herpesvirus, Baboon lymphocryptovirus		2
Pteropus lylei-associated alphaherpesvirus		2
Saimiriine gammaherpesvirus 2 Herpesvirus saimiri 2 (SaHV-2), Herpesvirus Saimiri (HVS)		2
Suid alphaherpesvirus 1 Pseudorabies virus (PRV)		2
Suid alphaherpesvirus 1, Stamm Bartha Pseudorabies virus (PRV), Stamm Bartha		1
Vespertilionid gammaherpesvirus 1 bat gammaherpesvirus 8		2
Iflaviridae		
Deformed wing virus Deformed wing virus (DWV), Flügeldeformationsvirus		2
La-Jolla-Virus (LJV)		1
Sacbrood virus Sacbrood virus (SBV)		2
Slow bee paralysis virus Slow bee paralysis virus (SBPV)		2
Varroa destructor iflavirus 1 Varroa destructor virus 1 (VDV-1), Varroa destructor virus 1		2
Iridoviridae		
Ambystoma tigrinum virus Ambystoma tigrinum virus (ATV)		2
Frog virus 3 Frog virus 3 (FV-3)		1
Iridoviren bei Krebsen und Weichtieren		2
Iridoviren der Reptilien		2
Kolmioviridae		
Daazvirus cynopsis newt HDV-like virus (amHDV), Chinese fire belly newt virus 1		2
Dagazvirus scherdorhinotermitis termite HDV-like virus (thDV), rhinotermitid virus 1		2
Daletvirus boae snake HDV-like virus (sHDV), Swiss snake colony virus 1		2
Dalvirus anatis avian HDV-like virus (avHDV), dabbling duck virus 1		2
Deevirus actinopterygii fish HDV-like virus (fiHDV), ray-finned fish virus 1		2
Deltavirus cameroonense Hepatitis delta virus 7 (HDV7)		2

Organismenname	siehe Legende	Risikogruppe
<i>Deltavirus carense</i> Hepatitis delta virus 6 (HDV6)		2
<i>Deltavirus italiense</i> Hepatitis delta virus 1 (HDV1)		2
<i>Deltavirus japanense</i> Hepatitis delta virus 2 (HDV2)		2
<i>Deltavirus peruense</i> Hepatitis delta virus 3 (HDV3)		2
<i>Deltavirus senegalense</i> Hepatitis delta virus 8 (HDV8)		2
<i>Deltavirus taiwanense</i> Hepatitis delta virus 4 (HDV4)		2
<i>Deltavirus togense</i> Hepatitis delta virus 5 (HDV5)		2
<i>Dobrovirus bufonis</i> toad HDV-like virus (tfHDV), Chusan Island toad virus 1		2
Hepatitis-Delta-Virus-ähnliche Viren, nicht näher klassifiziert HDV-ähnliche Viren, nicht näher klassifiziert		2
<i>Thurisavirus myis</i> rodent HDV-like virus (rHDV), Tome's spiny-rat virus 1		2
Marseilleviridae		
<i>Marseilleviridae</i>		2
Matonaviridae		
<i>Rubella virus</i> Rubella virus (RUBV)	AR	2
<i>Rubivirus ruteetense</i> Ruhugu virus (RuhV)		2
<i>Rubivirus strelense</i> Rustrela virus (RusV)		2
Mayoviridae		
<i>Idaeovirus rubi</i> Raspberry bushy dwarf virus (RBDV), Raspberry bushy dwarf virus	p	1
Mesoniviridae		
<i>Alphamesonivirus 1</i> Nam Dinh virus (NDiV), Houston virus, Cavally virus (CavV)		2
<i>Alphamesonivirus 2</i> Botang Baru virus (BBaV), Karang Sari virus (KSaV)		2
<i>Alphamesonivirus 3</i> Kamphang Phet virus (KPhV), Dak Nong virus (DKNV)		2
<i>Alphamesonivirus 4</i> Casuarina virus (CASV)		2
<i>Alphamesonivirus 5</i> Hana virus (HanaV)		2
<i>Alphamesonivirus 8</i> Nsé virus (NseV), Mesonivirus 2		2
<i>Alphamesonivirus 9</i> Méno virus (MenoV), Mesonivirus 1		2
Mimiviridae		
<i>Acanthamoeba polyphaga mimivirus</i> Acanthamoeba polyphaga mimivirus (ApMV)		2

Organismenname	siehe Legende	Risikogruppe
Nairoviridae		
Crimean-Congo hemorrhagic fever orthonairovirus Crimean-Congo hemorrhagic fever virus (C-CHFV), Virus des Hämorrhagischen Kongo-Krim-Fiebers	AR	4
Dugbe orthonairovirus Dugbe virus (DUGV)		3
Hazara orthonairovirus Hazara virus (HAZV)	AR	2
Nairobi sheep disease orthonairovirus Nairobi sheep disease virus (NSDV)		3
Thiafora orthonairovirus Erve virus (ERVEV)		2
Nanoviridae		
Black medic leaf roll virus Black medic leaf roll virus (BMLRV)	p	1
Coconut foliar decay virus Coconut foliar decay virus (CFDV)	p	1
Faba bean necrotic stunt virus Faba bean necrotic stunt virus (FBNSV)	p	2
Faba bean necrotic yellows virus Faba bean necrotic yellows virus (FBNYV)	p	2
Milk vetch dwarf virus Milk vetch dwarf virus (MDV)	p	2
Pea necrotic yellow dwarf virus	p	1
Subterranean clover stunt virus (SCSV)	p	2
Nodaviridae		
Flock House virus Flock House virus (FHV)		1
Nodamura virus		2
Nyamiviridae		
Midway nyavirus Midway virus (MIDWV)		2
Nyamanini nyavirus Nyamanini virus (NVMV)		2
Orthomyxoviridae		
Alpha-, Beta- und Gammainfluenzavirus influenzae (außer den speziell genannten) Influenza-Virus Typ A, B, C (FLUAV, FLUBV, FLUCV), Influenza A virus, Influenza B virus, Influenza C virus, außer den speziell genannten	AR	2
Alphainfluenzavirus influenzae: aktuell nicht zirkulierende Varianten des Subtyps H2N2 Influenza-Virus Typ A (FLUAV), Influenza A virus: aktuell nicht zirkulierende Varianten des Subtyps H2N2		3
Alphainfluenzavirus influenzae: hochpathogene aviäre Influenzaviren (HPAIV) Influenza-Virus Typ A (FLUAV), Influenza A virus: hochpathogene aviäre Influenzaviren (HPAIV)		3
Alphainfluenzavirus influenzae: hochpathogene aviäre Influenzaviren (HPAIV), die das Potenzial einer effizienten Luftübertragbarkeit zwischen Säugetieren besitzen Influenza-Virus Typ A (FLUAV), Influenza A virus: hochpathogene aviäre Influenzaviren (HPAIV), die das Potenzial einer effizienten Luftübertragbarkeit zwischen Säugetieren besitzen		4
Alphainfluenzavirus influenzae: neuartige aviäre Influenzaviren des Subtyps H7N9 Influenza-Virus Typ A (FLUAV), Influenza A virus: neuartige aviäre Influenzaviren des Subtyps H7N9		3
Alphainfluenzavirus influenzae: Subtyp H5N8 Influenza-Virus Typ A (FLUAV), Influenza A virus: Subtyp H5N8		3

Organismenname	siehe Legende	Risikogruppe
<i>Alphainfluenzavirus influenzae</i>: Variante des Subtyps H1N1 der Spanischen Grippe von 1918 Influenza-Virus Typ A (FLUAV), Influenza A virus: Variante des Subtyps H1N1 der Spanischen Grippe von 1918		3
<i>Deltainfluenzavirus influenzae</i> Influenza D virus		2
<i>Feline morbillivirus</i> Feline morbillivirus (FeV)		2
<i>Thogotovirus bourbonense</i> Bourbon virus		3
<i>Thogotovirus dhoiense</i> Batken virus, Dhoi virus (DHOV), Dhoi thogotovirus		2
<i>Thogotovirus thogotoense</i> Jos virus, Thogoto virus (THOV), Thogoto thogotovirus		2
Papillomaviridae		
Bovine papillomavirus (BPV)		2
<i>Iotapapillomavirus 1</i> Mastomys natalensis papillomavirus (MnPV)		2
<i>Kappapapillomavirus 2</i> Cottontail rabbit papillomavirus (CRPV)		2
<i>Pipapillomavirus 2</i> Mastomys coucha papillomavirus 2 (McPV 2)		2
Paramyxoviridae		
<i>Avian metaavulavirus 10</i> Avian paramyxovirus 10 (APMV-10), Avian avulavirus 10		2
<i>Avian metaavulavirus 11</i> Avian paramyxovirus 11 (APMV-11), Avian avulavirus 11		2
<i>Avian metaavulavirus 14</i> Avian paramyxovirus 14 (APMV-14), Avian avulavirus 14		2
<i>Avian metaavulavirus 15</i> Avian paramyxovirus 15 (APMV-15), Avian avulavirus 15		2
<i>Avian metaavulavirus 2</i> Avian paramyxovirus 2 (APMV-2), Avian avulavirus 2		2
<i>Avian metaavulavirus 20</i> Avian paramyxovirus 20 (APMV-20), Avian avulavirus 20		2
<i>Avian metaavulavirus 5</i> Avian paramyxovirus 5 (APMV-5), Avian avulavirus 5		2
<i>Avian metaavulavirus 6</i> Avian paramyxovirus 6 (APMV-6), Avian avulavirus 6		2
<i>Avian metaavulavirus 7</i> Avian paramyxovirus 7 (APMV-7), Avian avulavirus 7		2
<i>Avian metaavulavirus 8</i> Avian paramyxovirus 8 (APMV-8), Avian avulavirus 8		2
<i>Avian metapneumovirus</i> Turkey rhinotracheitis virus (TRTV), Virus der Putenrhinotracheitis		2
<i>Avian orthoavulavirus 1</i> Newcastle disease virus (NDV), Avian paramyxovirus 1 (APMV-1), Avian avulavirus 1	AR	2
<i>Avian orthoavulavirus 12</i> Avian paramyxovirus 12 (APMV-12), Avian avulavirus 12		2
<i>Avian orthoavulavirus 13</i> Avian paramyxovirus 13 (APMV-13), Avian avulavirus 13		2
<i>Avian orthoavulavirus 16</i> Avian paramyxovirus 16 (APMV-16), Avian avulavirus 16		2
<i>Avian orthoavulavirus 17</i> Avian paramyxovirus 17 (APMV-17), Avian avulavirus 17		2
<i>Avian orthoavulavirus 18</i> Avian paramyxovirus 18 (APMV-18), Avian avulavirus 18		2

Organismenname	siehe Legende	Risikogruppe
Avian orthoavulavirus 19 Avian paramyxovirus 19 (APMV-19), Avian avulavirus 19		2
Avian orthoavulavirus 21 Avian paramyxovirus 21 (APMV-21), Avian avulavirus 21		2
Avian orthoavulavirus 9 Avian paramyxovirus 9 (APMV-9), Avian avulavirus 9		2
Avian paraavulavirus 3 Avian paramyxovirus 3 (APMV-3), Avian avulavirus 3		2
Avian paraavulavirus 4 Avian paramyxovirus 4 (APMV-4), Avian avulavirus 4		2
Bat paramyxovirus (BatPV/Epo_spe/218-AR1/ DRC/2009)		2
Canine morbillivirus Staupe-Virus, Canine distemper virus (CDV)		2
Cedar henipavirus		2
Cetacean morbillivirus Cetacean morbillivirus (CeMV)		2
Hendra henipavirus Hendra virus (HeV)		4
Human orthorubulavirus 2 Parainfluenzavirus Type 2, Human rubulavirus 2	AR	2
Human orthorubulavirus 4 Parainfluenzavirus Type 4, Human rubulavirus 4	AR	2
Human respirovirus 1 Parainfluenzavirus Type 1	AR	2
Human respirovirus 3 Parainfluenzavirus Type 3	AR	2
Mammalian orthorubulavirus 5 Parainfluenzavirus Type 5, Simian Virus Typ 5, Mammalian rubulavirus 5		2
Measles morbillivirus Masernvirus, Measles virus (MeV)	AR	2
Measles morbillivirus, Stamm Edmonston Masernvirus, Measles virus (MeV), Stamm Edmonston	Va	1
Mumps orthorubulavirus Mumps virus (MUV), Mumps rubulavirus	AR	2
Murine respirovirus Murine parainfluenza virus 1, Sendai virus (SeV)		2
Nipah henipavirus Nipah virus (NiV)		4
Phocine morbillivirus Seehund-Paramyxovirus, Phocine (seal) distemper virus (PDV)		2
Reptilian ferlavivirus Paramyxoviren der Reptilien, Ophidian paramyxoviruses		2
Rinderpest morbillivirus Rinderpest-Virus (RPV)		4
Salem salemvirus Salem virus (SalV)		2
Small ruminant morbillivirus Virus der Pest der Kleinen Wiederkäuer, Peste-des-petits-ruminants virus (PPRV)		4
Sosuga pararubulavirus		3
Tupaia narmovirus Tupaia paramyxovirus (TUPV)		2
Parvoviridae		
Adeno-associated dependoparvovirus A, Typ 1, 2, 3, 3b, 6, 8 und 9 Adeno-assoziierte Viren Typ 1, 2, 3, 3b, 6, 8 und 9 (AAV)		1
Adeno-associated dependoparvovirus A, Typ 4, 7, 10, 11, 12 und 13 Adeno-assoziierte Viren Typ 4, 7, 10, 11, 12 und 13 (AAV)		2

Organismenname	siehe Legende	Risikogruppe
Adeno-associated dependoparvovirus B, Typ 5 Adeno-assoziiertes Virus Typ 5		1
Adeno-assoziiertes Virus Serotyp rh.74		2
Adeno-assoziiertes Virus Typ po 1 (AAV)		2
Adeno-assoziiertes Virus Typ rh-10		1
Anseriform dependoparvovirus 1 Gänsehepatitis-Virus, Muscovy duck parvovirus (MDPV), Goose parvovirus		2
Carnivore protoparvovirus 1 Mink enteritis virus (MEV), Nerzenteritis-Virus, Feline panleukopenia virus (FPV), Felines Panleukopenie-Virus, Canine parvovirus 2		2
Chiropteran tetraparvovirus 1 Eidolon helvum-Parvovirus 1 (Eh-BtPV-1), Artibeus jamaicensis-Parvovirus 1 (Aj-BtPV-1)		1
Galliform aveparvovirus 1 Parvovirus des Huhns, Chicken parvovirus (ChPV)		1
Parvoviren der Krebse		2
Primate bocaparvovirus 1 Human bocavirus (HBoV) 1, 3		2
Primate bocaparvovirus 2 Human bocavirus (HBoV) 2c, 4		2
Primate erythroparvovirus 1 B19 virus (B19V), Parvovirus des Menschen (B19)	AR	2
Primate protoparvovirus 1 Bufavirus 1a, 1b, 2		2
Primate protoparvovirus 3 Cutavirus		2
Primate tetraparvovirus 1 Humanes Parvovirus 4 (PARV4), Genotyp 2: auch Humanes Parvovirus 5		2
Rodent protoparvovirus 1 Kilham rat virus (KRV), Minute virus der Maus (MMV), H-1 virus, Hamster-H-1-Virus, Lullii virus, Tumor virus X, H3-Parvovirus		2
Ungulate protoparvovirus 1 Porcine parvovirus Kresse, NADL-2		2
Ungulate tetraparvovirus 1 Bovines Hokovirus (BHoV), Bovines Partetravirus		1
Ungulate tetraparvovirus 2 Porzines Hokovirus (PHoV), Porzines Partetravirus, Porzines Parvovirus 3		1
Ungulate tetraparvovirus 3 Porzines Parvovirus 2 (PPV2), Cnvirus		1
Ungulate tetraparvovirus 4 Ovines Hokovirus (OHoV), Ovines Partetravirus		1
Peribunyaviridae		
Akabane orthobunyavirus Akabane virus (AKAV)		3
Batai orthobunyavirus Batai virus (BATV), Chittoor-Virus		2
Bunyamwera orthobunyavirus Germiston virus (GERV), Bunyamwera virus (BUNV)	AR	2
California encephalitis orthobunyavirus California encephalitis virus (CEV), Virus der Kalifornischen Enzephalitis	AR	2
Calovo-Virus		2
Herbert herbevirus Herbert virus		2
Jamestown Canyon orthobunyavirus Inkoo virus (INKV), Jamestown Canyon virus (JCV)		2
Kibale herbevirus Kibale virus		2

Organismenname	siehe Legende	Risikogruppe
La Crosse orthobunyavirus La crosse virus (LACV)		2
Lumbo orthobunyavirus Lumbo-Virus		2
Oropouche orthobunyavirus Oropouche virus	AR	3
Schmallenberg orthobunyavirus Schmallenberg virus, Sathuperi orthobunyavirus		2
Simbu orthobunyavirus Simbu virus (SIMV)		2
Tahyna orthobunyavirus Tahyna virus (TAHV), Trojica-Virus		2
Permutotetraviridae		
Thosea asigna virus Thosea asigna virus (TaV)		1
Phenuiviridae		
Badu phasivirus Badu virus (BADUV)		1
Bhanja bandavirus Bhanja virus (BHAV)	AR	2
Dabie bandavirus Huaiyangshan banyangvirus, Severe fever with thrombocytopenia syndrome virus (SFTSV), Huaiyangshan virus, Henan fever virus, Severe fever with thrombocytopenia syndrome phlebovirus	AR	4
Gouleako goukovirus		2
Naples phlebovirus Sandfly fever Naples phlebovirus, Sandfly fever Naples virus (SFNV), Pappataci fever-Virus, Toscana virus (TOSV), Sandfly fever sicilian virus (SFSV), Naples phlebovirus		2
Phasi Charoen-like phasivirus		1
Punta Toro phlebovirus Punta Toro virus	AR	2
Rift Valley fever phlebovirus Rift Valley fever virus (RVFV), Rifttalfebvirus	AR	3
Rift Valley fever phlebovirus Clone 13 Rift Valley fever virus (RVFV) Clone 13		2
Rift Valley fever phlebovirus MP-12 Rift Valley fever virus (RVFV) MP-12		2
Uukuniemi uukuvirus Uukuniemi phlebovirus, Uukuniemi virus (UUKV)		2
Phycodnaviridae		
Ectocarpus siliculosus virus 1 Ectocarpus siliculosus virus 1 (EsV-1)		1
Emiliana huxleyi virus 86 Emiliana huxleyi virus (EHV)		1
Paramecium bursaria chlorella virus CVK2 (PBCV-CVK2) Chlorella virus CVK2, Chlorovirus CVK-2		1
Picornaviridae		
Aichivirus A Aichivirus-1	AR	2
Aviäre Enteroviren, außer den speziell genannten Spezies		1
Avihepatovirus A Duck hepatitis virus I and III (DHV), Entenhepatitis-Virus		2

Organismenname	siehe Legende	Risikogruppe
Bovine enterovirus (BEV) Rinder-Enteroviren (ECBO)		1
Bovine rhinoviruses (BRV) Rhinoviren bei Tieren		1
Cardiovirus A Encephalomyocarditis virus (EMCV), Columbia SK-Virus, Mengo-Virus		2
Cardiovirus A, Stamm vMC0 Encephalomyocarditis virus (EMCV) Stamm vMC0, Mengovirus Stamm vMC0		1
Cardiovirus B Saffoldvirus, Theiler's murine encephalomyelitis virus (TMEV)	AR	2
Cosavirus A	AR	2
Enterovirus A einige Coxsackieviren, Echoviren	AR	2
Enterovirus B einige Coxsackieviren, Echoviren, Swine vesicular disease virus, Virus der Bläschenkrankheit des Schweines (SVD-Virus)	AR	2
Enterovirus C, Serotyp 2 des Poliovirus Poliomyelitis-Virus, Human poliovirus 2 (PV)		3
Enterovirus C, Serotypen 1 und 3 des Poliovirus Poliomyelitis-Virus, Human poliovirus 1 und 3 (PV)		2
Enterovirus D Acute haemorrhagic conjunctivitis virus (AHC), Humanes Enterovirus Typ 70 (Acute-Haemorrhagic-Conjunctivitis-Virus)	AR	2
Equine rhinitis A virus Equine rhinitis A virus (ERAV)		2
Equine rhinitis B virus Equine rhinitis B virus (ERBV), Equine rhinovirus 2 (ErhV3), Equine rhinovirus 3 (ErhV3), acid-stable equine picornavirus (EqPV)		2
Foot-and-mouth disease virus Foot-and-mouth disease virus (FMDV), Maul- und Klauenseuche-Virus (MKSV)		4
Hepatovirus A Hepatitis A virus (HAV), Humanes Enterovirus Typ 70	AR	2
Parechovirus A Humanes Parechovirus	AR	2
Parechovirus B Ljunganvirus	AR	2
Picornaviren bei Krebsen und Weichtieren		2
Picornavirus-ähnliches Bienenvirus		2
Porcine enterovirus (PEV) Schweine-Enteroviren (ECSO)		2
Senecavirus A Senecavirus A (SVA)		2
Simian enterovirus (SEV) Affen-Enteroviren		2
Teschovirus A, außer Stamm Teschen Porcine teschovirus-1 (PTV-1), außer Stamm Teschen		2
Teschovirus A, Stamm Teschen Porcine teschovirus-1 (PTV-1), Stamm Teschen, Teschen-Talfan-Virus		3
Tremovirus A Aviäres Enzephalomyelitisvirus, Avian encephalomyelitis virus		2
Pneumoviridae		
Bovine orthopneumovirus Bovine respiratory syncytial virus (BRSV)		2
Human metapneumovirus Human metapneumovirus (HMPV)		2
Human orthopneumovirus Human respiratory syncytial virus (HRSV), Respiratory syncytial virus (RSV)	AR	2

Organismenname	siehe Legende	Risikogruppe
Murine orthopneumovirus Pneumonia virus of mice (PVM), Murines Pneumonie-Virus		2
Polydnviriformidae		
Bracoviriform demolitoris Microplitis demolitor bracovirus (MdBV), Microplitis demolitor bracovirus		1
Polyomaviridae		
Alphapolyomavirus quintihominis Merkel cell polyomavirus (MCV or MCPyV), Human polyomavirus 5		2
Betapolyomavirus hominis BK polyomavirus (BKPyV), Human polyomavirus 1	AR	2
Betapolyomavirus macacae Simian virus 40 (SV-40), Macaca mulatta polyomavirus 1		2
Betapolyomavirus secuhominis JC polyomavirus (JCPyV), Human polyomavirus 2	AR	2
B-lymphotropic polyomavirus (LPyV) African green monkey polyomavirus (AGMPyV)		2
Bovine polyomavirus (BPyV)		2
Mus musculus polyomavirus Murine polyomavirus (MPyV)		2
Viren der Familie der Polyomaviridae		2
Potyviridae		
Barley mild mosaic virus Barley mild mosaic virus (BaMMV)	p	1
Bean common mosaic virus Bean common mosaic virus (BCMV), Blackeye cowpea mosaic virus, Azuki bean mosaic virus, Peanut stripe virus, Peanut mild mottle virus, Peanut chlorotic ring mottle virus	p	1
Beet mosaic virus Beet mosaic virus (BtMV)	p	1
Brome streak mosaic virus Brome streak mosaic virus (BrSMV), Brome streak virus (BStV), Brome streak mosaic ryomovirus (BrSMV)	p	1
Cassava brown streak virus Cassava brown streak virus (CBSV)	p	1
Celery latent virus Celery latent virus (CeLV)	p	1
Cucumber vein yellowing virus Cucumber vein yellowing virus (CVYV)	p	2
Johnsongrass mosaic virus Australian maize dwarf mosaic virus, Johnsongrass mosaic virus (JGMV)	p	2
Leek yellow stripe virus Leek yellow stripe virus (LYSV)	p	1
Maize dwarf mosaic virus	p	1
Pea seed-borne mosaic virus Pea seed-borne mosaic virus (PSbMV)	p	1
Plum pox virus Plum pox virus (PPV), Scharka-Virus	p	1
Potato virus Y Potato virus Y (PVY), Brinjal mosaic virus, Potato acropetal necrosis virus, Potato severe mosaic virus, Tobacco vein-banding virus	p	1
Sweet potato feathery mottle virus Sweet potato feathery mottle virus (SPFMV), Sweet potato russet crack virus, Sweet potato A virus, Sweet potato chlorotic leaf spot virus, Sweet potato internal cork virus	p	1
Tobacco etch virus Tobacco etch virus (TEV)	p	2
Tobacco vein mottling virus	p	2

Organismenname	siehe Legende	Risikogruppe
Tomato mosaic virus (ToMV)	p	1
Turnip mosaic virus Turnip mosaic virus (TuMV)	p	1
Wheat streak mosaic virus Wheat streak mosaic virus (WSMV)	p	1
Zucchini yellow mosaic virus Zucchini yellow mosaic virus (ZYMV)	p	1
Poxviridae		
Aviäre Pockenviren (z. B. Geflügelpocken-Viren)		2
Bovine papular stomatitis virus Bovine papular stomatitis virus (BPSV), Stomatitis-papulosa-Virus		2
Camelpox virus Camelpox virus (CMLV), Kamelpockenvirus		2
Canarypox virus Canarypox virus (CNPV), Kanarienspockenvirus		2
Canarypox virus, Stamm ALVAC Canarypox virus (CNPV), Kanarienspockenvirus, Stamm ALVAC		1
Cowpox virus Cowpox virus (CPXV), Kuhpocken-Virus	AR	2
Ectromelia virus Ectromelia virus (ECTV), Ektromelie-Virus		2
Hare fibroma virus Hare fibroma virus (FIBV), Fibromvirus beim Hasen		2
Lumpy skin disease virus Lumpy skin disease virus (LSDV)		2
Molluscum contagiosum virus Molluscum contagiosum virus (MOCV)	AR	2
Monkeypox virus Monkeypox virus (MPXV), Affenpocken-Virus	AR	3
Myxoma virus Myxoma virus (MYXV)		2
Orf virus Orf virus (ORFV), Virus des Ekthyma contagiosum	AR	2
Pseudocowpox virus Pseudocowpox virus (PCPV), Pseudokuhpocken-Virus, Melkerknoten-Virus	AR	2
Rabbit fibroma virus Rabbit fibroma virus (SFV), Kaninchen-(Shope)-Fibrom-Virus		2
Squirrel fibroma virus Squirrel fibroma virus (SQFV), Fibromvirus beim Eichhörnchen		2
Swinepox virus Swinepox virus (SWPV), Schweinepocken-Virus		2
Tanapox virus Tanapocken virus (TANV)	AR	2
Vaccinia virus Vaccinia-Virus (VACV), Elefantenpocken-Virus, Rabbitpox virus (RPXV), Buffalopox virus (BPXV)	AR	2
Vaccinia virus (modifiziert), Stamm Ankara Modified vaccinia virus Ankara (MVA)		1
Vaccinia virus (modifiziert), Stamm Ankara-HBV MVA-HBV		1
Vaccinia virus (modifiziert), Stamm NYVAC		1
Vaccinia virus, Stamm Dis		1
Variola virus Weißpockenvirus, Variola minor virus (VARV), Variola major virus, Alastrim virus	AR	4
Yaba monkey tumor virus Yaba monkey tumor virus (YMTV), Yaba-Affentumor-Virus	AR	2

Organismenname	siehe Legende	Risikogruppe
Retroviridae		
akute Leukämie/Sarkom-Viren der Subgruppen A und B der Geflügel-Leukose-Sarkom-Viren		1
akute Leukämie/Sarkom-Viren der Subgruppen C und D der Geflügel-Leukose-Sarkom-Viren		2
Aviäre Leukose-Viren (ALV)		1
Baboon endogenous virus (BaEV)		2
Bovine foamy virus Bovine foamy virus (BFV), Bovine syncytial virus (BSV)		2
Bovine immunodeficiency virus Bovine immunodeficiency virus (BIV), Bovines Immundefizienzvirus		2
Bovine leukemia virus Bovine leukemia virus (BLV), Bovines Leukämie-Virus		2
Caprine arthritis encephalitis virus Caprine arthritis encephalitis virus (CAEV), Caprines Arthritis-Enzephalitis-Virus		2
endogene tierische Retroviren, die auf natürliche Weise in das Genom gelangen und apathogen sind		1
Equine infectious anemia virus Equine infectious anemia virus (EIAV), Virus der Infektiösen Anämie der Einhufer		2
exogene Retroviren, außer den speziell genannten Spezies		2
Feline foamy virus Feline foamy virus (FFV), Felines Synzytium-Virus (FSV)		2
Feline immunodeficiency virus Feline immunodeficiency virus (FIV), Felines Immundefizienzvirus		2
Feline leukemia virus Feline leukemia virus (FeLV), Felines Leukämie-Virus		2
Felines endogenes Retrovirus RD114 Katzen-b-Retrovirus RD114		2
Gibbon ape leukemia virus Gibbon ape leukemia virus (GALV), Gibbon-Affen-Leukämie-Virus		2
Harvey murine sarcoma virus Harvey murine sarcoma virus (HaMSV)		2
Human endogenous retrovirus K Melanom-assoziiertes endogenes Retrovirus (MERV/HERV-K)		1
Human foamy virus (HFV) Human spumavirus (HSRV), Prototype foamy virus (PFV)		2
Human immunodeficiency virus 1, -2 Human immunodeficiency virus 1, 2 (HIV-1, HIV-2), Humanes Immundefizienzvirus Typ 1 und Typ 2	*	3
Jaagsiekte sheep retrovirus Jaagsiekte sheep retrovirus (JSRV), Virus der Lungenadenomatose des Schafes		2
Kirsten murine sarcoma virus Kirsten murine sarcoma virus (KiMSV)		2
Lake Casitas retrovirus		2
Lymphoproliferative disease virus of turkeys (LPDV) Virus der lymphoproliferativen Erkrankung des Truthahns		2
Mason-Pfizer monkey virus Mason-Pfizer monkey virus (MPMV), Mason-Pfizer-Affen-Virus, Simian retrovirus		2
Mouse mammary tumor virus Mouse mammary tumor virus (MMTV), Murines Mammatumor (Bittner)-Virus		2
Murine amphotrope Retroviren		2
Murine ecotrope Retroviren (außer Lake Casitas retrovirus)		1
Mustelidae-endogenes Lentivirus des Frettchens (MELVmpf)		2
Porzine endogene Retroviren (PERV), Subtypen A und B sowie natürliche Rekombinanten		2
Porzines endogenes Retrovirus (PERV), Subtyp C		1
Primate T-lymphotropic virus 1 Virus der Humanen Adulten T-Zell-Leukämie, Humanes T-lymphotropes Virus 1 (HTLV-1), Simian T-lymphotropic virus 1 (STLV1)	*	3

Organismenname	siehe Legende	Risikogruppe
Primate T-lymphotropic virus 2 Virus der Haarzell-Leukämie, Humanes T-lymphotropes Virus 2 (HTLV-2), Simian T-lymphotropic virus 2 (STLV2)	*	3
Retroviren bei Weichtieren		2
Simian foamy virus (SFV) Affen-Foamy-Virus, Human foamy virus (HFV)		2
Simian immunodeficiency virus Simian immunodeficiency virus (SIV), Affen-Lentivirus		2
Squirrel monkey retrovirus Squirrel monkey retrovirus (SMRV)		2
Visna-maedi virus Maedi/Visna virus		2
Woolly monkey sarcoma virus Woolly monkey sarcoma virus (WMSV), Simian sarcoma virus (SSV)		2
Xenotropic murine leukemia virus-related virus (XMRV)		2
Rhabdoviridae		
Cytorhabdovirus fragariarugosus Strawberry crinkle virus (SCV), Strawberry crinkle cytorhabdovirus	p	1
Ephemerovirus febris Bovine ephemeral fever virus (BEFV), Bovines Ephemeralfeber-Virus, Bovine fever ephemerovirus		2
Lyssavirus australis Australian bat lyssavirus (ABLV), Australisches Fledermauslyssavirus, Tollwutvirus Genotyp 7, Australian bat lyssavirus	*	3
Lyssavirus duvenhage Tollwutvirus Serotyp 4, Duvenhage virus (DUVV), Duvenhage lyssavirus	AR, *	3
Lyssavirus hamburg Tollwutvirus Genotyp 5, European bat virus (EBV), European bat 1 lyssavirus	AR, *	3
Lyssavirus helsinki Tollwutvirus Genotyp 6, European bat virus (EBV), European bat 2 lyssavirus	AR, *	3
Lyssavirus lagos Tollwutvirus Serotyp 2, Lagos bat virus (LBV), Lagos bat lyssavirus	AR	3
Lyssavirus mokola Tollwutvirus Serotyp 3, Mokola lyssavirus (MOKV), Mokola lyssavirus		3
Lyssavirus rabies Tollwutvirus Serotyp 1, Rabies virus (RABV), Rabies lyssavirus	AR, *	3
Lyssavirus rabies, Stamm SAD B19 Rabies virus (RABV), Stamm SAD B19		2
Lyssavirus rabies, Stamm SPBN GASGAS Rabies virus (RABV), Stamm SPBN GASGAS		1
Novirhabdovirus piscine Viral hemorrhagic septicemia virus (VHSV), Virus der Hämorrhagischen Septikämie der Fische, Piscine novirhabdovirus		2
Novirhabdovirus salmonid Infectious hematopoietic necrosis virus (IHNV), Virus der Infektiösen Hämato-poetischen Nekrose der Salmoniden, Salmonid novirhabdovirus		2
Rhabdoviren bei Krebsen		2
Sprivirus cyprinus Spring viremia of carp virus (SVCV), Virus der Frühjahrsvirämie des Karpfen, Carp sprivirus		2
Vesiculovirus alagoas Alagoas vesiculovirus	AR	2
Vesiculovirus indiana Vesicular stomatitis indiana virus (VSIV), Vesicular stomatitis virus (VSV), Virus der vesikulären Stomatitis, Indiana vesiculovirus	AR	2
Vesiculovirus maraba Maraba vesiculovirus		2
Vesiculovirus newjersey New Jersey vesiculovirus	AR	2

Organismenname	siehe Legende	Risikogruppe
Vesiculovirus pyri Piry vesiculovirus	AR	2
Roniviridae		
Gill-associated virus Gill-associated virus (GAV)		2
Secoviridae		
Apple latent spherical virus Apple latent spherical virus (ALSV)	p	1
Bean pod mottle virus Bean pod mottle virus (BPMV), Pod mottle virus	p	1
Cherry leaf roll virus Cherry leaf roll virus (CLRV), Ash mosaic virus, Sambucus ringspot and yellow net virus	p	1
Cowpea mosaic virus Cowpea mosaic virus (CPMV)	p	1
Raspberry ringspot virus Raspberry ringspot virus (RpRSV), Raspberry Scottish leaf curl virus, Redcurrant ringspot virus	p	1
Strawberry mottle virus Strawberry mottle virus (SMoV), Strawberry mild crinkle virus	p	1
Sedoreoviridae		
African horse sickness virus African horse sickness virus (AHSV), Afrikanisches Pferdepest-Virus		3
Banna virus	AR	2
Bluetongue virus, außer den speziell genannten Serotypen		3
Bluetongue virus-6 (BTV-6), europäische Isolate		2
Bluetongue virus-8 (BTV-8)		2
Epizootic hemorrhagic disease virus Epizootic hemorrhagic disease virus (EHDV), Virus der Enzootischen Hämorrhagischen Krankheit des Rotwilds		3
Great Island virus Tribec virus (TRBV)		2
Palyam virus Chuzan virus		2
Rotavirus (Genus)	AR	2
Sinhaliviridae		
Lake Sinai virus 1 Lake Sinai virus 1 (LSV1)		2
Lake Sinai virus 2 Lake Sinai virus 2 (LSV2)		2
Solemoviridae		
Barley yellow dwarf virus (BYDV)	p	1
Beet mild yellowing virus Beet mild yellowing virus (BMV)	p	1
Beet western yellows virus Beet western yellows virus (BWYV)	p	1
Cucurbit aphid-borne yellows virus Cucurbit aphid-borne yellows virus (CABYV)	p	1
Melon aphid-borne yellows virus Melon aphid-borne yellows virus (MABYV)	p	2
Potato leafroll virus Potato leafroll virus (PLRV)	p	1

Organismenname	siehe Legende	Risikogruppe
Rice yellow mottle virus Rice yellow mottle virus (RYMV)	p	1
Soybean dwarf virus Soybean dwarf virus (SbDV), Subterranean clover red leaf virus (SCRLV), Strawberry mild yellow edge virus (SMYEV)	p	1
Suakwa aphid-borne yellows virus Suakwa aphid-borne yellows virus (SABYV)	p	2
Spinareoviridae		
Avian orthoreovirus Avian reovirus (ARV)		2
Coltivirus (Genus), als ausschließlich humanpathogen bekannte Arten	AR	2
Eyach coltivirus Eyach virus (EYAV)		2
Mammalian orthoreovirus Mammalian orthoreovirus (MRV)		2
Nelson Bay orthoreovirus Nelson Bay virus, Pulau virus, Melaka virus, Kampar virus, Sikamat virus, Xi River virus		2
Tobaniviridae		
Bovine torovirus Bovine torovirus (BoTV), Breda virus (BRV)		2
Equine torovirus Equine torovirus (EqTV), Berne virus (BEV)		2
Togaviridae		
Aura virus Aura virus (AURAV)		2
Barmah forest virus Barmah forest virus (BFV)		2
Bebaru virus Bebaru virus (BEBV)	AR	2
Cabassou virus	AR	3
Chikungunya virus Chikungunya virus (CHIKV)	*	3
Chikungunya virus Δ5nsP3 Chikungunya virus (CHIKV) Δ5nsP3		1
Chikungunya virus, Isolat 181/clone 25 Chikungunya virus (CHIKV), Isolat 181/clone 25	*	3
Eastern equine encephalitis virus Eastern equine encephalitis virus (EEEV)	AR	3
Eilat virus Eilat virus (EILV)		1
Everglades virus Everglades virus (EVEV)	AR, *	3
Fort Morgan virus Fort Morgan virus (FMV)		2
Getah virus Getah virus (GETV), Sagiyama virus (SAGV)		3
Highlands J virus Highlands J virus (HJV)		1
Kyzylgach virus (KYZV)		3
Madariaga virus		2
Mayaro virus Mayaro virus (MAYV)	AR	3
Middelburg virus		2

Organismenname	siehe Legende	Risikogruppe
Mucambo virus Mucambo virus (MUCV)	AR, *	3
Ndumu virus Ndumu virus (NDUV)	AR, *	3
Onyong-nyong virus O'nyong-nyong virus (ONNV)	AR	2
Pixuna virus Pixuna virus (PIXV)		2
Ross River virus Ross River virus (RRV)	AR	2
Salmon pancreas disease virus salmonid alphavirus (SAV), sleeping disease virus (SDV)		2
Semliki Forest virus Semliki Forest virus (SFV)	AR	2
Sindbis virus, außer Kyzylagach virus Sindbis virus (SINV)		2
Southern elephant seal virus		1
Tonate virus	AR, *	3
Una virus Una virus (UNAV)		2
Venezuelan equine encephalitis virus Venezuelan equine encephalitis virus (VEEV)	AR	3
Western equine encephalitis virus Western equine encephalitis virus (WEEV)	AR	3
Whataroa virus Whataroa virus (WHAV)		2
Tombusviridae		
Bean leafroll virus Bean leafroll virus (BLRV)	p	1
Carnation Italian ringspot virus Carnation Italian ringspot virus (CIRV)	p	1
Carrot mottle mimic virus Carrot mottle mimic virus (CMoMV)	p	1
Cymbidium ringspot virus Cymbidium ringspot virus (CyRSV)	p	1
Grapevine Algerian latent virus Grapevine Algerian latent virus (GALV)	p	1
Pelargonium necrotic spot virus Pelargonium necrotic spot virus (PNSV)	p	1
Tomato bushy stunt virus Tomato bushy stunt virus (TBSV)	p	1
Tospoviridae		
Groundnut ringspot orthotospovirus Groundnut ringspot virus (GRSV)	p	1
Impatiens necrotic spot orthotospovirus Impatiens necrotic spot virus (INSV)	p	1
Tomato chlorotic spot orthotospovirus Tomato chlorotic spot virus (TCSV)	p	1
Tomato spotted wilt orthotospovirus Tomato spotted wilt virus (TSWV), Dahlia oakleaf virus, Dahlia ringspot virus, Dahlia yellow ringspot virus, Groundnut ringspot virus, Mung bean leaf curl virus, Pineapple yellow spot virus, Watermelon silver mottle virus	p	1
Tymoviridae		
Varroa destructor macula-like virus (VdMLV)		2

Organismenname	siehe Legende	Risikogruppe
Virgaviridae		
Barley stripe mosaic virus Barley stripe mosaic virus (BSMV), Barley false stripe virus, Barley mild stripe virus, Oat stripe mosaic virus	p	2
Beet soil-borne virus Beet soil-borne virus (BSBV)	p	1
Odontoglossum ringspot virus Odontoglossum ringspot virus (ORSV)	p	1
Pea early-browning virus	p	1
Ribgrass mosaic virus Ribgrass mosaic virus (RMV)	p	1
Soil-borne wheat mosaic virus Bodenbürtiges Weizenmosaikvirus	p	1
Tobacco mosaic virus Tobacco mosaic virus (TMV)	p	1
Tobacco rattle virus Tobacco rattle virus (TRV)	p	1
Viroide		
Potato spindle tuber viroid (PSTVd)	p	2
unklassifizierte Vertreter der Bunyavirales		
Bunyaviren bei Krebsen		2
unklassifizierte Vertreter der Caudoviricetes		
Mycobacterium virus TM4 Mycobacterium phage TM4 (TM4)		1
unklassifizierte Vertreter der Reovirales		
Reoviren bei Krebsen und Weichtieren		2
Reoviren der Reptilien		2
unklassifizierte Viren		
Bee virus X, Y		2
Big Cypress virus (BCPV)		1
Biratnagar virus (BIRV)		1
Brejeira virus (BREJV)		1
Bustos virus (Bustos)		1
Castlerea virus (CsV)		1
Chronic bee paralysis virus (CBPV)		2
Cordoba virus (CDBV)		1
Culex univittatus negevirus (CUNV)		1
Dezidougou virus (DEZV)		1
Gou-tanap virus (GANV)		1
Loreto virus (LORV)		1
Motts Mill-Virus (MMV)		1
Nackednaviren		1
Namenloses kryptisches Virus aus <i>Allium cepa</i>	p	1
Negev virus (NEGV)		1
Ngewotan negevirus Ngewotan virus (NWTV)		1
Ochlerotatus caspius negevirus (OCNV)		1

Organismenname	siehe Legende	Risikogruppe
Okushiri virus (OKV)		1
Parsley latent virus	p	1
Parsley virus 5 (PaV-5)	p	1
Piura virus (PIUV)		1
San Bernardo virus (SBDV)		1
Santana virus (SANV)		1
Tanay virus (TANV)		1
Wallerfield virus (WALV)		1

Agenzien transmissibler spongiformer Enzephalopathien (TSE-Agenzien)

Agenzien folgender TSE-Erkrankungen	siehe Legende	Risikogruppe
Bovine Spongiforme Enzephalopathie (BSE) und andere verwandte tierische übertragbare spongiforme Enzephalopathien (TSE)	AR, *	3
Chronic wasting disease (CWD)	*	3
Creutzfeldt-Jakob-Erkrankung (CJD)	AR, *	3
Fatal familial insomnia (FFI)	AR, *	3
Gerstmann-Sträussler-Scheinker-Syndrom (GSS)	AR, *	3
Kuru	AR, *	3
Scrapie	AR	2
Variante der Creutzfeldt-Jakob-Erkrankung (vCJD)	AR, *	3